



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

Eval 120  
Enf 055

October 11, 2012

Mr. Steve Bley  
Facility Compliance Manager  
Spring Grove Resource Recovery, Inc.  
4879 Spring Grove Avenue  
Cincinnati, Ohio 45232

**RE: COMPLIANCE EVALUATION INSPECTION  
SPRING GROVE RESOURCE RECOVERY – OHD000816629**

Dear Mr. Bley:

On September 13, 2012, Ohio EPA conducted a Compliance Evaluation Inspection of Spring Grove Resource Recovery, Inc.'s (SGRR) Cincinnati, Ohio facility. Steve Vasse and you represented SGRR during the inspection. Pat Willoughby and I represented Ohio EPA. The purpose of the inspection was to determine SGRR's compliance with Ohio's hazardous waste laws and regulations as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC) and SGRR's Ohio hazardous waste installation and operation permit issued September 30, 2002. Ohio EPA's inspection included an inspection of facility operations and a review of written documentation. Compliance with the Ohio hazardous waste rules and the conditions of SGRR's Permit addressing financial requirements were not assessed during this inspection.

Based on this inspection, Ohio EPA has determined that SGRR has violated the following state hazardous waste regulations and the conditions of its Ohio hazardous waste installation and operation permit. All violations of SGRR's permit are violations of ORC 3734.11(B).

- 1) Duty to Comply, Condition A.5 and OAC 3745-50-58(A):** The Permittee shall comply with all applicable provisions of ORC Chapter 3734, all applicable Ohio hazardous waste rules, and all terms and conditions of this permit, except to the extent and for the duration such noncompliance is authorized by the laws of the State of Ohio. Any permit noncompliance, other than noncompliance authorized by the laws of the State of Ohio, constitutes a violation of ORC Chapter 3734 and the rules adopted thereunder, and is grounds for enforcement action,

suspension, revocation, modification, revision, denial of a permit renewal application or other appropriate action.

- 2) **Manifest System, Condition B.24(c) and OAC 3745-54-76:** An unmanifested waste report must be submitted to the Director within fifteen (15) days of receipt of unmanifested waste and include the information required under OAC Rule 3745-54-76.
- 3) **Limitation of Time of Storage, Condition C.4:** Each container stored must be clearly marked to identify its contents.

SGRR received two (2) hazardous waste shipments from Hoosier Truck & Trailer on non-hazardous waste manifests and one (1) hazardous waste shipment on a hazardous waste manifest that did not properly denote the waste as hazardous. SGRR subsequently improperly stored the waste as non-hazardous. During the September 13, 2012, inspection, we observed four (4) hazardous waste containers improperly marked as non-hazardous.

The profile provided by SGRR for Hoosier Truck & Trailer lists the facility as a conditionally exempt small quantity generator (CESQG) and therefore claimed the waste was non-hazardous. The CESQG waste exemption does not exclude the waste from being hazardous. Furthermore, the profile shows Hoosier Truck & Trailer claiming the amount of waste they intend to ship as 1- 4 55-gallon drums a month, amounts exceeding the CESQG status. The actual hazardous wastes shipped to SGRR exceeded the CESQG status, and therefore needed to be on a hazardous waste manifest.

The Central Profile Group (CPG) failed to properly profile the waste shipment as hazardous waste. The improper profiling caused the hazardous waste to be incorrectly placed onto a non-hazardous manifest. SGRR failed to question the quantity of hazardous waste and why it was on a non-hazardous manifest or improperly noted on a hazardous waste manifest.

CPG also included an incorrect RCRA ID number on the profile and subsequent manifests. The ID number on the profile (IND093219012) is associated with Heritage Environmental Services LLC located at 7901 W. Morris Street, Indianapolis, Indiana. Hoosier Truck & Trailer at 4301 W. Southport Road, Indianapolis, Indiana, is not registered as a generator. JTR Enterprises Inc. Mastercraft is registered at that location with the ID number INR000010710.

Mr. Steve Bley  
October 11, 2012  
Page 3 of 3

**SGRR is in violation of Conditions A.5, B.24, and C.4 and OAC 3745-54-76.** During the September 13, 2012, inspection, SGRR properly marked the four (4) hazardous waste containers. **SGRR is no longer in violation of Condition C.4.**

SGRR must submit unmanifested waste reports for the three (3) improperly manifested shipments of hazardous waste. Please also provide information on the steps CPG and SGRR have taken to prevent this situation from recurring. The unmanifested waste reports and prevention information should be provided to Ohio EPA within fourteen (14) days of receipt of this letter.

Enclosed is a copy of the checklist completed as a result of the inspection. If you have any questions, please either email me at [cathy.altman@epa.ohio.gov](mailto:cathy.altman@epa.ohio.gov) or call me at (937) 285-6093.

Sincerely,



Cathy L. Altman  
Environmental Specialist  
Division of Materials and Waste Management

Enclosure

ec: DHWM Data Entry/Facility File

CLA\bp



GENERAL PERMIT COMPLIANCE AND ACTIVITIES		
1.	Is SGRR storing hazardous waste only in the 9 permitted container storage areas? [Condition C.1]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Has SGRR exceeded the one year storage limit? [Condition C.4]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Has SGRR sent all High Hazard waste off-site within 6 months in accordance with Section C?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Any hazardous waste onsite with an accumulation date over 6 months? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Has SGRR reviewed and re-evaluated the waste in accordance with Section C of the application?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Is SGRR storing hazardous wastes only in the types and size of containers specified in Section D of the application? [Condition C.1.a]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Is each container in storage clearly marked to identify its contents and the date each period of storage began? [Condition C.4]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> *
7.	Are containers holding hazardous waste in good condition? [Condition C.5]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. If not, did SGRR transfer the waste to a container that is in good condition or otherwise manage the waste in compliance with the permit and OAC 3745-55-71? [Condition C.5]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
8.	Does SGRR ensure that all containers used at the facility are compatible with the hazardous waste stored in them? [Condition C.6]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Are incompatible wastes stored separately? [Condition C.13]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does SGRR keep all containers closed during storage except when adding or removing waste? [Condition C.7.b]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
11.	Have all lab pack wastes been packaged in drums containing absorbent that is compatible with the waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	Is SGRR maintaining aisle space to allow unobstructed movement of personnel, fire protection equipment, spill control equipment and decontamination equipment? (Minimum 2 ft b/w pallets of drums, wider in main aisles) [Condition B.12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Are containers stacked according to the application? (bulk totes, cu yd boxes – stacked 2 high; drums – not to exceed 3 high, pallet b/w each stack, 4 drums on bottom pallet before 2 <sup>nd</sup> level added; boxes, cans, pails – variable based on strength and stability) [Condition C.7.a]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
14.	Is the containment system free of cracks and gaps, and sufficiently impervious to contain leaks and spills? [Condition C.8]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Has there been a spill or leak of wastes or an accumulation of precipitation in the containment system? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Did removal exceed 24 hours from the time the spilled and/or leaked waste was discovered?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Does SGRR continue to maintain the 24 hour surveillance system according to Section F of the application? [Condition B.4]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
17.	Is the fence surrounding the facility in good condition in accordance with Section F of the application? [Condition B.4]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	Are warning signs (Danger – Unauthorized Personnel Keep Out) present at intervals along the fence in accordance with Section F of the application? [Condition B.4]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Is SGRR using pallets that are in good condition? [Condition B.1.a]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

20.	Is SGRR, at a minimum, maintaining the equipment set forth in Section F and G of the application? [Condition B.9]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
21.	Does SGRR store containers of ignitable or reactive wastes greater than 50 feet from the property line? [Condition C.12.a]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Does SGRR take precautions to prevent accidental ignition or reaction of ignitable or reactive waste and follow the procedures as specified by 3745-54-15 and Section F of the application including: [Condition C.12.b]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Providing electrical grounding? [Condition B.7.b]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Provide and require the use of spark proof tools? [Condition B.7.c]?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Prohibit smoking and open flames and post appropriate signs? [Condition B.7.d]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>GENERATOR STANDARDS</b>		
23.	Does SGRR comply with generator storage (90-days)? [OAC 3745-52-34]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.	Does SGRR comply with satellite accumulation for LQG? [OAC 3745-52-34]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.	Does SGRR comply with universal waste labelling requirements? [OAC 3745-273-34]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.	Does SGRR comply with universal waste management requirements? [OAC 3745-273-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>RECORD KEEPING</b>		
<b>INSPECTIONS</b>		
27.	Is SGRR following the approved inspection procedures and schedule for inspecting: monitoring equipment, safety equipment, emergency equipment, security devices and operating and structural equipment? [Condition B.5]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.	Does SGRR remedy deterioration or any malfunctions discovered by an inspection? [Condition B.5]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
29.	Is SGRR maintaining records of all inspections for a minimum of 3 years? [Conditions A.27.c & B.5]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.	Do inspection records contain the following information: [Condition B.5]	
a.	Date and time of inspection?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Signature of inspector	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Notation of observations made?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Date and nature of any repairs or other remedial actions?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
31.	Is SGRR inspecting the container area daily for accumulation of waste, leaking or structurally impaired containers, labelling, aisle space, stacking and closed containers in accordance with Section F of the application? [Condition C.10]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.	Are the inspections noted in the inspection log along with any remedial action taken? [Condition C.10]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
33.	Is SGRR inspecting the following components of the tank system: [Condition D.5]	
a.	Overfill controls?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	b.	Above ground portions of the tank system to detect corrosion or leaks?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Construction materials and area immediately surrounding the tank, including secondary containment, to detect erosion or signs of releases?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Reviewing data gathered from monitoring and leak detection equipment to ensure that the systems are operating according to design specifications?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
34.		Is SGRR maintaining documentation of the tank system inspections in the operating log? [Condition D.5.d]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.		Does SGRR prevent the placement of incompatible wastes in the tank and document compliance? [Condition D.10]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
36.		Does SGRR prevent the placement of ignitable or reactive waste in the tank system, unless proper procedures are followed? [Condition D.9]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>MANIFESTS</b>			
37.		Is all hazardous waste shipped from the facility by a registered transporter? [Condition A.16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.		Have all hazardous wastes been shipped off-site with a completed manifest? [Condition B.24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.		Do all manifests contain the required information? [Condition B.24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.		Has SGRR received a return copy of each manifest within 35 days? [Condition B.24.b]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	If not, did SGRR submit an exception report?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
41.		Has a significant discrepancy occurred since the last inspection? [Condition B.24.b]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	If not reconciled within 15 days, was a discrepancy report submitted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
42.		Has SGRR accepted any unmanifested waste? [Condition B.24.c]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	If so, did SGRR submit an unmanifested waste report within 15 days of receipt of the waste?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
43.		Does SGRR maintain copies of manifests and exception reports for at least 3 years? [Condition B.24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
44.		Has SGRR received any waste from a foreign source without notifying the Director in writing at least 4 weeks in advance? [Condition B.2.a]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
45.		Is SGRR informing generators that the facility has the appropriate permit to accept a waste and maintaining documentation of the notice? [Condition B.2.b]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>PERSONNEL TRAINING</b>			
46.		Is SGRR conducting personnel training in accordance with Section H, including instruction in safe equipment operation, emergency procedures, and implementation of the Contingency plan? [Condition B.6]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
47.		Does SGRR provide training to new employees within 6 months from date of employment, along with an annual refresher? [Condition B.6]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
48.		Is SGRR maintaining personnel training records? [Condition B.6]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>CONTINGENCY PLAN</b>			
49.		Have there been any changes at SGRR requiring update to the plan?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

	[Condition B.17]	
50.	Is SGRR reviewing the plan and updating it as needed? [Condition B.17]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
51.	Is an emergency coordinator available at all times with the authority to commit resources? [Condition B.19]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
52.	Has there been a fire, explosion or release of hazardous waste at the facility since the last inspection? [Condition B.14]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Did SGRR comply with the emergency procedures in the plan? [Condition B.14]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Did SGRR submit an incident report to the Director within 15 days?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Did SGRR record the incident in the operating record? [Condition B.22]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>PERMIT MODIFICATION, REVISION, REVOCATION</b>		
53.	Has SGRR made any or plans any changes without submitting a modification? [Conditions A.2 & A.15]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
54.	Has there been a change in owner/operator without a modification? [Condition A.18]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
55.	Has SGRR identified any instances of noncompliance?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
56.	Is SGRR retaining a complete copy of the approved application on-site? [Condition A.14.c]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>OPERATING RECORD</b>		
57.	Is SGRR maintaining a written operating record at the facility which contains the following element: [Condition B.22]	
	a. A description and the quantity of each hazardous waste received?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Method(s) and date(s) of treatment, storage or disposal at the facility?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. The location of each hazardous waste within the facility and the quantity at each location?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
58.	Is SGRR maintaining, until closure is complete and certified, the following documents and amendments, revisions and modifications to these documents: [Condition A.28]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. Waste analysis plan?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Contingency plan?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Closure plan?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Cost estimate for facility closure?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e. Personnel training plan and records?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f. Inspection schedules?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>CLOSURE REQUIREMENTS</b>		
59.	Has SGRR closed the facility or any portion of the facility?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

STORAGE OF HAZARDOUS WASTES IN CONTAINERS		
60.	Does SGRR limit the total quantity of containerized waste in the container storage area to 150,000 gallons at any given time? [Condition C.1.a]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
61.	Does SGRR limit the total quantity of waste treated in containers to no more than a maximum of 10,000 gallons per day? [Condition C.1.a]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
TANK SYSTEM REQUIREMENTS		
62.	Is SGRR limiting the total volume of waste managed in the tank system to the maximum volume for each tank as authorized by Condition D.1?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
63.	Does SGRR store and treat in tanks only those hazardous waste codes specified in the permit application and as listed on Attachment I of the permit? [Condition D.1.c]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
64.	Has a leak or spill occurred from the tank system?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
65.	Does SGRR conduct annual leak testing? [Condition D.3]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
LAND DISPOSAL RESTRICTIONS		
66.	Does SGRR comply with all applicable regulations regarding land disposal prohibitions and restrictions as required by OAC 3745-270?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
67.	Does SGRR comply with the notification and certification requirements as required by OAC 3745-270-07(A)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
68.	Does SGRR comply with OAC 3745-270-03 by not diluting a restricted waste or treatment residue as a substitute for adequate treatment?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
69.	Does SGRR retain supporting data as required by OAC 3745-270-07(A)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

\*Container labeling violation was corrected during the September 13, 2012, inspection.