



Environmental
Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

Re: Notice of Violation
Van Wert County
Boyd Theaters
Ohio EPA Permit No. 2PR00213
NPDES Permit No. OH0135992

June 9, 2011

Mr. James Boyd
Boyd Theaters
10721 West Ridge Road
Van Wert, Ohio 45891

Dear Mr. Boyd:

We are in receipt of your self-monitoring report covering the months of January through March 2011 for the referenced facility. Our review indicates violations of the conditions of your NPDES permit. The specific instances of noncompliance are attached on a separate sheet.


Please inform this office in writing as to the reasons for the above referenced violations, as well as a description of the actions taken or proposed to prevent any further violations. Your response should include the dates, either actual or proposed, for completion of the actions.

Please be advised that failure to comply with the effluent limitations and/or monitoring requirements, including adequate laboratory controls, appropriate quality assurance procedures, and records retention, as specified in your Part III-General conditions of your NPDES permit may be cause for enforcement action pursuant to Ohio Revised Code, Chapter 6111. If these violations continue to occur and if satisfactory progress is not made, it may be necessary to initiate enforcement action to achieve compliance.

The Ohio EPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes or pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment, and improve your public image by implementing pollution prevention programs. For more information about pollution prevention, including fact sheets or U. S. EPA's "Facility Pollution Prevention Guide" (EPA/600/R-92.008), please contact the Ohio EPA Pollution Prevention Section at (614)644-3469.

If there are any questions, feel free to contact me at (419) 373-3022.


Sincerely,


Justin A. Williams
Division of Surface Water

/cs

Enclosure

~~pc:w/Enclosure--NWDO--DSW:File~~



Boyd Theaters - Violations for January - March 2011

Permit No.	Reporting Period	Station	Reporting Code	Parameter	Limit Type	Limit	Reported Value	Violation Date
2PR00213*AD	March 2011	001	00530	Total Suspended Solids	1D Conc	18	28.	3/14/2011
2PR00213*AD	March 2011	001	00530	Total Suspended Solids	30D Conc	12	28.	3/1/2011
2PR00213*AD	March 2011	001	00610	Nitrogen, Ammonia (NH3)	1D Conc	4.5	35.	3/14/2011
2PR00213*AD	March 2011	001	00610	Nitrogen, Ammonia (NH3)	30D Conc	3.0	35.	3/1/2011
2PR00213*AD	March 2011	001	80082	CBOD 5 day	1D Conc	15	22.	3/14/2011
2PR00213*AD	March 2011	001	80082	CBOD 5 day	30D Conc	10	22.	3/1/2011