



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

October 24, 2012

RE: GREGORY INDUSTRIES, INC.  
OHD986979425  
STARK COUNTY  
LQG CEI NOV/RTC

Mr. Brian Lester  
Gregory Industries, Inc.  
4100 13<sup>th</sup> Street, SW  
Canton, OH 44710

Dear Mr. Lester:

On October 5, 2012, Sherry Slone and I of the Ohio EPA Division of Materials and Waste Management conducted a hazardous waste compliance evaluation inspection at Gregory Industries, Inc. (Gregory), located at 4100 13<sup>th</sup> Street, SW, Canton, Ohio. The purpose of our visit was to determine Gregory's compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC). You and Mike Quirin represented the facility during the inspection.

Gregory specializes in galvanizing and roll formed steel products. Hazardous waste is generated during the pickling and the galvanizing processes.

The inspection included a review of the facility's operations, as well as written documentation. Gregory was inspected for the requirements of a large quantity generator (LQG) of hazardous waste. Based on our inspection, Gregory is in violation of the following hazardous waste, used oil and universal waste rules:

1. **Ohio Administrative Code (OAC) 3745-52-34(A)(2)**; The accumulation start date must be on each container holding hazardous waste in the accumulation area.

Two drums in the accumulation area were labeled with the words hazardous waste but did not have an accumulation start date on them. This violation was abated on October 11, 2012 when you emailed me a photograph showing that the accumulation start date had been written on each container.

2. **OAC 3745-52-34(C)(1)(b)**; Satellite containers must be marked with the words "hazardous waste" or other words identifying their contents.

The 55-gallon drum that is used to collect aerosol cans was not marked with the words "hazardous waste" or other words identifying its contents. This violation was abated on October 11, 2012 when you emailed me a photograph demonstrating that the satellite container had been labeled.

3. **OAC 3745-52-34(C)(2)**; The generator must place the accumulation start date on a satellite container once the 55 gallon limit is reached.

In the less than 90 day storage area, we noted two containers of chemtreat had been labeled with the words "hazardous waste" but did not have an accumulation start date on them. We were told that the containers had been moved from the satellite accumulation area to the storage area without writing the accumulation start date on them after becoming full.

This violation was abated on October 11, 2012 when you emailed me a photograph showing that the accumulation start date had been placed on the containers.

4. **OAC 3745-270-07(A)(2);** The generator must send a one-time LDR notification form to the TSD with the first shipment to that facility.

Gregory was missing a LDR form for waste hydrochloric acid, D002, D006, D007, D008, for a shipment to Vickery in 2011. You were unable to locate the 2011 form but sent me a copy of the LDR form used for shipping the waste stream to Vickery in 2012.

This violation has been abated and no further action is required by you.

5. **OAC 3745-279-22(C)(1);** Containers and above ground tanks that are used to store used oil must be labeled with the words, "Used Oil".

In the waste accumulation area we noted that two fifty-five gallon drums being used to collect a mixture of used oil-water-debris were not labeled with the words "used oil", and in the Roll Forming building we noted that the drum used to collect the Amcol roll coolant was not labeled "used oil", as is required by the rule.

On October 11, 2012 you emailed me photographs of properly labeled containers. No further action is required regarding this violation.

6. **OAC Rule 3745-273-13 (D)(1) - Universal waste lamp containers.**

This rule requires universal waste lamps to be in closed containers or packages that are structurally sound and adequate to prevent breakage.

Gregory violated this rule by having waste lamps that were not in a closed container or package. The lamps were leaning against the wall in the waste accumulation cage. This violation was abated on October 11, 2012 when you emailed me a photograph of the waste lamps in a closed and labeled container. No further action is required regarding this violation.

7. **OAC Rule 3745-273-14 (E) - Universal waste lamp labeling.**

This rule requires that containers of universal waste lamps be labeled as "Universal Waste – Lamps", "Waste Lamps", or "Used Lamps".

GREGORY INDUSTRIES, INC.

OCTOBER 24, 2012

PAGE – 3 –

Gregory violated this rule by not having the spent lamps in a labeled container. This violation was abated on October 11, 2012 when you emailed me a photograph of the waste lamps in a closed and labeled container. No further action is required regarding this violation.


During the inspection you told us that Gregory no longer generates the caustic cleaner waste stream (D002) or the waste filter cake sludge. You showed us the test results that verify that the filter cake sludge is not a hazardous waste.

Review of the manifests showed that the last shipment off-site of the caustic cleaner was in June 2012. When a tank system is no longer used to store or treat hazardous waste, it must be closed. LQGs must ensure the closure requirements of OAC rule 3745-66-97(A) and (B) and the closure performance standard in OAC rule 3745-66-11(A) and (B) and OAC rule 3745-66-14 are met. See DHWM's on-line Generator Handbook and the Closure Plan Review Guidance for more information regarding tank closure. Please inform me in writing when closure of the tank has been completed.

You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dmwm.aspx>

I have enclosed the completed check sheets used during the inspection for your reference. Should you have any questions, please feel free to call me at (330) 963-1162 or email me at [marlene.kinney@epa.state.oh.us](mailto:marlene.kinney@epa.state.oh.us)

Sincerely,



Marlene M. Kinney  
Environmental Specialist  
Division of Materials and Waste Management

MMK:ddw

Enclosure

ec: Jeff Mayhugh, DMWM, CO  
Nyall McKenna, DMWM, NEDO  
Natalie Oryshkewych, DMWM, NEDO  
Sherry Slone, DMWM, NEDO

Send to Central Office <input checked="" type="checkbox"/>	<b>Ohio Environmental Protection Agency</b> <b>RCRA SUBTITLE C SITE</b> <b>IDENTIFICATION/VERIFICATION FORM</b>	For Ohio EPA use only
---	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to [brad.hauser@epa.state.oh.us](mailto:brad.hauser@epa.state.oh.us).

<b>Site EPA ID No.</b> <b>Site Name</b>	EPA ID Number: <b>OHD986979425</b>		Website: (Optional)
<b>Site Location Information</b>	Name: <b>Gregory Industries, Inc.</b>		
<b>Site Land Type</b> (check only one)	Street Address: <b>4100 13<sup>th</sup> Street, SW</b>		
<b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.htm">www.census.gov/epcd/www/naics.htm</a>	City, Town, or Village: <b>Canton</b>		State: <b>OH</b>
	County Name: <b>Stark</b>		Zip Code: <b>44710</b>
	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>
	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>
	State <input type="checkbox"/>	Other <input type="checkbox"/>	

<b>Facility Representative</b>  Additional names can be recorded in number 12  Only provide address information if it is different than the site address	First Name: <b>Brian</b>	MI: <b>K.</b>	Last Name: <b>Lester</b>
	Title: <b>Plant Manager</b>		
	Phone Number: <b>330-477-4800</b>		Phone Number Extension: <b>121</b>
	E-Mail Address: <b>blester@gregorycorp.com</b>		
	Fax Number: <b>330-477-0626</b>		Fax Number Extension:
	Street or P.O. Box:		
	City, Town or Village:		
	State:		Zip Code:

<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:		Date Became Owner (mm/dd/yyyy):						
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Owner Phone #:				
	State:				Country:		Zip Code:		
	Name of Site's Operator:								
	Operator Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Operator Phone #:				
	State:				Country:		Zip Code:		

<b>VIOLATIONS CITED?</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
--------------------------	---	-----------------------------

**TYPE OF HANDLER - MARK "X" AS APPROPRIATE**

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). <i>Check the box for the applicable generator status and provide a comment.</i>	<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

**TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)**

- |   |  |
|---|--|
| <input type="checkbox"/> Hazardous Waste Transporter                    | <input type="checkbox"/> Exempt Boiler and/or Industrial Furnace       |
| <input type="checkbox"/> Hazardous Waste Transfer Facility              | <input type="checkbox"/> Small Quantity On-Site Burner Exemption       |
| <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste | <input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption |
| <input type="checkbox"/> Recycler of Hazardous Waste                    | <input type="checkbox"/> Underground Injection Control Facility        |
| <input type="checkbox"/> 72-Hour Recycler                               | <input type="checkbox"/> Receives Hazardous Waste from Off-site        |

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)**

(CHECK ALL BOXES THAT APPLY)

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste                         | <input type="checkbox"/> Destination Facility for Universal Waste |
| <input type="checkbox"/> Large Quantity Handler of Universal Waste<br>(accumulates 5,000 kg. or more) |   |

**CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES**

- Batteries  
 Pesticides  
 Mercury containing equipment  
 Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

- Used Oil Generator  
 Used Oil Transporter  
 Used Oil Transfer Facility  
 Used Oil Processor  
 Used Oil Re-refiner  
 Off-Specification Used Oil Burner  
 Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil  
 Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

**Eligible Academic Entities with Laboratories:** Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

- College or University  
 Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university  
 Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

**Waste Codes for Federally Regulated Hazardous Wastes:** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAinfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

**COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.**

Announced  Yes  No      Additional Facility Representatives: **Mike Quirin**  
 Tanks  Yes  No  
 Containers  Yes  No

Name of Inspector(s)  
**Marlene Kinney**

Name of Inspector(s)  
**Sherry Slone**

Date of Inspection/Time  
 (mm/dd/yyyy) (hh:mm)  
**10/5/2012**

**Comments:**

## PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name:	Facility Type: <u>LQG/SGQ/CESQG/TSD</u>	Date of Inspection:	EPA ID #:
<u>Gregory Industries, Inc.</u>		<u>10/5/12</u>	<u>OH0986979425</u>

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste <small>(e.g. plating bath, machining, baghouse, painting, general maintenance, etc)</small>	Waste Description <small>(e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.</small>	QTY Generated per Month, Type of Accumulation <small>(container, tank, etc) and location of waste accumulation area</small>	Type of On-Site Treatment <small>(recycle, wwt, etc)</small>	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1	Pickling Tanks Waste HCl D002 D006 D007 D008	stored in two waste acid tanks 6000 } gallon 7000 }	X	Vickery Environmental, Inc		
2	Chemheat systems - from continuous galvanizing line	solids & liquids D002 D007	X	Chemical Solvents		
3	awesol cans	spent awesol cans D001 D035 D040	X	Chemical Solvents		
4	used oil <del>Amesol</del> Amesol roll coolant			Enviroserve/ Chemical Solvents/ Akum Centers Waste oil		
5	Zinc Rhos			sent off for recycle, sell to U.S. Zinc		

6	Scrap steel				Does to PSC for recycle		
7							
8							
9							

**REMARKS-GENERAL INFORMATION**

**General Process Information:**

Pickling with HCL & Continuous galvanizing (Zn) & Chemtreat galvanized metal (Cr<sup>3+</sup>)

**Regulatory/Enforcement History (if applicable):**

None

**Additional P2 remarks and information:**

Would this facility be interested in a P2 assessment? Yes\*  No

\*If yes, refer promptly to your district P2 coordinator. Office of Compliance Assistance and Pollution Prevention – 1-800-329-7518 or [p2mail@epa.state.oh.us](mailto:p2mail@epa.state.oh.us) or [www.epa.state.oh.us/ocapp/ocapp.html](http://www.epa.state.oh.us/ocapp/ocapp.html)

**Other:**

**LARGE QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100 Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.  
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.  
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.  
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used: *steel toe boots, hard hat, safety glasses*

**GENERAL REQUIREMENTS**

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 <sup>st</sup> ? [3745-52-41(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02(E)&(F)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G)&(H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-90 to 3745-66-100 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d. Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>MANIFEST REQUIREMENTS</b> - All Okay		
12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)(1)]&[3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)(1)]		
14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]		
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility, did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1)&(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.		
17.	If the generator received a rejected load or residue, did the generator:	
a.	Sign item 20 of the new manifest or item 18c of the original manifest? [3745-52-23(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Provide the transporter a copy of the manifest? [3745-52-23(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Send a copy of the manifest to the designated facility that returned the shipment with 30 days after delivery of the rejected shipment? [3745-52-23(F)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
18.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter, did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: A generator who sends a shipment of hazardous waste to a TSD facility with the understanding that the TSD facility can accept and manage the waste and later receives that shipment back as a rejected load or residue may accumulate the waste on-site for <90 days or <180 days depending on the amount of hazardous waste on-site in that calendar month. [3745-52-34(M)]		
NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.		
<b>PERSONNEL TRAINING</b>		
21.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

MJC - HZW - 2 sessions  
Jan or Feb 2012

NOTE: For facility employees that receive emergency response training pursuant to OSHA regulations, the facility is not required to provide separate emergency response training, provided that the overall facility training meets all the requirements of OAC 3745-65-16(A), [3745-65-16(A)(4)]

23.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
24.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
25.	Does the generator provide refresher training to employees during each period from January 1 <sup>st</sup> to December 31 <sup>st</sup> and does each training occur within 15 months after the previous training? [3745-65-16(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.	Does the generator keep records and documentation of:	
a.	Job titles? [3745-65-16(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Job descriptions? [3745-65-16(D)(2)] <i>Job titles are descriptive enough</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Type and amount of training given to each person? [3745-65-16(D)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Completed training or job experience required? [3745-65-16(D)(4)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained
<i>Training Matrix - Copy in File</i>		
<i>lists all employees, job title &amp; job qualifications</i>		

**CONTINGENCY PLAN**

28.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
29.	Does the plan describe the following:	
a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Arrangements with emergency authorities? [3745-65-52(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under 40 CFR Part 112 or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. The facility may develop one contingency plan which meets all regulatory requirements. Ohio EPA recommends that the plan be based on the "National Response Team's Integrated Contingency Plan Guidance (One Plan)." [3745-65-52(B)]

30.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53(A)&(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	--	--

\*  
*refer explanatory*

31.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

**EMERGENCY PROCEDURES**

33.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(I)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: OAC 3745-65-51(B) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

**PREPAREDNESS AND PREVENTION**

34.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:	
a.	Internal communications or alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Verify that the equipment is listed in the contingency plan.

36.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] <i>Back up generator</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
37.	Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	If there is only one employee on the premises, is there immediate access to a device (eg. phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
40.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
41.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] <i>Carbon Temp Fire Dept</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
42.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**SATELLITE ACCUMULATION AREA REQUIREMENTS**

43.	Does the generator ensure that satellite accumulation area(s):		
a.	Are at or near a point of generation? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
* f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] <i>on lid</i>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
44.	Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
* b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

**USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS**

45.	Has the generator marked containers with the words "Hazardous Waste"? [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
* 46.	Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
47.	Are hazardous wastes stored in containers which are:		
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

48.	Is the container accumulation areas(s) inspected at least once during the period from Sunday to Saturday? [3745-66-74]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
49.	Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
50.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
51.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

44.b.\* Didn't put accumulation start date on drum after moving it from satellite to <90 day storage -

43.f → Satellite accum drum for 10... mesant brack

52.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.		
53.	If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]		
<b>PRE-TRANSPORT REQUIREMENTS</b>		
54.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
55.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
56.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: Continue with the generator LDR requirements on the next page.		

DOT up  
Managed by the transporter

### GENERATOR LDR REQUIREMENTS

*NOTE: This LDR checklist does not include the requirements for generators that treat to meet LDR standards. If the generator treats, the inspector should use the stand-alone Generator LDR checklist instead of this checklist.*

#### GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: This is done by determining if the HW/soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)] <i>pool 2018 2035 F003 F005</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

7.	Did the generator treat his HW /soil on-site <u>to meet</u> the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

*NOTE: If "Yes" see question #16.*

8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
i.	Applicable HW codes?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
ii.	Manifest number of the first shipment to the TSD?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
iii.	A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination.?"	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form/notice on file?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG & Generator LDR/May 2012

Page 7 of 9

*2011 to Vickery*

*2012 have LDR form for waste going to Vickery*

	[3745-270-07(A)(2)]		
a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<b>NOTIFICATION FORM</b>			
11.	Does the LDR Notification form contain the following information:		
a.	Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: A wastewater contains &lt;1% by wt. total suspended solids (TSS) and &lt;1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.</i>			
e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories</i>			
f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.</i>			
g.	If the HW is F001-F005 or F039, did the generator HW note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.</i>			
<b>PROHIBITED DILUTION</b>			
12.	Is the HW treated by burning?  If "No" go to #15.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	
<i>NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs is given in the Appendix to 3745-270-03.</i>			
14.	a.	Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
	i.	Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii.	Contains organic constituents or cyanide at levels greater than the UTS levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii.	Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iv.	Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	v.	Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>	

	a. Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If "Yes", HW is improperly being treated by dilution.</i>		
	b. Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If the answers to b &amp; c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].</i>		
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>		

**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

*2. Inspectors can check BUSTR's web-site at [https://www.comapps.ohio.gov/sfm/fire\\_apps/bust/bustr/PublicInquiry.asp](https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp) to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: [https://www.comapps.ohio.gov/sfm/fire\\_apps/bust/bustr/SearchByCounty.asp](https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp).*

**PROHIBITIONS**

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: For example, used oil contaminated scrap metal stored in a pile.*

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil"? [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

<b>ON-SITE BURNING IN SPACE HEATER</b>		
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	→ NO
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
<b>GENERATOR TRANSPORTATION</b>		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
<b>COLLECTION CENTERS AND AGGREGATION POINTS</b>		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		

**SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS – BATTERIES AND LAMPS**

**Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more**

**Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less**

**PROHIBITIONS**

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in OAC rule 3745-273-17 or managing specific wastes as provided in OAC rule 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>

**WASTE MANAGEMENT AND LABELING/MARKING**

**UNIVERSAL WASTE BATTERIES - Fallaway Equipment**

3.	Are batteries that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
5.	Are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
6.	If the electrolyte is removed or other wastes generated, has it been determined whether the electrolyte or other wastes exhibit a characteristic of hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
a.	If the electrolyte or other waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
b.	If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
7.	Are the batteries or containers of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

**UNIVERSAL WASTE LAMPS**

8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

**NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC rule 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility using a hazardous waste manifest.**

10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
-----	--	------------------------------	--	------------------------------

**ACCUMULATION TIME**

11.	Is the waste accumulated for less than one year? [3745-273-15(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
a.	If not, is the waste accumulated over one year in order to facilitate	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

[Facility Name/Inspection Date]  
[ID number]

	proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	
<i>NOTE: Accumulation is defined as date generated or date received from another handler.</i>		
12.	Is the handler able to demonstrate the length of time the universal waste has been accumulated? [3745-273-15(C)]  If yes, describe below: <i>Paperwork demonstrating UW had been shipped off-site</i>	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>EMPLOYEE TRAINING</b>		
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<b>RESPONSE TO RELEASES</b>		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, was it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to OAC Chapter 3745-52) [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>OFF-SITE SHIPMENTS</b>		
<i>NOTE: If a SQUWH self-transport waste, then the handler must comply with the Universal Waste transporter requirements.</i>		
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	Is the handler aware of DOT requirements for packaging and shipping?  If no, make aware of 49 CFR 171-180.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the originating handler ensure that the receiver agrees to receive the shipment? [3745-273-18(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
20.	Has the originating handler ever had an off-site shipment rejected by another handler or destination facility?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	If yes, did the originating handler receive the waste back or agree to where the shipment was sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss and do <u>one of</u> the following:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Send the waste back to the originating handler or send the shipment to a destination facility (if both the originating and receiving handler agree)? [3745-273-18(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not a universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>EXPORTS</b>		
<i>NOTE: Small quantity handlers that export waste to the countries listed in 40 CFR 262.58(a)(1) are subject to 40 CFR 262 subpart H. Small quantity handlers that export waste to a foreign destination other than the countries listed in 40 CFR 262.58(a)(1) are subject to 40 CFR 262.53, 40 CFR 262.56(a)(1) to (a)(4), (a)(6), and (b), 40 CFR 262.57, and 40 CFR 262 subpart E. [3745-273-20]</i>		

[Facility Name/Inspection Date]  
[ID number]

*NOTE: Violations regarding exporting universal waste to foreign destinations should be referred to U.S. EPA Region 5 because the federal counterpart provisions are not delegable to states.*

[Facility Name/Inspection Date]  
[ID number]

**LQG TANK SYSTEM REQUIREMENTS (OAC rule 3745-52-34(A) and OAC rules 3745-66-90 through 3745-66-100)**

(Please refer to the rules before or while completing this checklist.)

1.	Is each tank clearly labeled/marked with the words "Hazardous Waste?" [3745-52-34(A)(3)] <i>→ Basin around tanks is labeled</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

**TANK SYSTEM – GENERAL OPERATING REQUIREMENTS**

2.	Does the o/o follow the general operating requirements below:	
a.	Does the o/o prevent placement of hazardous waste or treatment reagents in tank or secondary containment if such placement can cause the system to leak, rupture, corrode, or otherwise fail? [3745-66-94(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Does the o/o use appropriate controls to prevent spills or overflows from the system (e.g., check valves, dry disconnect couplings, high level alarms, etc.)? [3745-66-94(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	If a leak or spill has occurred in the tank system, has the o/o complied with 3745-66-96? [3745-66-94(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**TANK SYSTEM – INSPECTION REQUIREMENTS**

3.	Has the o/o documented the inspections required in 3745-66-95, in the operating record, including inspection of the following:	
a.	Data from leak detection equipment each operating day? [3745-66-95(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Spill control equipment each operating day? [3745-66-95(B)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Above ground portion of tank each operating day? [3745-66-95(B)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste each operating day? [3745-66-95(B)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: "Each operating day" is each day that the tank system is being used to manage (store or treat) hazardous waste.

4.	For tank systems using leak detection systems to alert facility personnel to leaks or implementing established workplace practices to ensure leaks are promptly identified, has the o/o documented: [3745-66-95(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Inspections of spill control equipment weekly?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Inspections of above ground portion of tank weekly?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Inspections of construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste weekly?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Use of the alternate inspection schedule, including a description of the established workplace practices at the facility?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	For ancillary equipment NOT provided with secondary containment, has the o/o documented inspections of such equipment each operating day? [3745-66-95(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	Where applicable, did the o/o inspect the cathodic protection system to confirm proper operation within six months of initial installation and annually thereafter? [3745-66-95(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Where applicable, did the o/o inspect all sources of impressed current at least bi-monthly? [3745-66-95(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**TANK SYSTEM CLOSURE REQUIREMENTS**

8.	If the o/o has closed a <90 day tank, was closure completed in accordance with OAC 3745-66-97 (except for paragraph C)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

*send info*  
*NaOH tank*  
*↓*  
*Taken out of service*

TANK SYSTEMS STORING IGNITABLE OR REACTIVE WASTES		
9.	For tanks used to treat or store ignitable or reactive wastes, has the o/o complied with one of the following: [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Is the waste treated immediately after placement in the tank so that the resultant mixture is no longer ignitable or reactive and the o/o has conducted such activities in compliance with 3745-66-17(B)? [3745-66-98(A)]; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the waste stored or treated to protect it from materials or conditions which may cause ignition or reaction? [3745-66-98(A)]; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	The tank is used solely for emergencies? [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
10.	If ignitable or reactive waste is stored or treated, are protective distances maintained between waste management areas and any public streets, alleys or adjoining property lines as required by the NFPA Flammable and Combustible Liquids Code (2008)? [3745-66-98(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
11.	Has the o/o placed incompatible wastes or materials into the same tank system, or into a tank system that has not been decontaminated and which previously held an incompatible waste or material? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	<b>If so</b> , have the requirements of 3745-65-17(B) been met? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
TANK SYSTEM - WASTE ANALYSIS REQUIREMENTS		
12.	In addition to conducting the waste analysis required by 3745-65-13, when the tank system is used to store or treat a waste which is substantially different or uses a substantially different process than previously used, has the o/o done one of the following: [3745-66-100]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Conducted waste analysis and trial treatment or storage tests? [3745-66-100(A)]; <b>OR</b>	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Obtained written documentation on similar waste under similar operating conditions to show that the proposed storage/treatment will meet the requirements of OAC 3745-66-94? [3745-66-100(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
TANK SYSTEMS REQUIREMENTS		
13.	Is there a written assessment attesting that the design, installation and structural integrity of the system is adequate for the management of hazardous waste(s)? [3745-66-92(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: You should review the file to see if the written assessment has been previously reviewed and what the results were.		
14.	Does the written assessment include the following: [3745-66-92(A)]	
a.	Certification by a qualified professional engineer? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Consideration of the design standards of the system? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Consideration of the hazardous characteristics of the waste(s)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	An evaluation by a corrosion expert (only if the external system/components are metal and in contact with soil or water)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	A determination of design and operational measures that will be needed to protect the tank system from potential damage (only for underground tank components)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Design considerations to ensure that the tank foundations will maintain the load of a full tank? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
g.	Design considerations for anchoring the unit to prevent floatation (only for tanks situated in a seismic fault zone or saturated zone)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

→ Previously determined that requirements have been met. Post Inspections

	h.	Design considerations to ensure that the tank system will withstand the effects of frost heave (only for underground tank systems)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: CO-DHWM Engineering staff are available to assist you with evaluation of the written assessment.			
15.		Are there written statements by those persons who supervised installation or certified design of the new tank system, that the tank system was properly installed and designed and that required repairs were performed? [3745-66-92(G)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> <i>Based on Past Inspection</i>
		Do the written statements address all of the following:	
	a.	Inspection for damage and/or inadequate construction and installation was conducted? [3745-66-92(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Statement that deficiencies were corrected before the tank system was covered or put into use? [3745-66-92(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Proper backfilling? [3745-66-92(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Tightness test; if the tank system was found not to be tight, does the statement indicate that proper repairs were made? [3745-66-92(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	Proper support and protection of ancillary equipment? [3745-66-92(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Supervision of the installation of field fabricated corrosion protection? [3745-66-92(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>SECONDARY CONTAINMENT</b>			
16.		Has secondary containment been provided? [3745-66-93(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Secondary containment must be provided for tank systems that store or treat materials that become hazardous wastes within two years after the hazardous waste listing, or when the system has reached 15 years of age, whichever comes later. [3745-66-92(A)(2)]			
17.		Is secondary containment one of the following:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	An <b>External Liner</b> ? [3745-66-93(E)(1)] If so,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	i.	Is liner designed or operated to contain 100% of the capacity of the largest tank?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii.	Is liner designed and operated to prevent run-on and infiltration or the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii.	Is liner free of cracks and gaps?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iv.	Does liner completely surround the tank and cover all earth likely to be contacted by waste during a release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	v.	Are chemically resistant water stops in place at all points? (concrete liners only)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	vi.	Is there a compatible interior coating or lining to prevent migration of waste into the concrete? (concrete liners only)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	<b>Vault System</b> ? [3745-66-93(E)(2)] If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	i.	Is vault system designed to contain 100% of the capacity in the largest tank?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii.	Is liner designed and operated to prevent run-on and infiltration or the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii.	Are chemically resistant water stops in place at all points?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*Determined during a past inspection*

	iv.	Is there a compatible interior coating to prevent migration into the concrete?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	v.	For <b>ignitable or reactive waste</b> : Is the vault system provided with means to prevent (or alternatively "protect against") the formation or ignition of vapors?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	vi.	Is vault system provided with an exterior moisture barrier?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	<b>Double-Walled Tank?</b> [3745-66-93(E)(3)] If so,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	i.	Is double-walled tank designed as an integral structure to contain any release from the inner tank?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii.	<b>If metal</b> , are the primary tank interior and outer shell exterior surfaces protected from corrosion?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii.	Is double-walled tank provided with a continuous leak detection system able to detect a release within 24 hours or at the earliest practicable time?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	<b>An Equivalent Device?</b> As described in 3745-66-93(D)(4) which has been approved by the director? [3745-66-93(D)&(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>SECONDARY CONTAINMENT DESIGN/OPERATION/INSTALLATION</b>			
18.	Has each secondary containment system been designed, installed and operated to prevent any migration of wastes or liquid to the soil, groundwater, or surface water and is it capable of detecting and collecting releases and accumulated liquids? [3745-66-93(B)(1)&(2)]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Does the secondary containment system meet the following minimum requirements of [3745-66-93(C)]:		
	a.	Constructed or lined with compatible materials of sufficient strength to prevent failure? [3745-66-93(C)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Placed on a foundation or base capable of providing support? [3745-66-93(C)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Provided with a leak detection system designed/operated to detect failure to primary or secondary containment or any release of hazardous waste within 24 hours or at earliest practicable time? [3745-66-93(C)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Sloped or designed to drain and remove liquid resulting from leaks, spills or precipitation? [3745-66-93(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	Any liquid which accumulates in the containment unit resulting from spills, leaks or precipitation removed within 24 hours or in a timely manner? [3745-66-93(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> <i>Located indoors</i>
<b>ANCILLARY EQUIPMENT REQUIREMENTS</b>			
20.	is ancillary equipment provided with secondary containment (such as double-walled piping, jacketing or a trench)?		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	<b>If not</b> , is the ancillary equipment one of the following: [3745-66-93(F)]		
	a.	Above ground piping (exclusive of flanges, joints, valves and connections) that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Welded flanges, welded joints and/or welded connections that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Sealless or magnetic coupling pumps and/or sealless valves?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Pressurized above ground piping systems with automatic shut-off devices (e.g., excess flow check valves, flow metering shutdown and/or loss of pressure-actuated shut-off devices) that is inspected daily?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>TANK SYSTEMS FOUND TO BE LEAKING OR UNFIT FOR USE</b>			
21.	Has there been a leak or spill from any tank system or has any tank system		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

[Facility Name/Inspection Date]

[ID number]

LQG TANK/September 2010

Page 4 of 5

		been found unfit for use? <b>If so</b> , did the o/o:					
<i>NOTE: If the tank is found to be unfit for use, inspector should explain why.</i>							
a.	Immediately cease flow of material into tank and investigate the cause of the release? [3745-66-96(A)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
b.	Remove waste from tank system to prevent further release within 24 hours of detection or earliest practicable time? [3745-66-96(B)(1)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
c.	Remove all material released into secondary containment system within 24 hours or as timely as possible to prevent harm to human health and the environment? [3745-66-96(B)(2)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
d.	For a visible release to the environment, immediately conduct a visual inspection of the release? [3745-66-96(C)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
e.	For a visible release to the environment, prevent further migration of the leak or spill to soils or surface waters? [3745-66-96(C)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
f.	For a visible release to the environment, properly dispose of any visibly contaminated soil or surface water? [3745-66-96(C)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
g.	Report any release to the environment to the director within 24 hours unless it was less than one pound and was cleaned up immediately? [3745-66-96(D)(1)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
h.	For a release to the environment, submit a written report of the incident to the director within 30 days of the release? [3745-66-96(D)(3)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
i.	Remediate the spill and repair the unit prior to returning it to service? [3745-66-96(E)(2)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
j.	For a release from a tank system without secondary containment, did the o/o provide secondary containment meeting the requirements of 3745-66-93 for the unit prior to putting it back into service? [3745-66-96(E)(4)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
<i>NOTE: The requirements noted in 20.j. do not apply if the release was from an above ground component of the tank which can be inspected visually after being put back into service.</i>							
22.	In the event that the repairs to the tank system were major (e.g., replacement of liner, repair of ruptured primary or secondary containment structure), did the o/o obtain a certification from a qualified professional engineer attesting that the repaired unit is capable of handling hazardous waste? [3745-66-96(F)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
23.	Was a copy of the certification submitted to the director within seven days after returning the system to use? [3745-66-96(F)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
24.	If the o/o was unable to repair and return the unit to service as described in 20.a through 20.e, was the tank system closed in accordance with 3745-66-97? [3745-66-96(E)(1)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
25.	Does the o/o have a tank system <b>with a variance from secondary containment</b> from which a release has occurred but <u>has not</u> migrated beyond the zone of engineering control? <b>If so</b> ,	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (F), except (D), and decontaminated soils? [3745-66-93(G)(3)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
b.	If soils cannot be decontaminated/removed, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(3)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
26.	Does the o/o have a tank system <b>with a variance from secondary containment</b> from which a release occurred and <u>has</u> migrated from the zone of engineering control? <b>If so</b> ,	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (D), prevented migration, and decontaminated soil? [3745-66-93(G)(4)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
b.	If soils cannot be decontaminated/removed, or if the groundwater has been contaminated, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(4)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

## Chapter 3745-66 Closure and Post-closure, Financial Requirements, Use and Management of Containers, Tanks

### 3745-66-10 Closure and post-closure: applicability.

Except as rule 3745-66-01 of the Administrative Code provides otherwise:

(A) Rules 3745-66-11 to 3745-66-15 of the Administrative Code, which concern closure, apply to the owners and operators of all hazardous waste management facilities; and

(B) Rules 3745-66-16 to 3745-66-20 of the Administrative Code, which concern post-closure care, apply to the owners and operators of:

(1) All hazardous waste disposal facilities;

(2) Waste piles and surface impoundments for which the owner or operator intends to remove the wastes at closure to the extent that these rules are made applicable to such facilities in rule 3745-67-28 or 3745-67-58 of the Administrative Code;

(3) Tank systems that are required under rule 3745-66-97 of the Administrative Code to meet requirements for landfills; and

(4) Containment buildings that are required under rule 3745-256-102 of the Administrative Code to meet the requirements for landfills.

(C) Rule 3745-66-21 of the Administrative Code applies to owners and operators of units that are subject to the requirements of paragraph (G) of rule 3745-50-45 of the Administrative Code and are regulated under an enforceable document as defined in paragraph (G) of rule 3745-50-45 of the Administrative Code.

(D) The director may replace all or part of the requirements of rules 3745-66-10 to 3745-66-21 of the Administrative Code [and the unit-specific standards in paragraph (C) of rule 3745-66-11 of the Administrative Code that apply to a regulated unit (as defined in rule 3745-54-90 of the Administrative Code)], with alternative requirements for closure set out in an approved closure or post-closure plan or in an enforceable document [as defined in paragraph (G) of rule 3745-50-45 of the Administrative Code] where the director determines that:

(1) A regulated unit is situated among waste management units (or areas of concern), a release has occurred, and both the regulated unit and one or more waste management unit(s) (or areas of concern) are likely to have contributed to the release; and

(2) It is not necessary to apply the requirements of rules 3745-66-10 to 3745-66-21 of the Administrative Code (and/or those referenced in this rule) because the alternative requirements will protect human health and the environment, and will satisfy the closure performance standard of paragraphs (A) and (B) of rule 3745-66-11 of the Administrative Code.

Effective: 12/07/2004

R.C. 119.032 review date: Exempt

Prior effective dates: 04/15/1981, 01/07/1983, 11/13/1987, 12/08/1988, 12/07/2000

### 3745-66-11 Closure performance standard.

The owner or operator must close his facility in a manner that:

(A) Minimizes the need for further maintenance; and

(B) Controls, minimizes, or eliminates, to the extent necessary to protect human health and the environment, post-closure escape of hazardous waste, hazardous constituents, leachate, contaminated run-off, or hazardous waste decomposition products to the ground water, or surface waters, or to the atmosphere; and

(C) Complies with the closure requirements of rules 3745-66-10 to 3745-66-21, including, but not limited to, the requirements of rules 3745-66-97, 3745-67-28, 3745-67-58, 3745-67-80, 3745-68-10, 3745-68-51, 3745-68-81, 3745-69-04, and 3745-256-102 of the Administrative Code.

Effective: 09/05/2010

R.C. 119.032 review dates: Exempt

Prior effective dates: 04/15/1981, 01/07/1983, 11/13/1987, 12/07/2000, 12/07/2004

### 3745-66-12 Closure plan; amendment of plan.

(A) Written plan. On April 15, 1981, the owner or operator of a hazardous waste management facility must have a written closure plan. Until final closure is completed and certified in accordance with rule 3745-66-15 of the Administrative Code, a copy of the most current closure plan must be furnished to the director upon request, including request by mail. In addition, for facilities without approved plans, it must also be provided during site inspections, on the day of inspection, to any officer, employee, or representative of Ohio EPA who is duly designated by the director.

(B) Content of plan. The plan must identify steps necessary to perform partial and/or final closure of the facility at any point during its active life. The closure plan must include, at least:

(1) A description of how each hazardous waste management unit at the facility will be closed in accordance with rule 3745-66-11 of the Administrative Code; and

(2) A description of how final closure of the facility will be conducted in accordance with rule 3745-66-11 of the Administrative Code. The description must identify the maximum extent of the operation which will be unclosed during the active life of the facility; and

## Chapter 3745-66 Closure and Post-closure, Financial Requirements, Use and Management of Containers, Tanks

### 3745-66-14 Disposal or decontamination of equipment, structures and soils.

During the partial and final closure periods, all contaminated equipment, structures, and soil must be properly disposed of, or decontaminated, unless otherwise specified in rule 3745-66-97, 3745-67-28, 3745-67-58, 3745-67-80, or 3745-68-10 of the Administrative Code. By removing all hazardous wastes or hazardous constituents during partial and final closure, the owner or operator may become a generator of hazardous waste and must handle that hazardous waste in accordance with all applicable requirements of Chapter 3745-52 of the Administrative Code.

Effective: 12/07/2004  
R.C. 119.032 review dates: Exempt  
Prior effective dates: 04/15/1981, 01/07/1983, 11/13/1987, 11/17/1988 (Emer.), 02/23/1989, 09/02/1997

### 3745-66-15 Certification of closure.

Within sixty days after completion of closure of each surface impoundment, waste pile, land treatment, landfill unit, and storage area, and within sixty days after completion of final closure, the owner or operator must submit to the director, by registered mail, a certification that the hazardous waste management unit or facility, as applicable, has been closed in accordance with specifications in the approved closure plan. The certification must be signed by the owner or operator and by a qualified professional engineer. Documentation supporting the professional engineer's certification must be furnished to the director upon request until he releases the owner or operator from the financial assurance requirements for closure under paragraph (H) of rule 3745-66-43 of the Administrative Code.

Effective: 09/05/2010  
R.C. 119.032 review dates: Exempt  
Prior effective dates: 04/15/1981, 01/07/1983, 11/13/1987, 04/01/1990, 11/11/1999

### 3745-66-16 Survey plat.

No later than the submittal of the certification of closure of each hazardous waste disposal unit, an owner or operator must submit to the local zoning authority, or the authority with jurisdiction over local land use, and to the director, a survey plat indicating the location and dimensions of landfill cells or other hazardous waste disposal units with respect to permanently surveyed benchmarks. This plat must be prepared and certified by a professional land surveyor. The plat filed with the local zoning authority, or the authority with jurisdiction over local land use must contain a note, prominently displayed, which states the owner's or operator's obligation to restrict disturbance of the hazardous waste disposal unit in accordance with rules 3745-66-10 to 3745-66-21 of the Administrative Code.

Effective: 12/07/2004  
R.C. 119.032 review dates: Exempt  
Prior effective dates: 12/08/1988

### 3745-66-17 Post-closure care and use of property.

(A) (1) Post-closure care for each hazardous waste management unit subject to the requirements of rules 3745-66-17 to 3745-66-20 of the Administrative Code must begin after completion of closure of the unit and continue for thirty years after that date. It must consist of at least the following:

(a) Monitoring and reporting in accordance with the requirements of rules 3745-65-90 to 3745-65-94, 3745-67-20 to 3745-67-30, 3745-67-50 to 3745-67-60, 3745-67-70 to 3745-67-82, and 3745-68-01 to 3745-68-16 of the Administrative Code; and

(b) Maintenance and monitoring of waste containment systems in accordance with the requirements of rules 3745-65-90 to 3745-65-94, 3745-67-20 to 3745-67-30, 3745-67-50 to 3745-67-60, 3745-67-70 to 3745-67-82, and 3745-68-01 to 3745-68-16 of the Administrative Code.

(2) Any time preceding closure of a hazardous waste management unit subject to post-closure care requirements or final closure, or any time during the post-closure period for a particular hazardous waste disposal unit, the director may:

(a) Shorten the post-closure care period applicable to the hazardous waste management unit, or facility, if all disposal units have been closed, if he finds that the reduced period is sufficient to protect human health and the environment (e.g., leachate or ground water monitoring results, characteristics of the hazardous waste, application of advanced technology, or alternative disposal, treatment, or re-use techniques indicate that the hazardous waste management unit or facility is secure); or

(b) Extend the post-closure care period applicable to the hazardous waste management unit or facility, if he finds that the extended period is necessary to protect human health and the environment (e.g., leachate or ground water monitoring results indicate a potential for migration of hazardous wastes at levels which may be harmful to human health and the environment).

(B) The director may require, at partial or final closure, continuation of any of the security requirements of rule 3745-65-14 of the Administrative Code during part or all of the post-closure period when:

(1) Hazardous wastes may remain exposed after completion of partial or final closure; or

(2) Access by the public or domestic livestock may pose a hazard to human health.

(C) Post-closure use of property on or in which hazardous wastes remain after partial or final closure must never be allowed to disturb the integrity of the final cover, liner(s), or any other components of the containment system, or the function of the facility's monitoring systems, unless the director finds that the disturbance:

## Chapter 3745-66 Closure and Post-closure, Financial Requirements, Use and Management of Containers, Tanks

of an internal liner, repair of a ruptured primary containment or secondary containment vessel), the tank system must not be returned to service unless the owner/operator has obtained a certification by an independent, qualified professional engineer in accordance with paragraph (D) of rule 3745-50-42 of the Administrative Code that the repaired system is capable of handling hazardous wastes without release for the intended life of the system. This certification must be submitted to the director within seven days after returning the tank system to use.

[Comment 1: The director, on the basis of any information received that there is or has been a release of hazardous waste or hazardous constituents into the environment, may issue an order under section 3734.20 of the Revised Code requiring corrective action or such other response as deemed necessary to protect human health or the environment.]

[Comment 2: See paragraph (C) of rule 3745-65-15 of the Administrative Code for the requirements necessary to remedy a failure. Also, 40 CFR Part 302 requires the owner or operator to notify the national response center of a release of any "reportable quantity."]

[Comment 3: For dates of non-regulatory government publications, publications of recognized organizations and associations, federal rules, and federal statutory provisions referenced in this rule, see rule 3745-50-11 of the Administrative Code titled "incorporated by reference."]

Effective: 09/05/2010

R.C. 119.032 review dates: 04/14/2010, 08/25/2014

Prior effective dates: 12/08/1988, 12/07/2004

### 3745-66-97 Closure and post-closure care.

(A) At closure of a tank system, the owner or operator must remove or decontaminate all waste residues, contaminated containment system components (liners, etc.), contaminated soils, and structures and equipment contaminated with waste, and manage them as hazardous waste, unless excluded under provisions contained in paragraph (D) of rule 3745-51-03 of the Administrative Code. The closure plan, closure activities, cost estimates for closure, and financial responsibility for tank systems must meet all of the requirements specified in rules 3745-66-10 to 3745-66-21 and 3745-66-40 to 3745-66-48 of the Administrative Code.

(B) If the owner or operator demonstrates that not all contaminated soils can be practicably removed or decontaminated as required in paragraph (A) of this rule, then the owner or operator must close the tank system and perform post-closure care in accordance with the closure and post-closure care requirements that apply to landfills in accordance with rule 3745-68-10 of the Administrative Code. In addition, for the purposes of closure, post-closure, and financial responsibility, such a tank system is then considered to be a landfill, and the owner or operator must meet all of the requirements for landfills specified in rules 3745-66-10 to 3745-66-21 and 3745-66-40 to 3745-66-48 of the Administrative Code.

(C) If an owner or operator has a tank system which does not have secondary containment that meets the requirements of paragraphs (B) to (F) of rule 3745-66-93 of the Administrative Code and which is not exempt from the secondary containment requirements in accordance with paragraph (G) of rule 3745-66-93 of the Administrative Code, then:

(1) The closure plan for the tank system must include both a plan for complying with paragraph (A) of this rule and a contingent plan for complying with paragraph (B) of this rule.

(2) A contingent post-closure plan for complying with paragraph (B) of this rule must be prepared and submitted as part of the permit application.

(3) The cost estimates calculated for closure and post-closure care must reflect the costs of complying with the contingent closure plan and the contingent post-closure plan, if these costs are greater than the costs of complying with the closure plan prepared for the expected closure under paragraph (A) of this rule.

(4) Financial assurance must be based on the cost estimates in paragraph (C)(3) of this rule.

(5) For the purposes of the contingent closure and post-closure plans, such a tank system is considered to be a landfill, and the contingent plans must meet all of the closure, post-closure, and financial responsibility requirements for landfills under rules 3745-66-10 to 3745-66-21 and 3745-66-40 to 3745-66-48 of the Administrative Code.

Effective: 12/07/2004

R.C. 119.032 review dates: Exempt

Prior effective dates: 04/15/1981, 01/07/1983, 12/08/1988

### 3745-66-98 Special requirements for ignitable or reactive waste.

(A) Ignitable or reactive waste must not be placed in a tank system, unless:

(1) The waste is treated, rendered, or mixed before or immediately after placement in the tank system so that:

(a) The resulting waste, mixture, or dissolved material no longer meets the definition of ignitable or reactive waste under rule 3745-51-21 or 3745-51-23 of the Administrative Code; and

(b) Paragraph (B) of rule 3745-65-17 of the Administrative Code is complied with; or

(2) The waste is stored or treated in such a way that it is protected from any material or conditions which may cause the waste to ignite or react; or

(3) The tank system is used solely for emergencies.