



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

January 10, 2013

RE: **REPUBLIC STEEL – MASSILLON CFB**
OHD 004 227 708
STARK COUNTY
LQG – CEI AND COMPLAINT #7556
NOTICE OF VIOLATION

David Judkins
Republic Steel
401 Rose Avenue SE
Massillon, OH 44646

Dear Mr. Judkins:

On December 17, 2012, Sherry Slone and I inspected Republic Steel – Massillon CFB located at 401 Rose Avenue SE, Massillon, Ohio. The purpose of this was to determine if this facility was in compliance with Ohio's hazardous waste, universal waste and used oil laws and rules as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

Please see the attached Waste Summary chart for my understanding of this facility's wastes.

Another purpose of the inspection was to investigate a complaint received by this office. The complaint alleged that steel bars are sprayed with oil after loading them onto tractor trailers and that excess oil drips off the trailers. You explained that a rust preventative is used on steel products typically as soon as it can be applied but that some customers require this rust preventative be applied directly before shipping. You showed us the coated paper that is used to ship this product in. You also showed us the area (both inside and outside) where the rust preventative is added and the trucks are loaded. We did not see oil on the floor and ground in these areas.

The following violations were found: (These follow the order of the enclosed checklists.)

1. **OAC Rule 3745-52-11 – Hazardous waste determination.**

This rule requires that any person who generates a waste must determine if that waste is a hazardous waste. The following documents, which offer more information on this, were given to you during the inspection:

Identifying Your Hazardous Waste, 2010

<http://www.epa.ohio.gov/portals/41/sb/publications/identifyingwaste.pdf>

OAC 3745-51-21 to 24 characteristic hazardous waste

OAC 3745-51-31 listed hazardous waste

http://www.epa.ohio.gov/dhwm/laws_regs.aspx

David Judkins
Republic Steel
January 10, 2013
Page 2

Republic Steel violated this rule by having a container of waste that it had not determined whether it was a hazardous waste. This was the container that we saw and talked about while following the hazardous waste pipe run. It is shown in the photo below. Please send me your determination as to whether it is a hazardous waste and send me a description of how this waste has been managed.



2. **OAC Rule 3745-65-16(A)(2) – Training program.**

This rule requires the training program include instructions which teach facility personnel hazardous waste management procedures, including contingency plan implementation, relevant to the positions in which they are employed.

Republic Steel violated this rule by not having a training program that includes instruction on acceptable pumps and connections and inspections of tank ancillary equipment. Please send me documentation confirming this topic has been covered with the relevant employees.

3. **OAC Rule 3745-65-54 (C) – Amendment of contingency plan.**

This rule requires the contingency plan to be reviewed, and immediately amended, if necessary, whenever the facility changes in its design, construction, operation, maintenance, or other circumstances in a way that materially increases the potential for fires, explosions, or releases of hazardous waste or hazardous constituents, or changes the response necessary in an emergency.

Republic Steel violated this rule by not amending its contingency plan when the waste rinse water storage tank was taken out of service in 2007. The diagram of page 14 should be amended, as well as possibly the wording on pages 2 and 23. You told me that other changes will need to be made to the contingency plan in the near future and that you will send me a copy of the revised plan.

4. **OAC Rule 3745-279-22(C) - Used oil labels.**

This rule requires containers that accumulate used oil to be labeled or marked clearly with the words "Used Oil."

Republic Steel violated this rule by having two drums of used oil stored in the Wire Mill that were not labeled as used oil. This was corrected during the inspection. Republic Steel also violated this rule by having two totes of used oil in the Plant 2 waste storage areas that were labeled as waste oil only and not as used oil.

5. **OAC Rule 3745-52-34(A)(3) – Labeling of tanks.**

This rule requires that hazardous waste tanks be clearly labeled/marked with the words "Hazardous Waste."

Republic Steel violated this rule by not having its waste acid tank labeled with the words "Hazardous Waste." Please correct this and send me a photo showing it has been corrected.

6. **OAC rule 3745-66-95(B)(1) - Tank inspections.**

OAC 3745-66-95(B)(1) requires the owner or operator to inspect, at least once each operating day, overflow/spill control equipment (e.g., waste-feed cut-off systems, bypass systems, and drainage systems) to ensure that it is in good working order. I do not believe your tank system has a bypass system or a drainage system. I was told it has a high level float that prevents it from being overfilled.

Republic Steel violated this rule by not daily inspecting its waste-feed cut-off system (the high level float). The daily tank system inspection log must be revised to include this. A description of how each item on the log is to be inspected and recorded is recommended. Please me send a copy of one week's revised, completed inspection log.

7. **OAC rule 3745-66-95(B)(2) - Tank inspections.**

OAC 3745-66-95(B)(2) requires the owner or operator to inspect, at least once each operating day, aboveground portions of the tank system, if any, to detect corrosion or releases of waste.

Republic Steel violated this rule by not noting on its daily tank inspection log that the tank currently has corrosion on it. A description of how each item on the log is to be inspected and recorded is recommended. Please describe how you plan to address the tank corrosion and include a schedule for any corrective measures.

8. **OAC rule 3745-66-95(E) - Tank inspections.**

OAC 3745-66-95(E) requires that ancillary equipment that is not provided with secondary containment, as described in paragraphs (F)(1) to (F)(4) of rule 3745-66-93, must be inspected at least once each operating day. Republic Steel's ancillary equipment to the hazardous waste tank is not provided with secondary containment.

Republic Steel violated this rule by not inspecting the indoor ancillary equipment that runs from the pickling tanks. I was told that only the ancillary equipment that is outside is inspected daily. Also, as I explained in an email to you, you must provide documentation showing that this ancillary equipment meets the requirements in paragraphs (F)(1) to (F)(4) of rule 3745-66-93 before this exemption to the secondary containment requirements for the indoor ancillary equipment can be utilized. I also explained in the email that certain things need to be cleaned up, moved, and marked before a daily inspection is a realistic option. Please describe how you plan to meet this requirement.

9. **OAC rule 3745-66-93(F) – Containment and detection of releases.**

OAC rule 3745-66-93(F) states that ancillary equipment must be provided with full secondary containment that meets the requirements of this rule except for certain types that are inspected on a daily basis.

Republic Steel violated this rule by not providing the required secondary containment for the ancillary equipment located within the building, as discussed in number 8 above. Please describe how you plan to meet this requirement.

10. **OAC rule 3745-66-93(C)(3) – Tank leak detection system.**

OAC rule 3745-66-93(C)(3) requires that hazardous waste tank system secondary containment must be provided with a leak detection system that is designed and operated so that it will detect the failure of either the primary and secondary containment structure or any release of hazardous waste or accumulated liquid in the secondary containment system within 24 hours, or at the earliest practicable time if the existing detection technology or site conditions will not allow detection of a release within 24 hours.

Republic Steel violated this rule by not operating the system to detect accumulated liquid in the secondary containment system. During the inspection there were a few inches of rainwater in the secondary containment and the inspection checklist did not note the detection of this. Again, a description of how each item on the log is to be inspected and recorded is recommended. Please describe how your operation and inspection, or design will be changed to address this violation.

11. **OAC rule 3745-66-93(C)(4) – Removal of waste and accumulated precipitation.**

OAC rule 3745-66-93(C)(4) requires that secondary containment for hazardous waste tank systems must be sloped or otherwise designed or operated to drain and remove liquids resulting from leaks, spills, or precipitation. Spilled or leaked waste and accumulated precipitation must be removed from the secondary containment system with 24 hours, or in as timely a manner as is possible to prevent harm to human health or the environment, if removal of the released waste or accumulated precipitation cannot be accomplished within 24 hours.

Republic Steel violated this rule by not removing accumulated precipitation from the secondary containment system within 24 hours. On January 2, 2013, you sent me an email stating the secondary containment was pumped out and photographed the day after the inspection. You included four photos of the secondary containment. I suggest the debris in this secondary containment be removed as well. Please send me a description as to how you will ensure that accumulated liquid in the future is removed, as required by the rule.

You need to immediately take the necessary measures to return to compliance with Ohio's environmental laws. Within 14 days of receipt of this letter, you are requested to provide documentation to me including the steps taken to abate the violations cited above. Such documentation may include written correspondence, updated policies, and photographs, as appropriate.

Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734 of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each violation. If circumstances delay the abatement of violations, you are requested to submit written correspondence of the steps that will be taken by date certain to attain compliance.

In addition, the following concerns were noted and we are requesting some additional information to complete our evaluation of your compliance.

1. At the hazardous waste container storage area there was an over pack drum that contained emergency equipment, including absorbent material. However, there were many things stored on top of this over pack drum that had to be moved before we could

open it. I suggest the top of this drum be kept clear so that the emergency equipment can be quickly used if needed.

2. OAC Rule 3745-270-09(A) states that the initial generator of a waste must determine each EPA hazardous waste number applicable to the waste in order to determine the applicable treatment standards (for land disposal restriction requirements). A copy of this rule is enclosed. Your spent sulfuric acid pickle liquor is shipped using the D002 and K062 waste codes. K062 has a treatment standard that covers chromium, lead, and nickel. Please send me any data you have on this waste that would show whether other RCRA metals are contained in the waste. Please also send me a description of how you have determined whether there are any underlying hazardous constituents as defined in rule 3745-270-02. A copy of that rule is also enclosed.
3. OAC Rule 3745-270-07(A)(8) requires that generators retain, on site, a copy of all notices, certifications, waste analysis data, and other documentation produced pursuant to the land disposal restriction rules for at least three years. Please send me a copy of the land disposal restriction notices for each of your hazardous waste streams. Once I receive these I will evaluate your compliance and complete that part of the checklist.
4. OAC 3745-66-97(A) states (in part) that at closure of a tank system, the owner or operator must remove or decontaminate all waste residues, contaminated containment system components (liners, etc.), contaminated soils, and structures and equipment contaminated with waste. The *September 5, 2007 Summary Report Repairs and Tank Modification Waste Acid Rinsewater Tank* states that the contents of the 15,000 gallon waste acid tank were removed and the tank was disconnected. It also states that generator closure of this tank remains to be completed. Please send me documentation to show how you comply, or plan to comply, with OAC 3745-66-97(A) in regards to the waste acid tank that is no longer in service.
5. OAC 3745-66-92(A) states (in part) that the owner or operator must obtain a written assessment reviewed and certified by a qualified professional engineer attesting that the system has sufficient structural integrity and is acceptable for the storing and treating of hazardous waste. The assessment must include the information listed in that rule. Please send me a copy of this assessment for your waste acid tank system.
6. OAC rule 3745-66-92(G) states (in part) that the owner or operator must obtain and keep on file at the facility written statements by those persons required to certify the design of the tank system and supervise the installation of the tank system in accordance with the requirements of paragraphs (B) to (F) of this rule to attest that the tank system was properly designed and installed and that repairs, pursuant to paragraphs (B) and (D) of this rule were performed. Please send me a copy of these statements for your waste acid tank system.

7. OAC rule 3745-66-93(E)(1) lists the requirements for an external liner secondary containment system which is the type your tank has. It requires the liner be free of cracks and gaps, constructed with chemical-resistant water stops in place at all joints, and provided with an impermeable interior coating or lining that is compatible with the stored waste and that will prevent migration of waste into the concrete. There were a few inches of rainwater in this secondary containment during the inspection so I could not see whether you meet these requirements. This accumulated liquid must be removed. Please photograph the liner at that time and send me the photos.
8. You sent me analysis of the Schmag blaster waste showing that it is not a hazardous waste. We saw the area where the super sacks are used to collect this waste. It is suggested that the waste on the floor in this area be cleaned up to avoid tracking it to other locations. We also saw the area outside where these full sacks are stored. There was waste on the ground in this area. This is a solid waste and needs to be cleaned up. Please send me documentation of this cleanup.
9. In the Plant 2 maintenance area we saw boxes of fluorescent lamps that you were unsure if they were waste lamps. Please investigate and tell me whether these were waste lamps. If they are, please send me documentation showing they are properly labeled.

Another purpose of the inspection was to look for ways you may be able to reduce your waste generation, conserve energy, and save money. At two locations in the plant I heard compressed air leaks. Such leaks can be very costly in terms of both energy use and the associated money for that energy. More information can be found at: http://www1.eere.energy.gov/manufacturing/tech_deployment/compressed_air.html.

When you submit waste analysis data for the waste pickle liquor, we can discuss whether it makes sense to try to get a delisting of this waste from the US EPA.

The following additional documents were given to you during the inspection:

[Ohio's Universal Waste Rules: Are You Handling Used Lamps Correctly?, 2010](http://www.epa.ohio.gov/portals/41/sb/publications/Lampcompliancechecklist.pdf)
<http://www.epa.ohio.gov/portals/41/sb/publications/Lampcompliancechecklist.pdf>
[Waste Disposal and Recycling Companies in Northeast Ohio, 2011](#)
[The Regulation of Used Oil: An Overview for Ohio Businesses Who Generate Used Oil, 2006](#)
[http://epa.ohio.gov/portals/32/pdf/Used Oil Generators Guidance.pdf](http://epa.ohio.gov/portals/32/pdf/Used_Oil_Generators_Guidance.pdf)
[Registered Used Oil Transporters in Northeast Ohio, 2011](#)
[Office of Compliance Assistance and Pollution Prevention](#)
<http://epa.ohio.gov/portals/41/p2/P2OnsiteBrochure.pdf>
[Sustainable/Green Business Toolkit, October 2010](#)
<http://www.epa.ohio.gov/portals/41/GreenBusinessToolkit.pdf>

David Judkins
Republic Steel
January 10, 2013
Page 8

Other information and suggestions:

- Ohio EPA's Office of Compliance Assistance and Pollution Prevention (OCAPP) provides compliance and pollution prevention assistance on environmental issues (including sources of funding) related to air, land, and water. They can be contacted at (800) 329-7518, or <http://www.epa.ohio.gov/Default.aspx?alias=www.epa.ohio.gov/ocapp>.
- ENERGY STAR is a government-backed program helping businesses and individuals protect the environment through superior energy efficiency. Their website is at: <http://www.energystar.gov/>.
- The Clean Air Resource Center offers help in understanding EPA air quality requirements. In addition, if your business is required to purchase new equipment, they can offer better-cost financing with special tax incentives. Their phone number is (800) 225-5051 and website is <http://www.ohioairquality.org/>.
- Ohio Bureau of Workers' Compensation has an OSHA On-Site Consultation service which includes free on-site safety inspections and consultation, safety program assistance, and safety and hygiene training or seminars. More information can be found at: <http://www.ohiobwc.com/employer/programs/safety/SandHOSHAOnSite.asp>.

If you have any questions, please contact me at (330) 963-1217, or robert.almquist@epa.ohio.gov.

Sincerely,



Robert Almquist
Division of Materials and Waste Management

RA:cl
Enclosures

ec: Jeff Mayhugh, DMWM, CO
Frank Popotnik, DMWM, NEDO
Natalie Oryshkewych, DMWM, NEDO
Marlene Kinney, DMWM, NEDO
Sherry Slone, DMWM, NEDO

Send to Central Office <input checked="" type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
---	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to brad.hauser@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: OHD004227708	
Site Name	Name: Republic Steel - Massillon CFB	Website: (Optional)
Site Location Information	Street Address: 401 Rose Ave. SE	
	City, Town, or Village: Massillon	State: OH
	County Name: Stark	Zip Code: 44646
Site Land Type (check only one)	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
NAICS code(s) www.census.gov/epcd/www/naics.html	331221	

Facility Representative	First Name:	MI:	Last Name:
Additional names can be recorded in number 12	Title: same as current records		
	Phone Number:	Phone Number Extension:	
Only provide address information if it is different than the site address	E-Mail Address:		
	Fax Number:	Fax Number Extension:	
	Street or P.O. Box:		
	City, Town or Village:		
	State:	Zip Code:	

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:		Date Became Owner (mm/dd/yyyy):							
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
	Street or P.O. Box:				Owner Phone #:					
	City, Town or Village:				Country:		Zip Code:			
	State:				Date Became Operator (mm/dd/yyyy):					
	Name of Site's Operator:	Operator Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:				Operator Phone #:					
	City, Town or Village:				Country:		Zip Code:			
	State:									

VIOLATIONS CITED?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

TYPE OF HANDLER - MARK "X" AS APPROPRIATE		
<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11 <input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). <i>Check the box for the applicable generator status and provide a comment.</i>	<input checked="" type="checkbox"/> Large Quantity Generator (LQG) <input type="checkbox"/> Small Quantity Generator (SQG) <input type="checkbox"/> Conditionally Exempt Small Quantity Generator <input type="checkbox"/> U.S. Importer of Hazardous Waste <input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Hazardous Waste Transfer Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Underground Injection Control Facility
<input type="checkbox"/> 72-Hour Recycler	<input type="checkbox"/> Receives Hazardous Waste from Off-site

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED (CHECK ALL BOXES THAT APPLY))

<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

<input checked="" type="checkbox"/> Batteries
<input type="checkbox"/> Pesticides
<input type="checkbox"/> Mercury containing equipment
<input checked="" type="checkbox"/> Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

<input checked="" type="checkbox"/> Used Oil Generator
<input type="checkbox"/> Used Oil Transporter
<input type="checkbox"/> Used Oil Transfer Facility
<input type="checkbox"/> Used Oil Processor
<input type="checkbox"/> Used Oil Re-refiner
<input type="checkbox"/> Off-Specification Used Oil Burner
<input type="checkbox"/> Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
<input type="checkbox"/> Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

Eligible Academic Entities with Laboratories: Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

<input type="checkbox"/> College or University
<input type="checkbox"/> Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
<input type="checkbox"/> Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

D002	D008	K062	
COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.			
Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives: Stephen Welch, Christopher Johnson, Brent Marshall
Tanks	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Containers	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Robert Almquist	Sherry Slone	12-17-2012

Comments:
no hazardous waste containers at the time of inspection but they often do have such containers.

0

Waste Summary for:								
Republic Steel, OHD004227708, LQG, 12-17-12 inspection								
#	Process generating the waste	Waste description and hazardous waste codes	Profile #	Date of last analysis	Date of last LDR	Amount generated - 2011 annual report in pounds unless noted otherwise	On-site management	Off-site management
1	Remove scale and corrosion from steel	Spent sulfuric acid pickle liquor, D002, K062	OH100334			3,358,520	Stored in tank	Most to Vickery Environmental, Vickery, OH for deepwell or underground injection (H134). Some to Envirite, Canton, OH for other chemical precipitation with or without pre-treatment (H077)
2		Pickling rinsewater					Reused as makeup water for pickling bath	
3		Waste acid tank cleanout, D002, K062	31249 (14321)			51,300		Envirite, Canton, OH for other chemical precipitation with or without pre-treatment (H077)
4		Sulfuric acid contaminated debris including	35291 (17082)			1,800		Envirite, Canton, OH for stabilization or chemical fixation prior to disposal at

5		bricks, K062 Acid tub repair debris, D008				53,440		another site (H111) Michigan Disposal Waste Treatment Plant for chemical oxidation (H075) and for stabilization or chemical fixation prior to disposal at another site (H111)
6		Bar neutralizer sludge	35259 (VEX 20731)	4-14-11	NA	Unknown quantity shipped on 9-12-12	Waste stored in tank next to neutralizer tank	Vexor Technology, Medina, OH
7		Spent lime solution, D002	31251					
8	Parts cleaning	Waste petroleum distillates			NA		Taken directly out of cleaning units	Safety-Kleen for continued use program
9		used oil removed from steel before rototest, used coolant generated from bar turning, used oil generated from the wire mill	46078		NA	Unknown quantity shipped on 8-21-12	Stored in totes and drums	Oily debris shipped to Republic/Countywide Landfill, East Sparta, OH
10		Part of the waste listed in #8			NA	2700 gallons shipped 10-23-12	Stored in totes and drums	Oily water shipped to Environmental Specialists, Youngstown, OH

11	Remove scale and corrosion from steel	Schumag blaster dust		10-20-10	NA	Unknown quantity shipped on 7-31-12	Collected in super sacks attached to the baghouse. Full super sacks are stored outside.	WM/American Landfill, Waynesburg, OH
12		Ballasts, lamps, batteries			NA	Shipped on 12-12-12		USA Lamp and Ballast Recycling, Mason, MI

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100 Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: *Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.*

Safety Equipment Used: Safety shoes, safety glasses, hard hats

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02(E)&(F)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G)&(H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Tank that meets 3745-66-90 to 3745-66-100 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

e.	Are export related documents being maintained on-site? [3745-52-57(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
MANIFEST REQUIREMENTS		
12.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)(1)]&[3745-52-27(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)(1)]</i>		
14.	Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]</i>		
15.	If the transporter was unable to deliver a shipment of hazardous waste to the designated facility, did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1)&(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.</i>		
17.	If the generator received a rejected load or residue, did the generator:	
a.	Sign item 20 of the new manifest or item 18c of the original manifest? [3745-52-23(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Provide the transporter a copy of the manifest? [3745-52-23(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Send a copy of the manifest to the designated facility that returned the shipment with 30 days after delivery of the rejected shipment? [3745-52-23(F)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
18.	If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter, did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: A generator who sends a shipment of hazardous waste to a TSD facility with the understanding that the TSD facility can accept and manage the waste and later receives that shipment back as a rejected load or residue may accumulate the waste on-site for <90 days or <180 days depending on the amount of hazardous waste on-site in that calendar month. [3745-52-34(M)]</i>		
<i>NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.</i>		
PERSONNEL TRAINING		
21.	Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
22.	Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: For facility employees that receive emergency response training pursuant to OSHA regulations, the facility is not required to provide separate emergency response training, provided that the overall facility training meets all the requirements of OAC 3745-65-16(A). [3745-65-16(A)(4)]

23.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
24.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
25.	Does the generator provide refresher training to employees during each period from January 1 st to December 31 st and does each training occur within 15 months after the previous training? [3745-65-16(C)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
26.	Does the generator keep records and documentation of:						
	a. Job titles? [3745-65-16(D)(1)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	b. Job descriptions? [3745-65-16(D)(2)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	c. Type and amount of training given to each person? [3745-65-16(D)(3)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	d. Completed training or job experience required? [3745-65-16(D)(4)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
27.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

28.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
29.	Does the plan describe the following:						
	a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	b. Arrangements with emergency authorities? [3745-65-52(C)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
	c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under 40 CFR Part 112 or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. The facility may develop one contingency plan which meets all regulatory requirements. Ohio EPA recommends that the plan be based on the "National Response Team's Integrated Contingency Plan Guidance (One Plan)." [3745-65-52(B)]

30.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53(A)&(B)]	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
-----	--	-----	-------------------------------------	----	--------------------------	-----	--------------------------

31.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
32.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

33.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(I)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: OAC 3745-65-51(B) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

34.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
35.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:	
a.	Internal communications or alarm system? [3745-65-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Emergency communication device? [3745-65-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Portable fire control, spill control and decon equipment? [3745-65-32(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Verify that the equipment is listed in the contingency plan.

36.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
37.	Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
38.	Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
39.	If there is only one employee on the premises, is there immediate access to a device (eg. phone, hand held two-way radio) capable of summoning external emergency assistance (unless not required under 3745-65-32)? [3745-65-34(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
40.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
41.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
42.	Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

SATELLITE ACCUMULATION AREA REQUIREMENTS There were no satellite accumulation areas at time of inspection.		
43.	Does the generator ensure that satellite accumulation area(s):	
	a.	Are at or near a point of generation? [3745-52-34(C)(1)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
44.	Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:	
		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.</i>		
USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS There were no containers of hw accumulating at time of inspection.		
45.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
46.	Is the accumulation date on each container? [3745-52-34(A)(2)]	
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
47.	Are hazardous wastes stored in containers which are:	
	a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	In good condition? [3745-66-71]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Compatible with wastes stored in them? [3745-66-72]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Record location on process summary sheets, photograph the area, and record on facility map.</i>		
48.	Is the container accumulation areas(s) inspected at least once during the period from Sunday to Saturday? [3745-66-74]	
		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a.	Are inspections recorded in a log or summary? [3745-66-74]
		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
49.	Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
50.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
51.	If the generator places incompatible wastes, or incompatible wastes and	
		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	
52.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.		
53.	If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] I couldn't see inside the tank.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]		
PRE-TRANSPORT REQUIREMENTS		
54.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
55.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
56.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes x No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Continue with the generator LDR requirements on the next page.		

GENERATOR LDR REQUIREMENTS

NOTE: This LDR checklist does not include the requirements for generators that treat to meet LDR standards. If the generator treats, the inspector should use the stand-alone Generator LDR checklist instead of this checklist.

GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: This is done by determining if the HW/soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).

3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.

6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	---

NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.

NOTE: Written documentation of this determination is not required.

7.	Did the generator treat his HW /soil on-site <u>to meet</u> the LDR treatment standard?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	---

NOTE: If "Yes" see question #16.

8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	i. Applicable HW codes?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii. Manifest number of the first shipment to the TSD?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii. A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination.?"	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form/notice on file?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	[3745-270-07(A)(2)]	
a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTIFICATION FORM		
11.	Does the LDR Notification form contain the following information:	
a.	Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: A wastewater contains <1% by wt. total suspended solids (TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.</i>		
e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories</i>		
f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.</i>		
g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.</i>		
PROHIBITED DILUTION		
12.	Is the HW treated by burning? If "No" go to #15.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs is given in the Appendix to 3745-270-03.</i>		
14.	a. Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless one of the following conditions apply. [3745-270-03(c)]	
	i. Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	ii. Contains organic constituents or cyanide at levels greater than the UTS levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iii. Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	iv. Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	v. Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b. If all responses to 14 a.i. through 14 a.v. are "No", HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: If "Yes", HW is improperly being treated by dilution.</i>		
b.	Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].</i>		
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>		

LQG TANK SYSTEM REQUIREMENTS (OAC rule 3745-52-34(A) and OAC rules 3745-66-90 through 3745-66-100)

(Please refer to the rules before or while completing this checklist.)

1.	Is each tank clearly labeled/marked with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
TANK SYSTEM – GENERAL OPERATING REQUIREMENTS		
2.	Does the o/o follow the general operating requirements below:	
a.	Does the o/o prevent placement of hazardous waste or treatment reagents in tank or secondary containment if such placement can cause the system to leak, rupture, corrode, or otherwise fail? [3745-66-94(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Does the o/o use appropriate controls to prevent spills or overflows from the system (e.g., check valves, dry disconnect couplings, high level alarms, etc.)? [3745-66-94(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	If a leak or spill has occurred in the tank system, has the o/o complied with 3745-66-96? [3745-66-94(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
TANK SYSTEM – INSPECTION REQUIREMENTS		
3.	Has the o/o documented the inspections required in 3745-66-95, in the operating record, including inspection of the following:	
a.	Data from leak detection equipment each operating day? [3745-66-95(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Spill control equipment each operating day? [3745-66-95(B)(1)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
c.	Above ground portion of tank each operating day? [3745-66-95(B)(2)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
d.	Construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste each operating day? [3745-66-95(B)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: "Each operating day" is each day that the tank system is being used to manage (store or treat) hazardous waste.</i>		
4.	For tank systems using leak detection systems to alert facility personnel to leaks or implementing established workplace practices to ensure leaks are promptly identified, has the o/o documented: [3745-66-95(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Inspections of spill control equipment weekly?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Inspections of above ground portion of tank weekly?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Inspections of construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste weekly?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Use of the alternate inspection schedule, including a description of the established workplace practices at the facility?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	For ancillary equipment NOT provided with secondary containment, has the o/o documented inspections of such equipment each operating day? [3745-66-95(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
6.	Where applicable, did the o/o inspect the cathodic protection system to confirm proper operation within six months of initial installation and annually thereafter? [3745-66-95(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Where applicable, did the o/o inspect all sources of impressed current at least bi-monthly? [3745-66-95(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEM CLOSURE REQUIREMENTS – letter asks for more information to determine this

8.	If the o/o has closed a <90 day tank, was closure completed in accordance with OAC 3745-66-97 (except for paragraph C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
TANK SYSTEMS STORING IGNITABLE OR REACTIVE WASTES – tank doesn't store ignitable or reactive waste		
9.	For tanks used to treat or store ignitable or reactive wastes, has the o/o complied with one of the following: [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Is the waste treated immediately after placement in the tank so that the resultant mixture is no longer ignitable or reactive and the o/o has conducted such activities in compliance with 3745-66-17(B)? [3745-66-98(A)]; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Is the waste stored or treated to protect it from materials or conditions which may cause ignition or reaction? [3745-66-98(A)]; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	The tank is used solely for emergencies? [3745-66-98(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	If ignitable or reactive waste is stored or treated, are protective distances maintained between waste management areas and any public streets, alleys or adjoining property lines as required by the NFPA Flammable and Combustible Liquids Code (2008)? [3745-66-98(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
11.	Has the o/o placed incompatible wastes or materials into the same tank system, or into a tank system that has not been decontaminated and which previously held an incompatible waste or material? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If so , have the requirements of 3745-65-17(B) been met? [3745-66-99(A) and/or (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
TANK SYSTEM – WASTE ANALYSIS REQUIREMENTS		
12.	In addition to conducting the waste analysis required by 3745-65-13, when the tank system is used to store or treat a waste which is substantially different or uses a substantially different process than previously used, has the o/o done one of the following: [3745-66-100]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Conducted waste analysis and trial treatment or storage tests? [3745-66-100(A)]; OR	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Obtained written documentation on similar waste under similar operating conditions to show that the proposed storage/treatment will meet the requirements of OAC 3745-66-94? [3745-66-100(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
TANK SYSTEMS REQUIREMENTS		
13.	Is there a written assessment attesting that the design, installation and structural integrity of the system is adequate for the management of hazardous waste(s)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: You should review the file to see if the written assessment has been previously reviewed and what the results were.</i>		
14.	Does the written assessment include the following: [3745-66-92(A)]	
a.	Certification by a qualified professional engineer? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Consideration of the design standards of the system? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Consideration of the hazardous characteristics of the waste(s)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	An evaluation by a corrosion expert (only if the external system/components are metal and in contact with soil or water)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	A determination of design and operational measures that will be needed to protect the tank system from potential damage (only for underground tank components)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
f.	Design considerations to ensure that the tank foundations will maintain the load of a full tank? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	g.	Design considerations for anchoring the unit to prevent floatation (only for tanks situated in a seismic fault zone or saturated zone)? [3745-66-92(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	x			
	h.	Design considerations to ensure that the tank system will withstand the effects of frost heave (only for underground tank systems)? [3745-66-92(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	x			
<i>NOTE: CO-DHWM Engineering staff are available to assist you with evaluation of the written assessment.</i>									
15.	Are there written statements by those persons who supervised installation or certified design of the new tank system, that the tank system was properly installed and designed and that required repairs were performed? [3745-66-92(G)]					Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
Do the written statements address all of the following:									
	a.	Inspection for damage and/or inadequate construction and installation was conducted? [3745-66-92(B)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
	b.	Statement that deficiencies were corrected before the tank system was covered or put into use? [3745-66-92(B)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
	c.	Proper backfilling? [3745-66-92(C)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
	d.	Tightness test; if the tank system was found not to be tight, does the statement indicate that proper repairs were made? [3745-66-92(D)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
	e.	Proper support and protection of ancillary equipment? [3745-66-92(E)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
	f.	Supervision of the installation of field fabricated corrosion protection? [3745-66-92(F)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>			
SECONDARY CONTAINMENT									
16.	Has secondary containment been provided? [3745-66-93(A)]					Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
<i>NOTE: Secondary containment must be provided for tank systems that store or treat materials that become hazardous wastes within two years after the hazardous waste listing, or when the system has reached 15 years of age, whichever comes later. [3745-66-92(A)(2)]</i>									
17.	Is secondary containment one of the following:					Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	a.	An External Liner ? [3745-66-93(E)(1)] If so,				Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
		i.	Is liner designed or operated to contain 100% of the capacity of the largest tank?			Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
		ii.	Is liner designed and operated to prevent run-on and infiltration <u>or</u> the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?			Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
		iii.	Is liner free of cracks and gaps?			Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
		iv.	Does liner completely surround the tank and cover all earth likely to be contacted by waste during a release?			Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
		v.	Are chemically resistant water stops in place at all points? (<i>concrete liners only</i>)			Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
		vi.	Is there a compatible interior coating or lining to prevent migration of waste into the concrete? (<i>concrete liners only</i>)			Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
	b.	Vault System ? [3745-66-93(E)(2)] If so,				Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	x
		i.	Is vault system designed to contain 100% of the capacity in the largest tank?			Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>
		ii.	Is liner designed and operated to prevent run-on and infiltration <u>or</u> the collection system has <u>excess</u> capacity to contain run-on and infiltration from a 25-year, 24-hour storm?			Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	<input type="checkbox"/>

	iii.	Are chemically resistant water stops in place at all points?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	
	iv.	Is there a compatible interior coating to prevent migration into the concrete?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	
	v.	For ignitable or reactive waste : Is the vault system provided with means to prevent (or alternatively "protect against") the formation or ignition of vapors?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	
	vi.	Is vault system provided with an exterior moisture barrier?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	
	c.	Double-Walled Tank? [3745-66-93(E)(3)] If so,	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	x
	i.	Is double-walled tank designed as an integral structure to contain any release from the inner tank?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	
	ii.	If metal , are the primary tank interior and outer shell exterior surfaces protected from corrosion?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	
	iii.	Is double-walled tank provided with a continuous leak detection system able to detect a release within 24 hours or at the earliest practicable time?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	
	d.	An Equivalent Device? As described in 3745-66-93(D)(4) which has been approved by the director? [3745-66-93(D)&(E)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	x

SECONDARY CONTAINMENT DESIGN/OPERATION/INSTALLATION

18.	Has each secondary containment system been designed, installed and operated to prevent <u>any</u> migration of wastes or liquid to the soil, groundwater, or surface water and is it capable of <u>detecting</u> and <u>collecting</u> releases and accumulated liquids? [3745-66-93(B)(1)&(2)]		Yes	x	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
19.	Does the secondary containment system meet the following minimum requirements of [3745-66-93(C)]:							
	a.	Constructed or lined with compatible materials of sufficient strength to prevent failure? [3745-66-93(C)(1)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	b.	Placed on a foundation or base capable of providing support? [3745-66-93(C)(2)]	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	c.	Provided with a leak detection system designed/operated to detect failure to primary or secondary containment or any release of hazardous waste within 24 hours or at earliest practicable time? [3745-66-93(C)(3)]	Yes	<input type="checkbox"/>	No	x	N/A	<input type="checkbox"/>
	d.	Sloped or designed to drain and remove liquid resulting from leaks, spills or precipitation? [3745-66-93(C)(4)]	Yes	x	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	e.	Any liquid which accumulates in the containment unit resulting from spills, leaks or precipitation removed within 24 hours or in a timely manner? [3745-66-93(C)(4)]	Yes	<input type="checkbox"/>	No	x	N/A	<input type="checkbox"/>

ANCILLARY EQUIPMENT REQUIREMENTS

20.	Is ancillary equipment provided with secondary containment (such as double-walled piping, jacketing or a trench)?		Yes	<input type="checkbox"/>	No	x	N/A	<input type="checkbox"/>
	If not , is the ancillary equipment one of the following: [3745-66-93(F)]							
	a.	Above ground piping (exclusive of flanges, joints, valves and connections) that is inspected daily?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	b.	Welded flanges, welded joints and/or welded connections that is inspected daily?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	c.	Sealless or magnetic coupling pumps and/or sealless valves that is inspected daily?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
	d.	Pressurized above ground piping systems with automatic shut-off devices (e.g., excess flow check valves, flow metering shutdown and/or loss of pressure-actuated shut-off devices) that is inspected daily?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>

TANK SYSTEMS FOUND TO BE LEAKING OR UNFIT FOR USE		
21.	Has there been a leak or spill from any tank system or has any tank system been found unfit for use? If so , did the o/o:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: If the tank is found to be unfit for use, inspector should explain why.</i>		
a.	Immediately cease flow of material into tank and investigate the cause of the release? [3745-66-96(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Remove waste from tank system to prevent further release within 24 hours of detection or earliest practicable time? [3745-66-96(B)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Remove all material released into secondary containment system within 24 hours or as timely as possible to prevent harm to human health and the environment? [3745-66-96(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	For a visible release to the environment, immediately conduct a visual inspection of the release? [3745-66-96(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	For a visible release to the environment, prevent further migration of the leak or spill to soils or surface waters? [3745-66-96(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	For a visible release to the environment, properly dispose of any visibly contaminated soil or surface water? [3745-66-96(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
g.	Report any release to the environment to the director within 24 hours unless it was less than one pound and was cleaned up immediately? [3745-66-96(D)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
h.	For a release to the environment, submit a written report of the incident to the director within 30 days of the release? [3745-66-96(D)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
i.	Remediate the spill and repair the unit prior to returning it to service? [3745-66-96(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
j.	For a release from a tank system without secondary containment, did the o/o provide secondary containment meeting the requirements of 3745-66-93 for the unit prior to putting it back into service? [3745-66-96(E)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: The requirements noted in 20.j. do not apply if the release was from an above ground component of the tank which can be inspected visually after being put back into service.</i>		
22.	In the event that the repairs to the tank system were major (e.g., replacement of liner, repair of ruptured primary or secondary containment structure), did the o/o obtain a certification from a qualified professional engineer attesting that the repaired unit is capable of handling hazardous waste? [3745-66-96(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
23.	Was a copy of the certification submitted to the director within seven days after returning the system to use? [3745-66-96(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
24.	If the o/o was unable to repair and return the unit to service as described in 20.a through 20.e, was the tank system closed in accordance with 3745-66-97? [3745-66-96(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
25.	Does the o/o have a tank system with a variance from secondary containment from which a release has occurred but <u>has not</u> migrated beyond the zone of engineering control? If so ,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (F), except (D), and decontaminated soils? [3745-66-93(G)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	If soils cannot be decontaminated/removed, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
26.	Does the o/o have a tank system with a variance from secondary containment from which a release occurred and <u>has</u> migrated from the zone of engineering control? If so ,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the o/o complied with 3745-66-96(A) through (D), prevented migration, and decontaminated soil? [3745-66-93(G)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	If soils cannot be decontaminated/removed, or if the groundwater has been contaminated, has the o/o complied with 3745-66-97(B)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in OAC rule 3745-273-17 or managing specific wastes as provided in OAC rule 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

WASTE MANAGEMENT AND LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3.	Are batteries that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
6.	If the electrolyte is removed or other wastes generated, has it been determined whether the electrolyte or other wastes exhibit a characteristic of hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	If the electrolyte or other waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are the batteries or containers of batteries labeled with the words "Universal Waste-Battery(ies)" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

UNIVERSAL WASTE PESTICIDES – no waste pesticides seen

8.	Does the SQUWH prevent releases to the environment by managing pesticides in containers that are closed, structurally sound, compatible with the pesticides, and lack evidence of leakage, spillage, or damage? [3745-273-13(B)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	If the original pesticide container is in poor condition, was it over-packed into an acceptable container? [3745-273-13(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	If the pesticide is stored in a tank, are the requirements of rules 3745-66-90 through 3745-66-101, except for paragraph (C) of 3745-66-97, of the OAC met? (Use tank checklist) [3745-273-13(B)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
11.	If pesticides are stored in a transport vehicle, is it closed, structurally sound, compatible with the pesticide(s), and does it lack evidence of leakage, spillage, or damage that could cause leakage? [3745-273-13(B)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	Are recalled universal waste pesticides that are in containers, tanks, or transport vehicles labeled with the label that was on or accompanied the product as sold or distributed and labeled with the words "Universal Waste Pesticides" or "Waste Pesticides"? [3745-273-14(B)(1)&(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Are unused pesticide products that are in containers, tanks, or transport vehicles labeled with either the label that was on the product when purchased (if still legible), the appropriate DOT label, or the designated label prescribed by the pesticide collection program and labeled with the words "Universal Waste-Pesticides" or "Waste Pesticides"? [3745-273-14(C)(1)&(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

UNIVERSAL WASTE MERCURY-CONTAINING EQUIPMENT – no waste mercury-containing equipment seen

14.	Has mercury-containing equipment with non-contained elemental mercury	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
-----	---	---

Republic Steel 12-17-12 inspection

OHD004227708

RCRA SMALL QUANTITY UNIVERSAL WASTE HANDLER INSPECTION CHECKLIST

SQUWH

Page 1 of 4

	or that shows evidence of leakage, spillage or damage that could cause leaks been placed in a container that is closed, structurally sound, compatible with contents of the device and lacks evidence of leakage, spillage or damage that could cause leakage and is designed to prevent escape of mercury into the environment by volatilization or any other means? [3745-273-13(C)(1)]	
15.	If the mercury-containing ampules are removed, does the SQUWH: [3745-273-13(C)(2)]	
a.	Remove and manage the ampules in a manner to prevent breakage and is the removal done over or in a containment device? [3745-273-13(C)(2)(a)&(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Have a clean-up system readily available to transfer spilled mercury to another container that meets the requirements of OAC rule 3745-52-34 and is the spilled mercury transferred immediately? [3745-273-13(C)(2)(c)&(d)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Ensure that the area where ampules are removed is well ventilated and monitored in compliance with applicable OSHA exposure levels for mercury? [3745-273-13(C)(2)(e)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Ensure that employees are thoroughly familiar with the proper waste handling and emergency procedures? [3745-273-13(C)(2)(f)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Ensure that removed ampules are stored in closed, non-leaking containers that are in good condition? [3745-273-13(C)(2)(g)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Pack removed ampules in containers with packing material to prevent breakage during storage, handling and transportation? [3745-273-13(C)(2)(h)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
16.	If the open original housing holding mercury is removed from a mercury-containing equipment that does not contain an ampule, does the SQUWH: [3745-273-13(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Immediately seal the original housing holding the mercury with an air-tight seal to prevent the release of any mercury to the environment? [3745-273-13(C)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Follow all requirements for removing ampules and managing removed ampules in accordance with 3745-273-13(C)(2)? [3745-273-13(C)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
17.	When removing mercury containing ampules from mercury-containing equipment or sealing mercury from its original housing if there are mercury or clean-up residues resulting from spills or leaks, and/or other waste generated (e.g., remaining mercury-containing device), has it been determined whether those exhibit a characteristic of hazardous waste identified in OAC rules 3745-51-20 to 3745-51-24? [3745-273-13(C)(4)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If the residues, and/or wastes are characteristic, are they managed in compliance with Chapters 3745-50 through 3745-69, 3745-205, 3745-256, 3745-266, and 3745-270 of the Administrative Code? (The handler is considered the generator of the mercury, residues, and/or other waste and is subject to OAC Chapter 3745-52) [3745-273-13(C)(4)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
18.	Is mercury-containing equipment or containers of mercury-containing equipment labelled either "Universal Waste-Mercury-Containing Equipment" or "Waste Mercury-Containing Equipment" or "Used Mercury-Containing Equipment"? [3745-237-14(D)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
19.	Are mercury-containing thermostats or containers containing ONLY thermostats labeled either "Universal Waste-Mercury Thermostat(s)" or "Waste Mercury Thermostat(s)" or "Used Mercury Thermostat(s)"? [3745-273-14(D)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
UNIVERSAL WASTE LAMPS		
20.	Does the SQUWH contain lamps in containers or packages that are	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

Republic Steel 12-17-12 inspection
OHD004227708

	structurally sound, adequate to prevent breakage, and compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	
21.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p>NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC rule 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility using a hazardous waste manifest.</p>		
22.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste-Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ACCUMULATION TIME		
23.	Is the waste accumulated for less than one year? [3745-273-15(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If not, is the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p>NOTE: Accumulation is defined as date generated or date received from another handler.</p>		
24.	Is the handler able to demonstrate the length of time the universal waste has been accumulated? [3745-273-15(C)] If yes, describe below:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
EMPLOYEE TRAINING		
25.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
RESPONSE TO RELEASES		
26.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
27.	Is the material released characterized? [3745-273-17(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
28.	If the material released is a hazardous waste, was it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to OAC Chapter 3745-52) [3745-273-17(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
OFF-SITE SHIPMENTS		
<p>NOTE: If a SQUWH self-transportes waste, then the handler must comply with the Universal Waste transporter requirements.</p>		
29.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

30.	Is the handler aware of DOT requirements for packaging and shipping? If no, make aware of 49 CFR 171-180.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
31.	Prior to shipping universal waste off-site, does the originating handler ensure that the receiver agrees to receive the shipment? [3745-273-18(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
32.	Has the originating handler ever had an off-site shipment rejected by another handler or destination facility?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. If yes, did the originating handler receive the waste back or agree to where the shipment was sent? [3745-273-18(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
33.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss and do <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Send the waste back to the originating handler or send the shipment to a destination facility (If both the originating and receiving handler agree)? [3745-273-18(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
34.	If the handler received a shipment of hazardous waste that was not a universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

EXPORTS

NOTE: Small quantity handlers that export waste to the countries listed in 40 CFR 262.58(a)(1) are subject to 40 CFR 262 subpart H. Small quantity handlers that export waste to a foreign destination other than the countries listed in 40 CFR 262.58(a)(1) are subject to 40 CFR 262.53, 40 CFR 262.56(a)(1) to (a)(4), (a)(6), and (b), 40 CFR 262.57, and 40 CFR 262 subpart E. [3745-273-20]

NOTE: Violations regarding exporting universal waste to foreign destinations should be referred to U.S. EPA Region 5 because the federal counterpart provisions are not delegable to states.

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

2. Inspectors can check BUSTR's web-site at https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at: https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., If generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER		
10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).</i>		
GENERATOR TRANSPORTATION		
11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#? [3745-279-24]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transported used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time? [3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).</i>		
COLLECTION CENTERS AND AGGREGATION POINTS – Not a collection center or aggregation point		
13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.</i>		