



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

Re: Wood County
Compliance Evaluation Inspection/LQG
American Warming and Ventilating
OHD 045 244 480
Notice of Violation/Return to Compliance

December 27, 2012

Ms. Kaileen Bloom, Environmental, Health & Safety Manager
American Warming and Ventilating
120 South Plin Street
Bradner, Ohio 43406

Dear Ms. Bloom:

Thank you for accompanying me during Ohio EPA's December 6, 2012, hazardous waste compliance evaluation inspection (CEI) of American Warming and Ventilating (AWV) located at 120 South Plin Street, Bradner, Ohio. This inspection was conducted to determine AWW's compliance with Ohio's hazardous waste laws as found in Chapter 3734. of the Ohio Revised Code (ORC) and Ohio's hazardous waste regulations as adopted under Chapter 3745. of the Ohio Administrative Code (OAC). AWW was represented by you. The inspection included a tour of your facility and a review of your facility paperwork. This letter will explain the violations I discovered, what you need to do to correct these violations, one area of concern, and what you need to do to satisfy this area of concern.

AWV is a manufacturer of steel or aluminum louvers for commercial applications and dampers for industrial applications. Aluminum louvers (parts) are first put on hang racks and placed on the dip line. They are then submersed into a soap bath consisting of Bulk Bond 969E cleaner (Alkaline Clean) and water for 1 minute. Then, they are then rinsed with clean water and then placed in a chrome bath of Bulk Bond 1407 (Chrome Phosphate) and water with Bulk Bond 1047 used as an accelerator. Finally, they are then rinsed again with clean water and placed into a dryer before placing onto the holding line for transference to paint line. Steel louvers (parts) are dipped in the soap bath and rinsed. Then, the parts are placed in galvanized tank (Zinc Phosphate) bath consisting of Bulk Bond 309 and water. Final rinse and dryer remains the same as with the aluminum parts processing.

AWV is a large quantity generator of hazardous waste. Hazardous waste generated at AWW includes waste paint and solvent (D001, D035, F003, F005); waste paint solids (paint chips, paint booth filters) (D007, D035); and chromate solution from tank clean outs (D007).

The soap solution is checked for pH before disposal every time and often is disposed of as a non-hazardous waste. Other wastes generated at the facility include filter press cake, waste water treatment cartridges, and used oil and lamps.

Based on my observations, I found the following violation of Ohio's hazardous waste laws. As noted, AWW corrected the violations during the time of this inspection; therefore no further action is necessary at this time.

Mr. Kauleen Bloom
December 27, 2012
Page 2

Furthermore, an issue of concern remains and must be addressed as soon as possible or within **14 days** of receipt of this letter, AWV is requested to provide documentation to this office including the steps taken to address this concern.

1. **OAC Rule 3745-273-13(D)(1) -- Universal Waste Management – storage requirements (lamps).**

A small quantity handler of universal waste must manage lamps in a way that prevents releases of any universal waste or component of a universal waste to the environment by containing lamps in containers or packages and such containers must remain closed.

AWV was storing lamps in containers that were not closed. AWV closed containers during this inspection. ***This violation was abated.***

2. **OAC Rule 3745-273-14(E) -- Universal Waste Management Waste – Container Labeling (lamps).**

A small quantity handler of universal waste must label or mark a container or package with such lamps with one of the following phrases: "Universal Waste-Lamps" or "Waste Lamps" or "Used Lamps."

AWV failed to mark their used lamps storage container with a proper label. AWV properly labeled the universal waste containers properly during the inspection. ***This violation was abated.***

Area of Concern:

Hazardous Waste Training

At the time of the inspection, you could not locate the sign-in sheets for your 2010 and 2011 hazardous waste training. You stated that you had conducted it, but could not find the paperwork.

To satisfy this area of concern, please submit this documentation within 14 days of receipt of this letter to me to ensure compliance with this regulation.

As we discussed during the inspection, you may be able to find other ways to reduce the waste your company generates. If you would like more information on topics concerning pollution prevention, you can visit <http://www.epa.state.oh.us/ocapp/ocapp.html>. If you find additional ways to recycle, reduce, or altogether eliminate the amount of waste that your company generates, you may be able to reduce treatment and disposal costs. In addition, you may possibly reduce your regulatory requirements.

The Division of Materials and Waste Management (DHWM) has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio.


Mr. Kaileen Bloom
December 27, 2012
Page 3

If you haven't already, we encourage you to sign up for this free service. You can find more information at <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues. You can find copies of the rules and other information at <http://www.epa.state.oh.us/dhwm>.

For your information I am providing you with the following documents: Universal Waste Guidance, December, 2004; Universal Waste Rules for Handlers of Lamps, June, 2005; and The Regulation of Used Oil: An Overview for Ohio Businesses Who Generate Used Oil, April, 2006.

Enclosed, you will find a copy of the checklists that I completed during the inspection. Should you have any questions, please feel free to contact me at (419) 373-3015.

Sincerely,



Edgar V. Pulido
Division of Hazardous Waste Management

/cg

Enclosures

pc: Lisa Gifford, DMWM, NWDO w/ attachments
Colleen Weaver, Supervisor, DMWM, NWDO w/ attachments

ec: Ed Pulido, DMWM, NWDO
Colleen Weaver, Supervisor, DMWM, NWDO

<p>NOTICE: Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.</p>
--

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: For example, used oil contaminated scrap metal stored in a pile.</i>		
2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked Used Oil? [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more that	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

	0.5 million BTU per hour?	
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
12.	If the generator self-transportes used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.

Send to Central Office <input checked="" type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
---	---	--------------------------

Completed verification forms required to be submitted to CO should be e-mailed to
Ruthanne.Flottman@epa.state.oh.us

Site EPA ID No.	EPA ID Number: OHD045244480	
Site Name	Name: American Warming and Ventilating	Website http://awv.com/ (Optional)
Site Location Information	Street Address: 120 S. Plin Street	
	City, Town, or Village: Bradner	State: OH
	County Name: Wood	
Site Land Type (check only one)	Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	Zip Code: 43406
NAICS code(s) www.census.gov/epcd/www/naics.html	332323	
Facility Representative	First Name: Kaileen	MI: Bloom
Additional names can be recorded in number 12	Phone Number: (419)228-2793	Phone Number Extension:
	E-Mail Address: kbloom@awv.com	
Only provide address information if it is different than the site address	Fax Number: (419)288-2346	Fax Number Extension:
	Street or P.O. Box:	
	City, Town or Village:	
	State:	Zip Code:
Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Mestek, Inc.	Date Became Owner (mm/dd/yyyy): 01/01/1980
	Owner Type: Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
	Street or P.O. Box: 260 North Elm Street	
	City, Town or Village: Westfield	Owner Phone #: (413) 568-9571
	State: MA	Country: USA Zip Code: 01085
	Name of Site's Operator:	Date Became Operator (mm/dd/yyyy):
	Operator Type: Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>	
	Street or P.O. Box:	
	City, Town or Village:	Operator Phone #:
	State:	Country Zip Code:

VIOLATIONS CITED? Yes No

TYPE OF HANDLER - MARK "X" AS APPROPRIATE

<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
		<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Underground Injection Control Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption

<input type="checkbox"/> Hazardous Waste Transporter <input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
---	--

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)
 (CHECK ALL BOXES THAT APPLY)

<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

<input type="checkbox"/> Batteries
<input type="checkbox"/> Pesticides
<input type="checkbox"/> Mercury containing equipment
<input checked="" type="checkbox"/> Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

<input checked="" type="checkbox"/> Used Oil Generator
<input type="checkbox"/> Used Oil Transporter
<input type="checkbox"/> Used Oil Transfer Facility
<input type="checkbox"/> Used Oil Processor
<input type="checkbox"/> Used Oil Re-refiner
<input type="checkbox"/> Off-Specification Used Oil Burner
<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

D001 D007 D035 F003 F005

COMMENTS:

Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:
Tanks	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

Name of Inspector(s) Ed Pulido	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm) 12/06/2012 9:00 Hrs
--	----------------------	---

Comments:

PROCESS DESCRIPTION/WASTE ACTIVITIES SUMMARY

Facility Name: American Warming and Ventilating

LQG/SQG/CESQG/TSD

EPA ID#: OHD 045 244 480

Description of Waste				On-Site Management			Off-Site Management		
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, etc)	Waste Generated (e.g. sludge, spent solvent, ash, etc)	EPA Waste Code	QTY Generated per Month	Type of Accumulation/Storage (e.g. container, tank, etc)	Type of On-Site Treatment (recycle, wwt, etc)	Waste Location (Include map if possible)	Name, state, and type of activity occurring at the facility.	P2 Activities	
1	Cleaning of paint lines	Waste paint/solvent	D001 D035 F003 F005	560 lbs.	Container	N/A	Outdoors	Chemtron Corporation 35850 Schneider Ct. Avon, Ohio 44011 OHD066060609 Stabilization/chem. fixation	
2	Cleaning of paint booths	Waste paint solids/Paint booth filters	D007 D035	195 lbs.	Container	N/A	Outdoors	Chemtron Corporation 35850 Schneider Ct. Avon, Ohio 44011 OHD066060609 Fuel blending/energy recovery	
3	Plating wastewater treatment	Sludge	N/A	2000 lbs.	Container	N/A	Outdoors	Chemtron Corporation 35850 Schneider Ct. Avon, Ohio 44011 OHD066060609 Fuel blending	
4	Water treatment (plating)	Filters	N/A	150 lbs.	Container	N/A	Outdoors	Chemtron Corporation 35850 Schneider Ct. Avon, Ohio 44011 OHD066060609 Fuel blending	

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

QESQG: #100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: ≥1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

- | | | | | | | |
|---|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 3. Has the generator obtained a U.S. EPA identification number? [3745-52-12] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 4. Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 6. Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 7. Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 8. Does the generator accumulate hazardous waste? | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

- | | | | | | | |
|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|---|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

- | | | | | | | |
|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)] | | | | | | |
| a. Container that meets 3745-66-70 to 3745-66-77? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| c. Drip pads that meet 3745-69-40 to 3745-69-45? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| d. Containment building that meets 3745-256-100 to 3745-256-102? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

- | | | | | | | |
|---|-----|--------------------------|----|-------------------------------------|-----|-------------------------------------|
| 11. Does the generator export hazardous waste? If so: | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| b. Has the generator complied with special manifest requirements? [3745-52-54] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| d. Has an annual report been submitted to U.S. EPA? [3745-52-56] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| e. Are export related documents being maintained on-site? [3745-52-57(A)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

MANIFEST REQUIREMENTS

- | | | | | | | |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

- | | | | | | | |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

- | | | | | | | |
|---|-----|-------------------------------------|----|--------------------------|-----|-------------------------------------|
| 15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| 16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes No N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes No N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PERSONNEL TRAINING

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes No N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes No N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes No N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes No N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes No N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes No N/A
 - b. Job descriptions [3745-65-16D(2)]? Yes No N/A
 - c. Type and amount of training given to each person [3745-65-16D(3)]? Yes No N/A
 - d. Completed training or job experience required [3745-65-16D(4)]? Yes No N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes No N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

Job Performed	Name of Employee	Date Trained

CONTINGENCY PLAN

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes No N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes No N/A
 - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes No N/A
 - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes No N/A
 - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes No N/A

- e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes No N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes No N/A
30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes No N/A
31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes No N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes No N/A
- a. Was the contingency plan implemented? [3745-65-51(B)] Yes No N/A
- b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes No N/A
- c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes No N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes No N/A
34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:
- a. Internal communications or alarm system? [3745-65-32(A)] Yes No N/A
- b. Emergency communication device? [3745-65-32(B)] Yes No N/A
- c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes No N/A
- d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes No N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes No N/A
36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes No N/A
37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes No N/A
38. If there is only one employee on the premises, is there immediate access to a device (ex. phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes No N/A
39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A
40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes No N/A
41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A
- b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A
- c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A

- d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes No N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes No N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A
43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes No N/A
- a. Did the generator comply with 3745-52-34(A)(1)through(4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

44. Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)] Yes No N/A
45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes No N/A
46. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A
- b. In good condition? [3745-66-71] Yes No N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORCS 1.44(A) "Week" means 7 consecutive days. Yes No N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A
48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes No N/A
49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A
50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes No N/A
51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745- 66-11? [3745-52-34(A)(1)] Yes No N/A

NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A
54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A
55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

**GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS**

GENERAL REQUIREMENTS

1. If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)] Yes No N/A

2. Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] Yes No N/A

NOTE: This is done by determining if the HW/soil contain levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).

3. Does the generator has documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)] Yes No N/A

4. Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)] Yes No N/A

5. Does the generator generate a listed HW that exhibits a characteristic? If yes, Yes No N/A

a. Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)] Yes No N/A

FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.

6. Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)] Yes No N/A

NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.

NOTE: Written documentation of this determination is not required.

7. Did the generator treat his HW/soil on-site to meet the LDR treatment standard? Yes No N/A

NOTE If Yes, see question #16.

8. Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)] Yes No N/A

9. Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)] Yes No N/A

10. Does the generator have a copy of the LDR notification form on file? [3745-270-07(A)(2)] Yes No N/A

a. Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)] Yes No N/A

NOTIFICATION FORM

11. Does the LDR Notification form contain the following information:

a. Manifest number of the first waste shipment to the TSD? [3745-270-07(A)(2)] Yes No N/A

b. Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)] Yes No N/A

c. A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)] Yes No N/A

d. A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)]. Yes No N/A

NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is

a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS, SW-846 method 9060a for TOC.		
e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories		
f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.		
g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.		
PROHIBITED DILUTION		
12.	Is the HW treated by burning? If No, go to #15.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.		
14.	a. Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless one of the following conditions apply. [3745-270-03(c)]	
	i. Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii. Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii. Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv. Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v. Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If all responses to 14 a.i. through 14 a.v. are No, HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If Yes, HW is improperly being treated by dilution.		
	b. Does the waste carry the D001 code <u>and</u> contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If the answers to b & c are yes and no, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].		
NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.		
GENERATOR TREATMENT		

16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If Yes...complete the rest of the checklist. If No...stop...you are done.		
	a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
	c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f.	Is the WAP available for the inspector review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTIFICATION FORM			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement: I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or through knowledge of the waste, to support this certification that the waste complies with the treatment standards specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i.	Send a one-time notification to the director?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii.	Include in the notification: [3745-270-09(D)(1)(a)]	
		1. Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		2. Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		3. HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		4. Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		5. Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv.	Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

WASTE MANAGEMENT & LABELING/MARKING**UNIVERSAL WASTE BATTERIES**

3.	Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Does the SQUWH conduct any of the following activities:	
	a. Sort batteries by type?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	b. Mix battery types in one container?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	c. Discharge batteries to remove the electric charge?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	d. Regenerated used batteries?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	e. Disassemble them into individual batteries or cells?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	f. Remove batteries from consumer products?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	g. Remove the electrolyte from the battery?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

UNIVERSAL WASTE LAMPS

8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages <u>closed</u> and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	[3745-273-13(D)(2)]	
10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)" [3745-273-14(E)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<p>NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.</p>		
ACCUMULATION TIME		
11.	Is the waste accumulated for less than one year? [3745-273-15(A)] If not:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p>NOTE: Accumulation is defined as date generated or date received from another handler.</p>		
12.	Is the length of time the universal waste is stored documented by <u>one</u> of the following: [3745-273-15(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
f.	Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
EMPLOYEE TRAINING		
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
RESPONSE TO RELEASES		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
OFF-SITE SHIPMENTS		
<p>NOTE: If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.</p>		
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p>NOTE: SQUWHs are prohibited to send waste to any other facility.</p>		

18.	If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:	
	a. Receive the waste back? [3745-273-18(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
23.	If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
EXPORTS		
24.	Is waste being sent to a foreign destination? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>