



State of Ohio Environmental Protection Agency

**Southeast District Office**

2195 Front Street  
Logan, Ohio 43138

TELE: (740) 385-8501 FAX: (740) 385-6490  
www.epa.state.oh.us

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

July 2, 2008

**Re: Morgan County  
Stockport WWTP  
Self-Monitoring Report Violations  
Ohio EPA Permit No. OPA00005  
NPDES Permit No. OH0020249  
Correspondence (PWW)**

Mr. Groves  
Village of Stockport  
P.O. Box 158  
Stockport, Ohio 43787

Dear Mr. Groves:

We have received your self-monitoring reports covering the months of October 2007 through March 2008 for the referenced facility. Our review indicates violations of the conditions of your NPDES permit. The specific instances of noncompliance and/or deficiencies are as follows:

Report Period	Station	Reporting Code	Parameter	Limit Type	Limit	Reported Value	Violation Date
Oct 2007	001	00530	Total Suspended Solids	30D Conc	30	32.6	10/1/07
Nov 2007	001	00530	Total Suspended Solids	30D Conc	30	43.75	11/1/07
Nov 2007	001	00530	Total Suspended Solids	7D Conc	45	54.	11/22/07
Dec 2007	001	00530	Total Suspended Solids	7D Conc	45	57.	12/1/07
Dec 2007	001	00530	Total Suspended Solids	30D Conc	30	35.	12/1/07
Jan 2008	001	00530	Total Suspended Solids	30D Conc	30	34.2	1/1/08
Jan 2008	001	00530	Total Suspended Solids	7D Conc	45	46.	1/22/08
Feb 2008	001	00530	Total Suspended Solids	30D Conc	30	33.25	2/1/08
Feb 2008	001	00530	Total Suspended Solids	30D Qty	10	10.9859	2/1/08
Mar 2008	001	00530	Total Suspended Solids	30D Qty	10	13.7319	3/1/08
Mar 2008	001	00530	Total Suspended Solids	7D Qty	15	21.6691	3/1/08
Mar 2008	001	00530	Total Suspended Solids	7D Qty	15	16.4647	3/15/08
Oct 2007	001	31616	Fecal Coliform	7D Conc	2000	7000.	10/1/07
Jan 2008	001	80082	CBOD 5 day	30D Conc	25	26.	1/1/08


Please be advised that failure to comply with the effluent limitations or to satisfy the monitoring or reporting requirements of your NPDES permit may be cause for enforcement action pursuant to the Ohio Revised Code Chapter 6111.

Please inform this office, in writing, within ten days of receipt of this notification as to the reasons for the above referenced violations, as well as a description of the actions taken or proposed to prevent any further violations. Your response should include the dates, either actual or proposed, for completion of the actions.

The Ohio EPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes or pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment, and improve your public image by implementing pollution prevention programs. For more information about pollution prevention, including fact sheets and U.S. EPA's Facility Pollution Prevention Guide, (EPA/600/R-92/088), you may contact the Ohio EPA Pollution Prevention Section at (614) 644-3469 or me for additional information.

If there are any questions, please contact me at (740) 380-5227.

Sincerely,



Scott Foster  
Environmental Specialist 2  
Division of Surface Water

SF/dh