



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Rd.
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Re: White Family Collision Center
Lucas County
OHR000012591
Hazardous Waste
Notice of Violation

June 26, 2009

Mr. Dave Ignatowicz, Manager
White Family Collision Center
5328 West Alexis
Sylvania, Ohio 43560

Dear Mr. Ignatowicz:

Thank you for accompanying me during the Ohio Environmental Protection Agency's (Ohio EPA's) June 12, 2009, hazardous waste compliance evaluation inspection of White Family Collision Center (WFCC) located in Sylvania, Ohio. I inspected WFCC to determine its compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC), and Chapter 3745 of the Ohio Administrative Code. Pollution prevention options were also discussed during this inspection. This letter will explain the violations found and what you need to do to correct these violations.

WFCC provides maintenance work and vehicle repairs at the Alexis Road location. WFCC has two paint booths and generates approximately 15 pounds of still bottoms (D001, D035, F003, F005) a month from the on-site solvent still. WFCC generates approximately two gallons a month of paint waste solvent when the solvent still needs to be cleaned out (D001, D035, F003, F005). WFCC cleans the paint spray guns by hand and adds the spent solvent into the solvent still. WFCC has two paint booths and changes the floor filters weekly, the inlet filters every one to three weeks, and the ceiling filters annually. Used oil is stored in 55-gallon drums and picked up by Vesco Oil and burned for energy recovery. Spent fluorescent lamps are managed as a solid waste.

I found the following violations of Ohio's hazardous waste and used oil laws. In order to correct these violations you must do the following and send me the required information within 30 days of your receipt of this letter:

1. Waste Evaluation, OAC Rule 3745-52-11:

Any person who generates a waste must determine if that waste is a hazardous waste by using generator knowledge or by testing the waste.

Mr. Dave Ignatowicz, Manager
June 26, 2009
Page 2

- a) At the time of the inspection, WFCC did not have waste evaluation documentation for the spent paint filters. WFCC has historically disposed of this spent material as a non-hazardous waste. WFCC must immediately cease disposing of the waste paint filters as non-hazardous waste until a proper waste evaluation has been completed.

WFCC must obtain a representative sample of the spent paint booth filter waste stream and have it analyzed for Toxic Characteristic Leaching Procedure (TCLP) Resource Conservation and Recovery Act (RCRA) metals (SW-846 Method 1311/6010) and volatile organics (SW-846 Method 1311/8260). You must notify me at least seven days prior to the sampling event date so that a representative from Ohio EPA can be present to observe the sampling and to split samples if necessary. To abate this violation, WFCC must submit a copy of the analytical results to Ohio EPA. Once analytical results have been reviewed, Ohio EPA will advise you on proper disposal options as well as plans for the future management of this waste stream.

Ohio EPA may use the data you collect, in part, to make regulatory decisions concerning the waste(s) tested. A data review process, referred to as data validation, may be utilized to confirm the validity of the data. This data validation can include a review of the following components: sampling techniques, sample containers, representativeness of sample, laboratory test methods, laboratory data completeness, documentation of holding time(s), chain(s) of custody and quality assurance/quality control (QA/QC) data. Please include data sufficient for Ohio EPA to perform the data validation review. Information on conducting a data validation can be obtained from Ohio EPA's web page: http://www.epa.state.oh.us/dhwm/tier_i_data_validation_manual.html.

Ohio EPA will review the submitted waste evaluation information and determine WFCC's generator status. Additional violations may be cited based upon your determined generator status. You will be notified of any additional violations in a separate letter.

- b) In addition, WFCC failed to have waste evaluation documentation or an established recycling plan in place for the fluorescent bulbs generated at the facility.

Hazardous bulbs are considered "spent materials" and remain hazardous waste even when recycled. Hazardous waste lamp generators have the option of handling their lamps as hazardous waste or as universal waste. Managing hazardous waste lamps under the universal waste rules eases certain regulations imposed on generators of spent lamps.

Please be aware that incandescent, fluorescent, metal halide, neon, high-intensity discharge, high-pressure sodium and mercury-vapor lamps could be hazardous waste when discarded. Fluorescent lamps may contain up to 40 milligrams (mg) of mercury, depending on the brand and manufacturer. Lamps may also contain lead and cadmium. Many lamps exhibit a characteristic of toxicity for heavy metals when disposed. A copy of Fluorescent Lamps: What You Should Know, was given to you at the time of my inspection. I recommend that you review this document and contact me if you have any questions.

Mr. Dave Ignatowicz, Manager
June 26, 2009
Page 3

WFCC must submit to Ohio EPA documentation to demonstrate how you plan to properly manage your fluorescent bulbs. If WFCC decides to conduct waste sampling, please notify me at least seven days prior to the sampling event date so that a representative from Ohio EPA can be present to observe the sampling and to split samples if necessary. In lieu of conducting sampling, WFCC can manage the spent fluorescent bulbs as universal waste. If WFCC plans to manage the spent fluorescent bulbs as universal waste, please submit photographic documentation showing the storage containers properly closed, labeled, and dated. WFCC must also properly train employees, who handle or have responsibility for managing universal waste, on waste handling and emergency procedures relative to their responsibilities and send me documentation that this has been completed. In addition, WFCC must submit the name of the facility where you plan to recycle the bulbs.

2. OAC Rule 3745-279-22(C)(1): Labeling:

Containers, aboveground tanks, and fill pipes used for underground storage tanks shall be labeled or marked clearly with the words "used oil."

WFCC had two 55-gallon drums of used oil that were not properly labeled.

At the time of my inspection, WFCC properly labeled the two 55-gallon drums with the words "used oil". A copy of the fact sheet, The Regulation of Used Oil: An Overview for Ohio Businesses Who Generate Use Oil, was given to you at the time of my inspection. Please review this information and contact me if you have any questions.

Therefore, this violation is considered abated.

The Division of Hazardous Waste Management has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign-up for this free service. You can find more information at the following Web link <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

Ohio EPA has helpful information about compliance assistance and pollution prevention at the following web address: <http://www.epa.state.oh.us/opp>, <http://www.epa.state.oh.us/ocapp/ocapp.html>, <http://www.epa.state.oh.us/ocapp/ocapp.html>. In addition, you can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>.

The Ohio EPA is excited to launch Ohio's mercury switch removal program for auto recyclers, and to let you know how you can benefit by participating. This program is sponsored in partnership between Ohio EPA and the End of Life Vehicle Solutions (ELVS) as part of the National Vehicle Mercury Switch Recovery Program.

Mr. Dave Ignatowicz, Manager
June 26, 2009
Page 4

Through the program, we are encouraging recycling and helping to reduce mercury releases to air, water and soil, which can endanger both the environment and public health. Information about this program can be found at the following web address:
http://www.epa.state.oh.us/ocapp/sb/switch_removal_program.html

Enclosed you will find a copy of the checklists that I completed during the inspection.

Should you have any questions or if I can be of assistance, please contact me at (419) 373-3066.

Sincerely,

Melissa L. Boyers
Division of Hazardous Waste Management

//lr

Enclosures

pc: Cindy Lohrbach, DHWM, NWDO
Colleen Weaver, DHWM, NWDO
Sandra Lauch, Dave White Chevrolet, HR Manager
DHWM, NWDO White Family Collision Center File (w/original enc.)

ec: Melissa Boyers, DHWM, NWDO

Ohio Environmental Protection Agency
**RCRA SUBTITLE C SITE
 IDENTIFICATION/VERIFICATION FORM**

For Ohio EPA use only

E-mail this completed form to kristina.durnell@epa.state.oh.us
 or mail it to Kristina Durnell, Central Office

Site EPA ID No. Site Name Site Location Information Site Land Type (check only one) NAICS code(s) www.census.gov/epcd/www/naics.html	EPA ID Number: OHR00012591 Name: White Family Collision Center Website: (Optional) Street Address: 5328 West Alexis Road City, Town, or Village: Sylvania County Name: Lucas State: OH Zip Code: 43560 Private <input checked="" type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other <input type="checkbox"/>
Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address	First Name: Dave MI: _____ Last Name: Ignatowicz Phone Number: 419-885-8885 Phone Number Extension: _____ E-Mail Address: dignatowicz@whitecars.com Fax Number: 419-882-6392 Fax Number Extension: _____ Street or P.O. Box: _____ City, Town or Village: _____ Zip Code: _____ State: _____
Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/> Street or P.O. Box: _____ City, Town or Village: _____ State: _____ Owner Phone #: _____ Country: _____ Zip Code: _____ Name of Site's Operator: Date Became Operator (mm/dd/yyyy): _____ Owner Private County District Federal Indian Municipal State Other Type: <input type="checkbox"/> <input type="checkbox"/> Street or P.O. Box: _____ City, Town or Village: _____ State: _____ Operator Phone #: _____ United States Zip Code: _____

VIOLATIONS CITED? Yes No

TYPE OF HANDLER—A MINIMUM OF ONE BOX MUST BE CHECKED

<input type="checkbox"/> Not a Generator	<input checked="" type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG) <input type="checkbox"/> Small Quantity Generator (SQG) <input type="checkbox"/> Conditionally Exempt Small Quantity Generator <input type="checkbox"/> U.S. Importer of Hazardous Waste <input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator
--	--	---

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Underground Injection Control Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED (CHECK ALL BOXES THAT APPLY))

<input type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

<input type="checkbox"/> Batteries
<input type="checkbox"/> Pesticides
<input type="checkbox"/> Mercury containing equipment
<input type="checkbox"/> Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

<input checked="" type="checkbox"/> Used Oil Generator
<input type="checkbox"/> Used Oil Transporter
<input type="checkbox"/> Used Oil Transfer Facility
<input type="checkbox"/> Used Oil Processor
<input type="checkbox"/> Used Oil Re-refiner
<input type="checkbox"/> Off-Specification Used Oil Burner
<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRA Info source record, you do not need to list them all. Instead just indicate the date of the most recent source record.

D001 D035 F003 F005

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:	Sandra Lauch 419-885-4444
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Other Comments:	
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Melissa Boyers		6/12/2009 11:15

OPTIONAL CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Owner, Operator, or an Authorized Representative	Name and Title (Print)	Date (mm/dd/yyyy)

PROCESS DESCRIPTION/WASTE ACTIVITIES SUMMARY

Facility Name: White Family Collision Center Facility Type: LQG/SQG/CESQG/TSD EPA ID#: OHR000012591

Description of Waste				On-Site Management			Off-Site Management
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, etc)	Waste Generated (e.g. sludge, spent solvent, ash, etc)	EPA Waste Code	QTY Generated per Month	Type of Accumulation/Storage (e.g. container, tank, etc)	Type of On-Site Treatment (recycle, wwt, etc)	Waste Location (Include map if possible)	Name, state, and type of activity occurring at the facility.
1 Lighting	Spent Fluorescent Bulbs						Managed as Solid Waste
2 Painting	Spent Solvent	D001, D035, F003, F005	Less than 5-gallons	55-gallon drum		Located in the paint mix room	Phillips Service Corp. (PSC)
3 Painting	Paint booth filters	Unknown 52-11 Cited					Managed as solid waste
4 Solvent Still	Still bottoms	D001, D035, F003, F005	15 lbs.	55-gallon drum		Located in the paint mix room	Phillips Service Corp. (PSC)

5	Vehicle Maintenance	Used Oil			55-gallon drums		Stored outside the shop overhead door	Vesco Oil
6								
7								
8								
9								

**CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: #100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: \exists 1,000 Kg. (~300 gallons) of waste in a calendar month or \exists 1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

WASTE EVALUATION

1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] Yes No N/A

GENERATOR CLASSIFICATION

2. Does the generator produce <100 kg. of hazardous waste per month? [conditionally exempt small quantity generator ("CESQG")] Yes No N/A

NOTE: If quantities of hazardous waste accumulated on-site at any one time exceed 1,000 Kg. - or the generator produces between 100 and 1,000 Kg. of hazardous waste per month, it is operating as a Small Quantity Generator ("SQG"). If so, complete the Small Quantity Generator Requirements checklist.

OFF-SITE SHIPMENT OF HAZARDOUS WASTE

3. Does the CESQG ensure delivery of hazardous waste(s) to an off-site permitted TSD? [3734.02(F)] Petro Chem Yes No N/A

TREATMENT OF HAZARDOUS WASTE

4. Does the generator treat hazardous waste in a:
- a. Container that meets 3745-66-70 to 3745-66-77? Yes No N/A
 - b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97(C)? Yes No N/A
 - c. Drip pads that meet 3745-69-40 to 3745-69-45? Yes No N/A
 - d. Containment building that meets 3745-256-100 to 3745-256-102? Yes No N/A

NOTE: Complete appropriate checklist for each unit.

NOTE: If the CESQG conducts treatment they are subject to the LQG requirements.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

REMARKS

No waste evaluation for the spent paint booth filters. Fluorescent bulbs managed as solid waste.

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

b.	Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).

GENERATOR TRANSPORTATION

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
12.	If the generator self-transport used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).

COLLECTION CENTERS AND AGGREGATION POINTS

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.