



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

Re: **Notice of Violation**
Celina Landfill
Mercer County

February 21, 2013

Mr. Adam Burleson, General Manager
Celina Sanitary Landfill
6141 Depweg Road
Celina, Ohio 45822

Dear Mr. Burleson:

On February 12, 2013, and February 13, 2013, the Ohio Environmental Protection Agency (Ohio EPA) received the explosive gas monitoring results for the January 2013, and October 2012, November 2012, and December 2012, sampling events conducted at the Celina Sanitary Landfill (Facility). The Facility is required to perform monthly gas monitoring and reporting in accordance with Ohio Administrative Code (OAC) 3745-27-12 and the December 19, 2007, approved explosive gas monitoring plan. The explosive gas monitoring wells were sampled on January 23, 2013, October 30, 2012, November 29, 2012, and December 28, 2012. However, the results were not submitted within fifteen days of sampling.

The owner/operator of the Facility is in violation of the following Rule:

OAC 3745-27-12(E)(4), which states in pertinent part, *"Results shall be submitted to the appropriate district office of the Ohio EPA and the local health district on a form prescribed by director. The results shall be submitted within fifteen days of the date of sampling..."*

Please ensure monthly monitoring of explosive gas is conducted with the results submitted to the appropriate offices within 15 days of sampling the explosive gas monitoring wells.

The owner/operator of the Facility needs to immediately take the necessary measures to return to compliance with Ohio's environmental laws. Within 14 days of receipt of this letter, the owner/operator is requested to provide documentation to this office including the steps taken to abate the violations cited above. Documentation of steps taken to return to compliance includes written correspondence, updated policies, and photographs, as appropriate, and may be submitted via the postal service or electronically to kristin.tillison@epa.state.oh.us.


Mr. Adam Burleson, General Manager
February 21, 2013
Page 2

Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734. of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each violation. It is imperative that you return to compliance.

If circumstances delay the abatement of violations, the owner/operator is requested to submit written correspondence of the steps that will be taken by date certain to attain compliance.

If you have any questions feel free to contact me at 419-373-3064.

Sincerely,



Kristin Tillison, RS
Environmental Specialist II
Division of Materials and Waste Management

/llr

pc: Michelle Kimmel, Mercer County Health Department
Robert Shoots, Celina Sanitary Landfill
Nathan Taylor, Republic Services, Inc.
cFile: Mercer County, Celina Landfill, Methane Correspondence

ec: Jeremy Scoles
Mary Wright