



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

Re: MSC Walbridge Coatings, Inc.  
OHD 980 571 947  
Hazardous Waste – LQG  
Wood County  
NOV/RTC

April 17, 2013

Mr. Roger Blem, Group Environmental, Health, & Safety Manager  
MSC Walbridge Coatings, Inc.  
30610 East Broadway  
Walbridge, Ohio 43465-0550

Dear Mr. Blem:

On March 28 and April 2, 2013, Ohio EPA conducted a hazardous waste compliance evaluation inspection (CEI) of the MSC Walbridge Coatings, Inc. (MSC) located at 30610 East Broadway, Walbridge, Ohio. During this inspection, I also investigated a complaint (#3236) regarding alleged chronic mismanagement of hazardous waste. Furthermore, this inspection was conducted to determine MSC's compliance with Ohio's hazardous waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC), and Ohio's hazardous waste regulations as adopted under Chapter 3745 of the Ohio Administrative Code (OAC). MSC was represented by John Siffer, Plant Manager, Bret Davis, Process Engineer, and Jeff Ramsay, Operations Manager. Ohio EPA was represented by the writer. The inspection included a tour of facility operations and a review of facility paperwork. This letter will explain the violations I found, and what you needed to do to correct these violations. Also, I will include the finding regarding the complaint investigation.

MSC is an electro galvanizer of steel coils predominantly for the automotive industry. MSC also has a paint line. Product capability includes zinc and zinc-nickel plating, organic coatings, and passivation chrome treatments. MSC is a large quantity generator of hazardous waste. Hazardous wastes generated at the facility are obsolete chrome pretreatment from coil coating operation i.e. chrome solution or chrome rags (D007); obsolete paint from coil coating operation i.e. dorrform paint/rags (D001); alkaline cleaner (D002, D007, D008); waste paint & chromate solution from coil coating operation i.e. dorrform and chrome (D001, D007, F003, F005); chromium pretreatment solution & rags from coil coating operation i.e. chromate paint and rags (D007); waste paint, adhesive, methyl ethyl ketone (MEK), & rags from coil coating operation i.e. dorrform paint and rags (D001, D035, F003, F005); paint solids and debris from clean-up i.e. unused paint solids (D001, D035, F003, F005); waste corrosive liquid from coil coating operation i.e. bonderite sludge (D001, D002); MEK, ink, & rags from coil coating operation i.e. ink/rags (D001, D035, F005); zinc nickel hydroxide filter cake from electro galvanizing plating i.e. zinc/nickel filter cake (F006); zinc nickel iron hydroxide filter cake from electro galvanizing plating i.e. zinc/nickel/iron filter cake (D002, F006); rusty zinc dendrites with chromate solution (D002, D004, D007); and periodically obsolete chemicals from the laboratory (D002, D003, D004, D005, D007, D009, U122, P012). Other wastes generated at the facility include used oil and fluorescent bulbs which are recycled off-site. Not all waste listed above are generated all every year.

During my complaint investigation, I was able to observe the field area in the back of the facility near a detention pond zone. I saw no evidence of a chronic release. This complaint is considered not valid.

I found the following violations of Ohio's hazardous waste laws. These violations were corrected during this inspection; therefore, no further action is required at this time.

1. **OAC 3745-52-34 (C)(1)(a) Satellite Accumulation Area Requirement -- Closed containers.**

A container holding hazardous waste shall always be closed during storage, except when it is necessary to add or remove waste.

MSC failed to keep a lid (container was open) on a 55-gallon satellite container of waste solvent in the prime coating room.

A lid was properly placed on the 55-gallon container during the 04/03/13 inspection; therefore, ***this violation was abated.***

2. **OAC 3745-65-35 Preparedness and Prevention – Aisle Space.**

Adequate aisle space must be provided for unobstructed movement of emergency or spill control equipment.

MSC failed to provide adequate aisle space between hazardous waste storage containers in the paint mixing room 90-day storage area.

MSC marked the floor area to designate clearly area of storage and proper aisle spacing. ***This violation was abated on 04/03/13.***

MSC continues to operate a membrane filter unit to recover/remove zinc and nickel from a process rinse solution. This unit has resulted in the reuse of rinse solution, recovered metals for reuse in the plating operation, and reduced the amount of filter cake generated.

The Division of Materials and Waste Management (DMWM) has created an electronic news service to provide you with quick and timely updates on events and news related to hazardous waste activities in Ohio. If you haven't already, we encourage you to sign-up for this free service. You can find more information at the following Web link <http://www.epa.state.oh.us/dhwm/listserv.html>. Please feel free to share this information with your colleagues.

Mr. Roger Blem  
April 17, 2013  
Page 3

Enclosed you will find a copy of the checklists that I completed during the inspection. Please address all correspondence to Ed Pulido, Ohio EPA 347 North Dunbridge Road, Bowling Green, Ohio 43402. Should you have any questions, please feel free to contact me by phone at (419) 373-3015 or email [epulido@epa.state.oh.us](mailto:epulido@epa.state.oh.us)

You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>.

Sincerely,



Edgar V. Pulido  
Division of Materials and Waste Management

/cg

Enclosures

pc: Colleen Weaver, DMWM, NWDO (w/ original checklists)  
Lisa Gifford, DMWM, NWDO (w/ checklists)

ec: Ed Pulido, DMWM, NWDO  
Colleen Weaver, DMWM, NWDO w/ checklists

**NOTICE:**

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Send to Central Office <input checked="" type="checkbox"/>	<b>Ohio Environmental Protection Agency</b> <b>RCRA SUBTITLE C SITE</b> <b>IDENTIFICATION/VERIFICATION FORM</b>	For Ohio EPA use only
---	---	--------------------------

Completed verification forms required to be submitted to CO should be e-mailed to  
 Ruthanne.Flottman@epa.state.oh.us

<b>Site EPA ID No.</b>	EPA ID Number: OHD980571947		Website http://walbridgecoatings.matsci.com/					
	<b>Site Name</b>		Name: MSC Walbridge Coatings, Inc.					
<b>Site Location Information</b>	Street Address: 30610 East Broadway							
	City, Town, or Village: Walbridge		State: OH					
	County Name: Wood		Zip Code: 43465					
<b>Site Land Type</b> (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
<b>NAICS code(s)</b> <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>	332813		332812					

<b>Facility Representative</b>	First Name: Roger		MI: J	Blem		
	Phone Number: (419)661-5908			Phone Number Extension:		
	E-Mail Address:					
	Fax Number: (419)661-5953			Fax Number Extension:		
	Street or P.O. Box:					
	City, Town or Village:					
Additional names can be recorded in number 12  Only provide address information if it is different than the site address	State:			Zip Code:		

<b>Legal Owner And Operator of the Site.</b> List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Material Science Corporation				Date Became Owner (mm/dd/yyyy): 1/1/1980				
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box: 2200 East Pratt Blvd.				Owner Phone #: (847)439-2210				
	City, Town or Village: Elk Grove Village				Country: USA      Zip Code: 60007				
	State: Illinois				Date Became Operator (mm/dd/yyyy):				
	Operator Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:				Operator Phone #:				
	City, Town or Village:				Country:				
	State:				Zip Code:				

<b>VIOLATIONS CITED?</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

<b>TYPE OF HANDLER - MARK "X" AS APPROPRIATE</b>		
<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
		<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

<b>TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)</b>			
<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace	<input type="checkbox"/> Underground Injection Control Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption

Hazardous Waste Transporter  
 Treater, Storer or Disposer of Hazardous Waste

Smelting, Melting, Refining Furnace Exemption

**UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED)**

(CHECK ALL BOXES THAT APPLY)

Small Quantity Handler of Universal Waste

Destination Facility for Universal Waste

Large Quantity Handler of Universal Waste  
(accumulates 5,000 kg. or more)

**CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES**

Batteries

Pesticides

Mercury containing equipment

Lamps

**USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))**

Used Oil Generator

Used Oil Transporter

Used Oil Transfer Facility

Used Oil Processor

Used Oil Re-refiner

Off-Specification Used Oil Burner

Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil

Used Oil Fuel Marketer to Off-Specification Used Oil Burner

**Waste Codes for Federally Regulated Hazardous Wastes.** Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

**D001 D002**

**D003 D004**

**D005 D007**

**D008 D009**

**D035 F003**

**F005 F006**

**U122 P012**

**COMMENTS:**

Announced

Yes

No

Additional Facility Representatives:

Tanks

Yes

No

Containers

Yes

No

Name of Inspector(s)

Name of Inspector(s)

Date of Inspection/Time

(mm/dd/yyyy) (hh:mm)

**Ed Pulido**

**03/28/2013 10:00 Hrs**

**Comments:**

<b>SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS</b>		
Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more		
Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less		
<b>PROHIBITIONS</b>		
1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<b>WASTE MANAGEMENT &amp; LABELING/MARKING</b>		
<b>UNIVERSAL WASTE BATTERIES</b>		
3.	Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the SQUWH conduct any of the following activities:	
	a. Sort batteries by type?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	b. Mix battery types in one container?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c. Discharge batteries to remove the electric charge?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	d. Regenerated used batteries?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	e. Disassemble them into individual batteries or cells?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	f. Remove batteries from consumer products?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	g. Remove the electrolyte from the battery?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>UNIVERSAL WASTE LAMPS</b>		
8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	[3745-273-13(D)(2)]	
10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)" [3745-273-14(E)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><b>NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.</b></p>		
<b>ACCUMULATION TIME</b>		
11.	Is the waste accumulated for less than one year? [3745-273-15(A)] If not:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p><b>NOTE: Accumulation is defined as date generated or date received from another handler.</b></p>		
12.	Is the length of time the universal waste is stored documented by <u>one</u> of the following: [3745-273-15(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>EMPLOYEE TRAINING</b>		
13.	Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<b>RESPONSE TO RELEASES</b>		
14.	Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the material released characterized? [3745-273-17(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
16.	If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>OFF-SITE SHIPMENTS</b>		
<p><b>NOTE: If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.</b></p>		
17.	Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><b>NOTE: SQUWHs are prohibited to send waste to any other facility.</b></p>		

18.	If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
19.	Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
20.	If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:	
	a. Receive the waste back? [3745-273-18(E)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Agree to where the shipment will be sent? [3745-273-18(E)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
21.	If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss <u>one of the following</u> :	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Sending the waste back to the originating handler? [3745-273-18(F)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
22.	If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
23.	If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>EXPORTS</b>		
24.	Is waste being sent to a foreign destination? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

**USED OIL INSPECTION CHECKLIST  
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

*NOTE: A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.*

**PROHIBITIONS**

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: For example, used oil contaminated scrap metal stored in a pile.</i>		
2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).*

**GENERATOR STANDARDS**

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.*

5.	Does the generator of used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--	--

*NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.*

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked Used Oil? [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Stopped the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contained the release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Cleaned up and properly managed the used oil and other materials?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**ON-SITE BURNING IN SPACE HEATER**

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-23] If so:	
a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Is the heater designed to have a maximum capacity of not more that	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	0.5 million BTU per hour?	
c.	Are the combustion gases from heater vented to the ambient air?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

*NOTE: Ash accumulated in a space heater must be managed in accordance with 3745-279-10(E).*

**GENERATOR TRANSPORTATION**

11.	Does the generator have the used oil hauled only by transporters that have obtained a U.S. EPA ID#?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
12.	If the generator self-transported used oil to an approved collection site or to an aggregation point owned by the generator: [3745-279-24]	
a.	Does the generator transport used oil in a vehicle owned by the generator or an employee of the generator?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Does the generator transport more than 55 gallons of used oil at any time?[3745-279-24]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Used oil generators may arrange for used oil to be transported by a transporter without a U.S. EPA ID # if the used oil is reclaimed under a contractual agreement (i.e., tolling arrangement).*

**COLLECTION CENTERS AND AGGREGATION POINTS**

13.	Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
14.	Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

*NOTE: Complete Used Oil Generator and any other applicable used oil handler checklist (e.g., marketer, burner, etc.) for used oil collection centers and aggregation points.*

**LARGE QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: #100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.

LQG: ≥1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

**GENERAL REQUIREMENTS**

- |   |     |                                     |    |                                     |     |                          |
|---|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11]  | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 2. Are records of waste determination being kept for at least 3 years?[3745-52-40(C)]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 3. Has the generator obtained a U.S. EPA identification number? [3745-52-12]  | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 4. Were annual reports filed with Ohio EPA on or before March 1 <sup>st</sup> ? [3745-52-41(A)]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 5. Are annual reports kept on file for at least 3 years?[3745-52-40(B)]   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |
| 6. Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]                                   | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 7. Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E) & (F)] | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 8. Does the generator accumulate hazardous waste?   | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input type="checkbox"/> |

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

- |  |     |                          |    |                                     |     |                          |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 9. Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02 (E) & (F)? | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G) & (H).

- |   |     |                          |    |                          |     |                                     |
|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 10. Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)] |     |                          |    |                          |     |                                     |
| a. Container that meets 3745-66-70 to 3745-66-77?                       | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)?     | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| c. Drip pads that meet 3745-69-40 to 3745-69-45?                        | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| d. Containment building that meets 3745-256-100 to 3745-256-102?        | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

- |   |     |                          |    |                                     |     |                                     |
|---|-----|--------------------------|----|-------------------------------------|-----|-------------------------------------|
| 11. Does the generator export hazardous waste? If so:   | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/>            |
| a. Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]                                      | Yes | <input type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |
| b. Has the generator complied with special manifest requirements? [3745-52-54]                                  | Yes | <input type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |
| c. For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |
| d. Has an annual report been submitted to U.S. EPA? [3745-52-56]  | Yes | <input type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |
| e. Are export related documents being maintained on-site? [3745-52-57(A)]                                       | Yes | <input type="checkbox"/> | No | <input type="checkbox"/>            | N/A | <input checked="" type="checkbox"/> |

**MANIFEST REQUIREMENTS**

- |  |     |                                     |    |                          |     |                          |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 12. Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 13. Have items (1) through (20) of each manifest been completed? [3745-52-20(A)]                                       | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations items (21) through (35) must also be completed. [3745-52-20(A)]

- |  |     |                                     |    |                          |     |                          |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 14. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|-------------------------------------|----|--------------------------|-----|--------------------------|

NOTE: The generator may designate on the manifest one alternate facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)].

- |   |     |                          |    |                          |     |                                     |
|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 15. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|

- |   |     |                                     |    |                          |     |                          |
|---|-----|-------------------------------------|----|--------------------------|-----|--------------------------|
| 16. Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1) & (2)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
|---|-----|-------------------------------------|----|--------------------------|-----|--------------------------|

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have a program in place to reduce the volume and toxicity waste they generate.

17. If the generator did not receive a return copy of each completed manifest within 35 days of the waste being accepted by the transporter did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)] Yes  No  N/A
18. If the generator has not received the manifest within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)] Yes  No  N/A
19. Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40] Yes  No  N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

**PERSONNEL TRAINING**

20. Does the generator have a training program which teaches facility personnel hazardous waste management procedures (including contingency plan implementation) relevant to their positions? [3745-65-16(A)(2)] Yes  No  N/A
21. Does the personnel training program, at a minimum, include instructions to ensure that facility personnel are able to respond effectively to emergencies involving hazardous waste by familiarizing them with emergency procedures, emergency equipment and emergency systems (where applicable)? [3745-65-16(A)(3)(a-f)] Yes  No  N/A
22. Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)] Yes  No  N/A
23. Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)] Yes  No  N/A
24. Does the generator provide annual refresher training to employees? [3745-65-16(C)] Yes  No  N/A
25. Does the generator keep records and documentation of:
- a. Job titles [3745-65-16D(1)]? Yes  No  N/A
  - b. Job descriptions [3745-65-16D(2)]? Yes  No  N/A
  - c. Type and amount of training given to each person [3745-65-16D(3)]? Yes  No  N/A
  - d. Completed training or job experience required [3745-65-16D(4)]? Yes  No  N/A
26. Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)] Yes  No  N/A

NOTE: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifest, etc.

<u>Job Performed</u>	<u>Name of Employee</u>	<u>Date Trained</u>

**CONTINGENCY PLAN**

27. Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)] Yes  No  N/A
28. Does the plan describe the following:
- a. Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste [3745-65-52(A)]? Yes  No  N/A
  - b. Arrangements with emergency authorities [3745-65-52(C)]. Yes  No  N/A
  - c. A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)] Yes  No  N/A
  - d. A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)] Yes  No  N/A

e. An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)] Yes  No  N/A

NOTE: If the facility already has a "Spill Prevention, Control and Counter measures Plan" under CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. [3745-65-52(B)]

29. Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53 (A) & (B)] Yes  No  N/A

30. Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54] Yes  No  N/A

31. Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55] Yes  No  N/A

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

### EMERGENCY PROCEDURES

32. Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so: Yes  No  N/A

a. Was the contingency plan implemented? [3745-65-51(B)] Yes  No  N/A

b. Did the facility follow the emergency procedures in 3745-65-56(A) through (H)? Yes  No  N/A

c. Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(J)? Yes  No  N/A

NOTE: OAC 3745-65-51(b) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

### PREPAREDNESS AND PREVENTION

33. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31] Yes  No  N/A

34. Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste:

a. Internal communications or alarm system? [3745-65-32(A)] Yes  No  N/A

b. Emergency communication device? [3745-65-32(B)] Yes  No  N/A

c. Portable fire control, spill control and decon equipment? [3745-65-32(C)] Yes  No  N/A

d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes  No  N/A

NOTE: Verify that the equipment is listed in the contingency plan.

35. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33] Yes  No  N/A

36. Are emergency equipment tests (inspections) recorded in a log or summary? [3745-65-33] Yes  No  N/A

37. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34(A)] Yes  No  N/A

38. If there is only one employee on the premises, is there immediate access to a device (ex. phone, hand held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32) [3745-65-34(B)] Yes  No  N/A

39. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes  No  N/A

40. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layouts? [3745-65-37(A)] Yes  No  N/A

41. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes  No  N/A

### SATELLITE ACCUMULATION AREA REQUIREMENTS

42. Does the generator ensure that satellite accumulation area(s):

a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes  No  N/A

b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes  No  N/A

c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes  No  N/A

- d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes  No  N/A
- e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)] Yes  No  N/A
- f. Containers are marked with words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes  No  N/A
43. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes  No  N/A
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes  No  N/A
- b. Did the generator mark the container(s) holding excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes  No  N/A

*NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.*

**USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS**

44. Has the generator marked containers with the words "Hazardous Waste"? [3745-52-34(A)(3)] Yes  No  N/A
45. Is the accumulation date on each container? [3745-52-34(A)(2)] Yes  No  N/A
46. Are hazardous wastes stored in containers which are:
- a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes  No  N/A
- b. In good condition? [3745-66-71] Yes  No  N/A
- c. Compatible with wastes stored in them? [3745-66-72] Yes  No  N/A
- d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes  No  N/A

*NOTE: Record location on process summary sheets, photograph the area, and record on facility map.*

47. Is the container accumulation areas(s) inspected weekly? [3745-66-74] Per ORC§1.44(A) "Week" means 7 consecutive days. Yes  No  N/A
- a. Are inspections recorded in a log or summary? [3745-66-74] Yes  No  N/A
48. Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76] Yes  No  N/A
49. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes  No  N/A
50. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)] Yes  No  N/A
51. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)] Yes  No  N/A

*NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.*

52. If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)] Yes  No  N/A

*NOTE: Please provide a description of the unit and documentation provided by the generator for the file to demonstrate that closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]*

**PRE-TRANSPORT REQUIREMENTS**

53. Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes  No  N/A
54. Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes  No  N/A
55. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes  No  N/A

**GENERATOR LDR CHECKLIST  
DOES NOT APPLY TO CESQGS**

**GENERAL REQUIREMENTS**

- |    |  |  |
|----|--|--|
| 1. | If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07 (A)(7)]                  | Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> |
| 2. | Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*NOTE: This is done by determining if the HW /soil contain levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07 (A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).*

- |    |  |  |
|----|--|--|
| 3. | Does the generator has documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]            | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 4. | Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 5. | Does the generator generate a listed HW that exhibits a characteristic? If yes,  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a. | Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.*

- |    |   |  |
|----|---|--|
| 6. | Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
|----|---|--|

*NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.*

*NOTE: Written documentation of this determination is not required.*

- |    |  |  |
|----|--|--|
| 7. | Did the generator treat his HW /soil on-site to meet the LDR treatment standard? | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> |
|----|--|--|

*NOTE If Yes, see question #16.*

- |     |  |  |
|-----|--|--|
| 8.  | Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility?[3745-270-07(A)(2)]          | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 9.  | Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| 10. | Does the generator have a copy of the LDR notification form on file?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| a.  | Is the form kept on file for three years after last HW shipped? [3745-270-07(A)(8)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

**NOTIFICATION FORM**

- |     |   |  |
|-----|---|--|
| 11. | Does the LDR Notification form contain the following information:   |  |
| a.  | Manifest number of the first waste shipment to the TSD?[3745-270-07(A)(2)]  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| b.  | Applicable waste codes (includes characteristic codes for a listed HW if applicable)? [3745-270-07(A)(2)]                           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| c.  | A statement that conveys that the HW is subject to LDRs and must be treated to meet LDR treatment requirements? [3745-270-07(A)(2)] | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |
| d.  | A designation whether the HW is a wastewater or non-wastewater? [3745-270-07(A)(2)].  | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> |

*NOTE: A wastewater contains <1% by wt. total suspended solids(TSS) and <1% by wt. TOC. If you doubt the HW is a wastewater or non-wastewater, the HW can be tested using for example, Standard Methods (SM) 160.2 for TSS,*

SW-846 method 9060a for TOC.		
e.	Designation of the waste subcategory when applicable? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Subcategories are found on the LDR treatment standards table under the applicable waste code. Not all HWs have subcategories		
f.	A listing of the underlying hazardous constituents for which a characteristic waste must be treated? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the waste is high TOC D001 or the TSD tests its treatment residues for all underlying hazardous constituents.		
g.	If the HW is F001-F005 or F039, did the generator note on the LDR form what solvents or constituents, respectively, the waste contains and must be treated for? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Not required if the TSD tests its treatment residues for all underlying hazardous constituents.		
<b>PROHIBITED DILUTION</b>		
12.	Is the HW treated by burning? If No, go to #15.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
13.	Is the HW a metal-bearing HW?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Generally, metal-bearing HWs contain heavy metals above TCLP levels or were listed due to the presence of metals. A list of the restricted metal-bearing HWs are given in the Appendix to 3745-270-03.		
14.	a. Metal-bearing HWs cannot be incinerated, combusted or, blended and burned for fuel unless <u>one</u> of the following conditions apply. [3745-270-03(c)]	
	i. Contains > 1% TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii. Contains organic constituents or cyanide at levels greater than the UST levels?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii. Is made up of combustible material e.g., paper, wood, plastic?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv. Has a reasonable heating value (e.g., > 5000 Btu)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	v. Co-generated with a HW that must be combusted?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If all responses to 14 a.i. through 14 a.v. are No, HW is being improperly treated by dilution, violation of 3745-270-03(C). Is HW being treated by dilution?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
15.	Was the HW treated by wastewater treatment?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a. Is a LDR treatment method, other than DEACT or a numerical value, specified for the waste? [3745-270-03(B) and 3745-270-40(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If Yes, HW is improperly being treated by dilution.		
	b. Does the waste carry the D001 code and contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
NOTE: If the answers to b & c are yes and no, respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B) and 3745-270-40(A)(3)].		
NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.		
<b>GENERATOR TREATMENT</b>		
16.	Does the generator treat to meet LDRs on-site [3745-270-40(A)]?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

	Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building <u>to meet</u> the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	If Yes...complete the rest of the checklist. If No...stop...you are done.	
a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>		
c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
f.	Is the WAP available for the inspector review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<b>NOTIFICATION FORM</b>		
17.	a. Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. If the treated HW/soil is listed.....notification contains the following certification statement:  I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or trough knowledge of the waste, to support this certification that the waste complies with the treatment stands specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
	i. Send a one-time notification to the director?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii. Maintain a copy of the notice onsite?[3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iii. Include in the notification: [3745-270-09(D)(1)(a)]	
	1. Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	2. Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	3. HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	4. Treatability group when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	5. Underlying hazardous constituents present when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	iv. Contain the right certification statement as required by 3745-70-07(b)(4)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>