



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

June 28, 2013

**MUSKINGUM COUNTY
GENERAL FILE
(DANNY'S RADIATOR)
DHWM/SEDO
NON-NOTIFIER**

Mr. Dave Wolfe
Danny's Radiator
Zanesville, OH 43701

Dear Mr. Wolfe:

On June 19, 2013, Vicky German and I performed a compliance inspection of your facility to determine its compliance with Ohio's hazardous waste laws and regulations as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC).

Based on our observations during this inspection, the following violation of the hazardous waste regulations was discovered. Please provide the requested documentation within twenty one days of the date of this letter:

(1) OAC rule 3745-52-11 Hazardous waste determination.

Any person who generates a waste, as defined in rule 3745-51-02 of the Administrative Code, must determine if that waste is a hazardous waste using the following method: (A) He should first determine if the waste is excluded from regulation under rule 3745-51-04 of the Administrative Code. (B) He must then determine if the waste is listed as a hazardous waste in rules. (C) For purposes of compliance with Chapter 3745-270 of the Administrative Code, or if the waste is not listed as a hazardous waste in rules 3745-51-30 to 3745-51-35 of the Administrative Code, the generator must then determine whether the waste is identified in rules 3745-51-20 to 3745-51-24 of the Administrative Code by either: (1) Testing the waste according to the methods set forth in rules 3745-51-20 to 3745-51-24 of the Administrative Code, or according to an equivalent method approved by the Region V Administrator of U.S. EPA pursuant to 40 CFR 260.21; or (2) Applying knowledge of the hazardous characteristic of the waste in light of the materials or the processes used.

During the inspection, you stated that spent fluorescent bulbs were disposed with solid waste generated at your company. This rule requires that proper evaluation of all wastes generated by you before they are disposed. As we discussed, these bulbs are often hazardous waste due to the presence of metals, including mercury. You must either determine whether these bulbs are a characteristic hazardous waste or have them recycled as a universal waste. I have attached a factsheet regarding the requirements for managing these bulbs as a universal waste (thus avoiding costly waste sampling/evaluation). As we discussed many local lighting

DANNY'S RADIATOR
JUNE 28, 2013
PAGE 2

contractors/suppliers offer these services. To demonstrate that you have returned to compliance with this regulation, please provide me with either a waste evaluation for the bulbs or the name of the company that you will use for recycling them.

Your company needs to immediately take the necessary measures to return to compliance with Ohio's environmental laws. **Within 21 days** of the date of this letter, you are requested to provide documentation to this office including the steps taken to abate the violations cited above. Documentation of steps taken to return to compliance includes written correspondence, updated policies, and photographs, as appropriate, and may be submitted via the postal service or electronically to rich.stewart@epa.ohio.gov.

Please be advised that violations cited above will continue until the violations have been properly abated. Failure to comply with Chapter 3734 of the Ohio Revised Code and rules promulgated thereunder may result in a civil penalty of up to \$10,000 per day for each violation. It is imperative that you return to compliance. If circumstances delay the abatement of violations, you are requested to submit written correspondence of the steps that will be taken by a date certain to attain compliance.

If you have any questions, please call me at (740) 380-5278.

Sincerely,



Richard Stewart
District Representative
Division of Materials and Waste Management

RS/mr

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Send to Central Office <input type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
--	---	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to RCRAInfoData@epa.ohio.gov

Site EPA ID No. Site Name	EPA ID Number: Non-Notifier		Website: (Optional)	
	Name: Danny's Radiator			
Site Location Information	Street Address: 702 Marietta St.			
	City, Town, or Village: Zanesville		State: OH	
Site Land Type (check only one) NAICS code(s) www.census.gov/epcd/www/naics.html	County Name: Muskingum		Zip Code: 43701	
	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>

Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address	First Name: Dave		MI:	Last Name: Wolfe	
	Title: Owner				
	Phone Number: 740-453-0084			Phone Number Extension:	
	E-Mail Address:				
	Fax Number:			Fax Number Extension:	
	Street or P.O. Box:				

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner:				Date Became Owner (mm/dd/yyyy):				
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:				Owner Phone #:				
	State:				Country:		Zip Code:		
	Name of Site's Operator:				Date Became Operator (mm/dd/yyyy):				
	Operator Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								

VIOLATIONS CITED?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

TYPE OF HANDLER - MARK "X" AS APPROPRIATE

<input type="checkbox"/> Not a HW Generator	<input checked="" type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). <i>Check the box for the applicable generator status and provide a comment.</i>	<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

TYPE OF REGULATED WASTE ACTIVITY (MARK "X" IN ALL OF THE APPROPRIATE BOXES)

<input type="checkbox"/> Hazardous Waste Transporter	<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace
<input type="checkbox"/> Hazardous Waste Transfer Facility	<input type="checkbox"/> Small Quantity On-Site Burner Exemption
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste	<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption
<input type="checkbox"/> Recycler of Hazardous Waste	<input type="checkbox"/> Underground Injection Control Facility
<input type="checkbox"/> 72-Hour Recycler	<input type="checkbox"/> Receives Hazardous Waste from Off-site

UNIVERSAL WASTE ACTIVITIES (INDICATE TYPES OF UNIVERSAL WASTE MANAGED (CHECK ALL BOXES THAT APPLY))

<input type="checkbox"/> Small Quantity Handler of Universal Waste	<input type="checkbox"/> Destination Facility for Universal Waste
<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	

CHECK ALL BOXES BELOW THAT APPLY FOR THE TYPES OF UNIVERSAL WASTE THE FACILITY MANAGES

Batteries
 Pesticides
 Mercury containing equipment
 Lamps

USED OIL ACTIVITIES (INDICATE TYPE(S) OF ACTIVITY(S))

Used Oil Generator
 Used Oil Transporter
 Used Oil Transfer Facility
 Used Oil Processor
 Used Oil Re-refiner
 Off-Specification Used Oil Burner
 Used Oil Fuel Marketer who directs shipment of Off-Spec Used Oil
 Used Oil Fuel Marketer who first claims the Used Oil meets the specifications

Eligible Academic Entities with Laboratories: Facility has previously notified that they are opting into managing laboratory hazardous waste pursuant to OAC rules 3745-52-200 through 3745-52-216. Check the box(es) below to indicate the laboratory type.

College or University
 Teaching hospital that is owned by or has a formal written affiliation agreement with a college or university
 Non-profit Institute that is owned by or has a formal written affiliation agreement with a college or university

Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page or list them in the comments if more space is needed. If the waste codes are the same as listed in the most recent RCRAInfo source record, you do not need to list them. Instead just indicate the date of the most recent source record.

COMMENTS: USE THIS AREA TO DESCRIBE WHETHER THE INSPECTION WAS ANNOUNCED, WHETHER THE WASTE IS STORED IN TANKS OR CONTAINERS, ETC.

Announced Yes No Additional Facility Representatives:
Tanks Yes No
Containers Yes No

Name of Inspector(s)	Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Rich Stewart	Vicky German	06/19/2013 12:50

Comments:

**CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤100Kg. (Approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or ≥1 Kg. of acutely hazardous waste in a calendar month.
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

WASTE EVALUATION

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11] See note at bottom.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--	--

GENERATOR CLASSIFICATION

2.	Does the generator produce <100 kg. of hazardous waste per month? [conditionally exempt small quantity generator ("CESQG")] Unknown.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	---	--

NOTE: If quantities of hazardous waste accumulated on-site at any one time exceed 1,000 Kg. - or the generator produces between 100 and 1,000 Kg. of hazardous waste per month, it is operating as a Small Quantity Generator ("SQG"). If so, complete the Small Quantity Generator Requirements checklist.

OFF-SITE SHIPMENT OF HAZARDOUS WASTE

3.	Does the CESQG ensure delivery of hazardous waste(s) to an off-site permitted TSD? [3734.02(F)] Unknown, see note below.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--	---

TREATMENT OF HAZARDOUS WASTE

4.	Does the generator treat hazardous waste in a:	
	a. Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c. Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	d. Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If the CESQG conducts treatment they are subject to the LQG requirements.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

MIX HAZARDOUS WASTE WITH USED OIL

5.	Does the CESQG mix its hazardous waste with used oil for the purpose of burning for energy recovery? [3745-51-05(J)] If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a. Does the CESQG manage the mixture in accordance with 3745-279-21?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

Facility has not evaluated spent fluorescent bulbs.

PROCESS, WASTE, P2 SUMMARY SHEET

Facility Name: Danny's Radiator Facility Type: LQG SQG CESQG TSD Unknown

Date of Inspection: 6/19/13

Waste Generated			On- or Off-Site Management		P2 Activities	
Process/Activity Generating Waste (e.g. plating bath, machining, baghouse, painting, general maintenance, etc)	Waste Description (e.g. sludge, solvent, ash, used oil, spent lamps, etc.) and EPA Waste Code, if applic.	QTY Generated per Month, Type of Accumulation (container, tank, etc) and location of waste accumulation area	Type of On-Site Treatment (recycle, wwt, etc)	Name, state, and type of activity occurring at the off-site facility.	Current P2 Activities	P2 Opportunities
1 Radiator Repair	Scrap metal Non-haz	varies	NA	Muskingum Iron & Metal Zanesville, OH	Recycled	
2 Radiator Repair	Paint waste	Small amounts occasionally generated, none on-site during inspection	NA	unknown		Recycle/reuse?
3 Air-conditioner repair	freon	Captured and re-used	NA	NA	Reused	
4						
5						
6						

REMARKS - GENERAL INFORMATION

General Process Information:

This facility is a radiator repair shop. Processes include core repair/replacement, soldering, testing and painting is performed on-site. Antifreeze is not generated routinely. Auto air-conditioners and hydraulic jacks are also repaired here.

Regulatory/Enforcement History (if applicable):

This is the first inspection by DMWM of this facility.

Additional P2 remarks and information:

None.

Would this facility be interested in a P2 assessment? Yes* No *If yes, refer promptly to your district P2 coordinator.

Office of Compliance Assistance and Pollution Prevention - 1-800-329-7518 or p2mail@epa.state.oh.us or www.epa.state.oh.us/ocapp/ocapp.html

Other: