



FILE COPY

State of Ohio Environmental Protection Agency

STREET ADDRESS:

Central District Office

MAILING ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 728-3778 FAX: (614) 728-3898  
www.epa.state.oh.us

P.O. Box 1049  
Columbus, OH 43216-1049

June 18, 2007

Mr. Dave Stewart, EHS Manager  
Worthington Cylinders  
333 E. Maxtown Road  
Westerville, OH 43082

Re: **Worthington Cylinders**  
**Small Quantity Generator**  
**OHR000005892**  
**Delaware County, CDO**  
**NOV/RTC**

Dear Mr. Stewart:

Thank you for accompanying Andy Maneff and me during Ohio EPA's June 7, 2007, inspection of Worthington Cylinders' facility in Westerville, Ohio. We inspected Worthington Cylinders to determine its compliance with Ohio's hazardous waste laws and rules as found in Chapter 3734. of the Ohio Revised Code (ORC) and Chapter 3745. of the Ohio Administrative Code (OAC).

At the time of the inspection, Worthington Cylinders was operating as a small quantity generator (SQG) of hazardous waste, a small quantity handler of universal waste, and a used oil generator at this location.

We found the following violation of Ohio's hazardous waste rules.

**OAC Rule 3745-52-34(C)(1)(b), Satellite Accumulation Area Requirements:** A generator must mark his satellite accumulation area containers either with the words "Hazardous Waste" or with other words that identify the contents of the container.

During the inspection, the 55-gallon satellite accumulation drum of waste acetone in the mixing room was not marked with the words "Hazardous Waste" or with other words identifying the contents.

After the inspection, Worthington Cylinders marked the drum with the words "Hazardous Waste" and "Waste Acetone" and submitted photographic documentation to demonstrate compliance with this rule to Ohio EPA via e-mail on June 11, 2007. The violation was abated at that time.

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director

### General Comments

1. Per OAC Rule 3745-52-34(D)(4), a small quantity generator must comply with OAC Rule 3745-65-34(A), which states that whenever hazardous waste is being poured, mixed, spread, or otherwise handled, all personnel involved in the operation shall have immediate access to an internal alarm or emergency communication device.

At the time of the inspection, Worthington Cylinders was not accumulating any hazardous waste in its 180-day area. However, we discussed the requirements for emergency communication devices and their proximity to the 180-day area.

2. Please be aware that the universal waste rules require a small quantity handler of universal waste to manage universal waste lamps in a way that prevents releases of any universal waste or component of a universal waste to the environment. OAC Rule 3745-273-13(D)(1) requires a small quantity handler of universal waste to contain any lamp in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps. Such containers and packages must remain closed and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.

Enclosed you will find a copy of the checklists that we completed as a result of the inspection. Should you have any questions, please feel free to call me at (614) 728-3887. You can find copies of the rules and other information on the division's web page at: <http://www.epa.state.oh.us/dhwm/>.

Sincerely,



Melissa Musko  
Environmental Specialist  
Division of Hazardous Waste Management  
Central District Office

Enclosure

c: Tammy McConnell, DHWM/CO  
Andy Maneff, DHWM/CDO  
CDO:File

MM/nsm WC.NOV.RTC.060707

**NOTICE:**

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with all applicable regulations.

Ohio Environmental Protection Agency  
RCRA SUBTITLE C SITE  
IDENTIFICATION/VERIFICATION FORM

For Ohio EPA use only

E-mail this completed form to  
[tammy.mcconnell@epa.state.oh.us](mailto:tammy.mcconnell@epa.state.oh.us) or mail it to Tammy  
McConnell, Central Office

2. Site EPA ID No.	EPA ID Number: OHR000005892								
3. Site Name	Name: Worthington Cylinders				Website: (Optional)				
4. Site Location Information	Street Address: 333 Maxtown Road								
	City, Town, or Village: Westerville				State: OH				
	County Name: Delaware				Zip Code: 43081				
5. Site Land Type (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
6. NAICS code(s) <a href="http://www.census.gov/epcd/www/naics.html">www.census.gov/epcd/www/naics.html</a>	332313								
7. Facility Representative  Additional names can be recorded in number 12  Only provide address information if it is different than the site address	First Name: Dave		MI:		Last Name: Stewart				
	Phone Number: 614-840-3827				Phone Number Extension:				
	E-Mail Address: dmstewar@Worthingtonindustries.com								
	Fax Number: 614-840-3850				Fax Number Extension:				
	Street or P.O. Box:								
	City, Town or Village:				State:		Country:	Zip Code:	
8. Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page.	Name of Site's Legal Owner: Worthington Cylinders Corporation				Date Became Owner (mm/dd/yyyy): 1994				
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box: 1085 Dearborn Drive								
	City, Town or Village: Columbus				Owner Phone #: 614-438-7900				
	State: OH				Country: USA		Zip Code: 43085		
	Name of Site's Operator: Worthington Cylinders				Date Became Operator (mm/dd/yyyy):				
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box: 333 Maxtown Road								
	City, Town or Village: Westerville				Operator Phone #:				
	State: OH				Country: USA		Zip Code: 43081		
9. Violations Cited?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
10A. Type of Regulated Waste Activity: (Mark "X" in all of the appropriate boxes)									
<input type="checkbox"/> Not Regulated				<input type="checkbox"/> Conditionally Exempt Small Quantity Generator					
<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11				<input type="checkbox"/> United States Importer of Hazardous Waste					
<input type="checkbox"/> Large Quantity Generator (LQG)				<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator					
<input checked="" type="checkbox"/> Small Quantity Generator (SQG)									
<input type="checkbox"/> Hazardous Waste Transporter				<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace					
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste				<input type="checkbox"/> Small Quantity On-Site Burner Exemption					
<input type="checkbox"/> Recycler of Hazardous Waste				<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption					
<input type="checkbox"/> Underground Injection Control Facility									

10B. Universal Waste Activities (Indicate types of universal waste managed (check all boxes that apply):			
<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste		<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	
<input type="checkbox"/> Destination Facility for Universal Waste			
Check all boxes below that apply for each of the three types of facilities above		10C. Used Oil Activities (Indicate Type(s) of Activity(ies):	
	<b>Managed</b>	<input checked="" type="checkbox"/> Used Oil Generator	<input type="checkbox"/> Off-Specification Used Oil Burner
Batteries	<input checked="" type="checkbox"/>	<input type="checkbox"/> Used Oil Transporter	<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
Pesticides	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Transfer Facility	<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner
Mercury containing equipment	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Processor	
Lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/> Used Oil Re-refiner	
11. Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRA info source record, you do not need to list them all. Instead just indicate the date of the most recent source record.			
D001	F003		
12. Comments: Use this area to describe whether the inspection was announced, whether the waste is stored in tanks or containers, etc.			
Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Other Comments:
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
13. Name of Inspector(s)		Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Melissa Musko, DHWM-CDO		Andy Maneff, DHWM-CDO	6/7/2007 9:00am - 12:00pm
14. OPTIONAL CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			
Signature of Owner, Operator, or an Authorized Representative		Name and Title (Print)	Date (mm/dd/yyyy)

\*\*\*\*\*

## PROCESS DESCRIPTION SECTION

Give a general process description ( include all processes at the facility )

Worthington Cylinders manufactures portable steel cylinders, mainly for gas grills (e.g., Blue Rhino). The company is retail-oriented and sells most of them to chain stores like Walmart. The cylinders are formed in the "press room" by a combination of several different presses. The facility has one blanking press, five hydraulic presses, and two mechanical presses. After the cylinder parts are formed, they go through a pressure spray and wash, and then are welded together and put through an annealing oven. The welding dust/dust filters are hauled off site as nonhazardous waste (the filters are recycled).

Next, the cylinder goes through its first test in the facility's test room. The steel cylinders then go through a seven-stage washer, which consists of two phosphoric acid baths each followed by a rinse step, plus a iron phosphate wash and water rinse. The waste waters from this process are neutralized on site (pH adjustment pit) and then discharged to the POTW. The solids from this process are nonhazardous. Next, the cylinders go through the paint line. The paint is a nonhazardous electro-deposited powder coating, which is then oven-cured. Overspray from the painting is returned to the process. Finally, the cylinders are tested again and then sent to the packaging line. No hazardous waste is generated in the manufacture of these steel cylinders.

In addition, the facility has recently started operating a new production line to make air brake tanks (aluminum air tanks) for trucks. They plan to sell these to Volvo, etc. Most of the cylinder parts are formed in the press room and then washed and welded together (similar to the steel cylinders). They are also tested in the test chambers similar to the steel cylinders. However, then the aluminum air tanks are put through a four-stage washer and painted with wet paint. The phosphoric acid wash and phosphate wash are neutralized and the paint is nonhazardous, but acetone waste (D001, F003) is generated from the process (for cleanup). The waste is accumulated in the mixing room in a 55-gallon drum (satellite area) and then accumulated outside in the facility's 180-day area.

\*\*\*\*\*

## WASTE ACTIVITIES AND P2 SUMMARY SECTION

For each of the processes listed above that generate a waste give the following information: (1) name of process generating waste, (2) name or description of waste generated (e.g. sludge, solvent, ash, used oil, spent lamps, etc.), (3) EPA waste codes, if applicable, (4) quantity generated per month, (5) type of accumulation (container, tank, etc.) (6) waste accumulation location in facility, (7) type of on-site treatment (if used), (8) name of off-site management facility and type of waste management activity occurring there, (9) Current P2 activities, and (10) P2 opportunities.

Since the facility began operation, it has greatly reduced the amount of hazardous waste it generates due to an on-site neutralization unit (pH adjustment pit), which is used to neutralize waste waters from the seven- and four-stage washers. High pH waste waters and low pH waste waters are combined in the pit, caustic soda is added (if needed), and then the waste waters are discharged to the POTW. Previously, the facility pumped high and low pH waste directly from the cleaning process tanks and shipped these waste off site as hazardous (D002).

Used acetone (D001, F003) is used to clean parts and is generated from the aluminum air tank paint line process. The waste is accumulated in the mixing room in a 55-gallon drum (satellite area) and then accumulated outside in the facility's 180-day area. Worthington Cylinders has only sent one shipment off site this year: 1600 P of acetone (D001, F003) to Veolia ES Technical Solutions in West Carrollton, Ohio.

Used oil is generated from the machinery on site and is stored in 275-gallon totes until Clean Water Ltd pumps it out. This occurs about once every two months.

The facility also generates universal waste lamps (flourescent bulbs) and batteries, which are accumulated on-site and then hauled off-site by United Solutions, Inc.

Scrap metal is collected and then recycled by I.H. Schlezinger, Inc.; aerosol cans are punctured and then recycled; and the cardboard and plastic generated at the facility are both sent for recycling.

**§ SMALL QUANTITY GENERATOR REQUIREMENTS  
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤ 100 Kg. (approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.

SQG: Between 100 and 1,000 Kg. (about 25 to under 300 gallons) of waste in a calendar month

LQG: ≥ 1,000 Kg. (-300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds

Safety Equipment Used:

**GENERAL REQUIREMENTS**

- |    |   |   |  |                              |
|----|---|---|--|------------------------------|
| 1. | Have all wastes generated at the facility been adequately evaluated? [3745-52-11]   | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            | N/A <input type="checkbox"/> |
| 2. | Has the generator obtained a U.S. EPA I.D. number? [3745-52-12]   | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            | N/A <input type="checkbox"/> |
| 3. | Has the generator transported or caused to be transported hazardous waste to <b>other</b> than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)]                               | Yes <input type="checkbox"/>            | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |
| 4. | Has the generator disposed of hazardous waste <b>on-site without a permit</b> or at another facility <b>other</b> than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)] | Yes <input type="checkbox"/>            | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |
| 5. | Does the generator accumulate hazardous waste?  | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            | N/A <input type="checkbox"/> |

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

- |    |   |                              |  |                              |
|----|---|------------------------------|--|------------------------------|
| 6. | Has the generator accumulated hazardous wastes <u>in excess of (180/270) days</u> without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)] | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |
|----|---|------------------------------|--|------------------------------|

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

- |    |   |                              |  |                              |
|----|---|------------------------------|--|------------------------------|
| 7. | Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)] | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |
|----|---|------------------------------|--|------------------------------|

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

- |    |   |                              |                             |   |
|----|---|------------------------------|-----------------------------|---|
| 8. | Does the generator treat hazardous waste in a:                      |                              |                             |   |
|    | a. Container that meets 3745-66-70 to 3745-66-77?                   | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
|    | b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
|    | c. Drip pads that meet 3745-69-40 to 3745-69-45?                    | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
|    | d. Containment building that meets 3745-256-100 to 3745-256-102?    | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

**MANIFEST REQUIREMENTS**

- |     |  |   |  |                              |
|-----|--|---|--|------------------------------|
| 9.  | Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)] | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/>            | N/A <input type="checkbox"/> |
| 10. | Are wastes reclaimed under a contractual agreement? If so: [3745-52-20(E)]   | Yes <input type="checkbox"/>            | No <input checked="" type="checkbox"/> | N/A <input type="checkbox"/> |

- a. Does the contractual agreement specify the type of waste and frequency of shipment? Yes  No  N/A
- b. Is the transport vehicle owned and operated by the reclaimer? Yes  No  N/A
- c. Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement? Yes  No  N/A

NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.

- 11. Have items 1 through 20 of each manifest been completed?[3745-52-20(A)] Yes  No  N/A

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20 (A)]

- 12. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes  No  N/A

NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]

- 13. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes  No  N/A

- 14. Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)] Yes  No  N/A

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.

- 15. If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? 3745-52-42(B)] Yes  No  N/A

- 16. Are signed copies of all manifests being retained for at least three years? [3745-52-40] Yes  No  N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

**PREPAREDNESS AND PREVENTION**

- 17. Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)] Yes  No  N/A

- 18. Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]

- a. Name and telephone number of emergency coordinator? Yes  No  N/A
- b. Location of fire and spill control equipment, and, if present, fire alarm(s) Yes  No  N/A
- c. Telephone number of local fire department? Yes  No  N/A

- 19. Are employees familiar with waste handling and emergency procedures [3745-52-34(D)(5)(c)] Yes  No  N/A

- 20. Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)] Yes  No  N/A

21. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste? [3745-65-3]
22. Does the generator have the following equipment at the facility if it is required due to actual hazards associated with the waste:
- a. Internal Alarm system? [3745-65-32(A)]
  - b. Emergency communication device? [3745-65-32(B)]
  - c. Portable fire control, spill control and decon equipment? [3745-65-32(C)]?
  - d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)]
23. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]
- a. Are inspections recorded in a log or summary? [3745-65-33]?
24. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under OAC 3745-65-32)? [3745-65-34(A)]
- At the time of the inspection, Worthington Cylinders was not accumulating any hazardous waste in its 180-day area. However, we discussed the requirements for emergency communication devices and their proximity to the 180-day area.**
25. If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32?) [3745-65-34(B)]
26. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]
27. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)]
28. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]

**SATELLITE ACCUMULATION AREA REQUIREMENTS**

29. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? [3745-52-34(C)(1)]
  - b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)]
  - c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)]
  - d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)]
  - e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)].

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>

f. Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes  No  N/A

The 55-gallon drum of waste acetone in the mixing room was not marked with the words "Hazardous Waste" or with other words identifying the contents. After the inspection, Worthington Cylinders labeled the container with the words "Hazardous Waste" and "Waste Acetone" and sent a picture to Ohio EPA via e-mail on June 11, 2007. The violation was abated at this time.

30. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so: Yes  No  N/A

a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes  No  N/A

b. Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes  No  N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

**USE AND MANAGEMENT OF CONTAINERS**

31. Has the generator marked containers with the words "Hazardous Waste"[3745-52-34(D)(4)] Yes  No  N/A

At the time of the inspection, Worthington Cylinders was not accumulating any hazardous waste in its 180-day area.

32. Is the accumulation date on each container? [3745-52-34(D)(4)] Yes  No  N/A

33. Are hazardous wastes stored in containers which are:

a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes  No  N/A

b. In good condition? [3745-66-71] Yes  No  N/A

c. Compatible with wastes stored in them? [3745-66-72] Yes  No  N/A

d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes  No  N/A

NOTE: Record location on process summary sheets and photograph the area.

34. Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days. Yes  No  N/A

a. Are inspections recorded in a log or summary? [3745-66-74] Yes  No  N/A

35. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes  No  N/A

36. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B) 3745-66-77(A)] Yes  No  N/A

37. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B) ? [3745-66-77(B)] Yes  No  N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

**PRE-TRANSPORT REQUIREMENTS**

- |   |                              |                             |   |
|---|------------------------------|-----------------------------|---|
| 38. Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| 39. Does each container ≤ 100 gallons have a completed hazardous waste label? [3745-52-32(B)]   | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| 40. Before off-site transportation, does the generator placard <u>or</u> offer the appropriate DOT placards to the initial transporter? [3745-52-33]    | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |



# LDR CHECKLIST

## GENERAL LDR REQUIREMENTS

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] If so: Yes  No  N/A  RMK#
- a. For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)] Yes  No  N/A  RMK#
- b. For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)] Yes  No  N/A  RMK#
2. Has the generator determined each EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2) see Table 1] Yes  No  N/A  RMK#
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1] Yes  No  N/A  RMK#
4. Does the generator generate a characteristic hazardous waste? If so: Yes  No  N/A  RMK#
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)] Yes  No  N/A  RMK#

**NOTE: If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.**

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] If so: Yes  No  N/A  RMK#
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)] Yes  No  N/A  RMK#

**NOTE: The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]**

6. Has the generator correctly determined if restricted wastes meet or do not meet treatment standards? [3745-270-07(A)(1)] Yes  No  N/A  RMK#

**NOTE: Wastes with EPA hazardous waste numbers K174 and K175 (chlorinated aliphatic wastes) have specific requirements in rule 3745-270-33. Waste with EPA hazardous waste numbers K176, K177 and K178 (inorganic chemical wastes) have specific requirements in rule 3745-270-36.**

7. Does the owner/operator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03] Yes  No  N/A  RMK#

**NOTE: A generator may dilute a waste (that is hazardous only because it exhibits a characteristic) in a treatment system that discharges to waters of the State pursuant to an NPDES permit (§402 of CWA), that treats waste in a CWA equivalent treatment system, or that treats waste for the purposes of pre-treatment requirements under §307 of CWA, unless a method other than DEACT is specified or the waste is a D003 reactive cyanide wastewater or non-wastewater.[3745-270-03(B)]**

8. Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)] Yes  No  N/A  RMK#

**NOTE: In other words, is combustion a legitimate treatment method.**

9. Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)] Yes  No  N/A  RMK#

10. Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste?[3745-270-05] If so: Yes  No  N/A  RMK#

- a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment.[3745-270-05] Yes  No  N/A  RMK#

11. Does the facility have an extension to allow for a restricted waste to be land disposed?[3745-270-06] If so: Yes  No  N/A  RMK#

- a. The facility can land dispose of the waste. [3745-270-06] Yes  No  N/A  RMK#

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment?  
If so: Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

a. Has the facility complied with 3745-270-04? Yes \_\_\_ No  N/A  RMK# \_\_\_

### REMARKS

#### NOTIFICATION AND CERTIFICATION REQUIREMENTS

13. If a generator's waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1 of 3745-270-07? [3745-270-07(A)(2)] Yes  No  N/A \_\_\_ RMK# \_\_\_

14. If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1 of 3745-270-07? [3745-270-07(A)(3)] Yes \_\_\_ No  N/A  RMK# \_\_\_

15. If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1 of 3745-270-07? [3745-270-07(A)(4)] Yes \_\_\_ No  N/A  RMK# \_\_\_

16. If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1 of 3745-270-07? [3745-270-07(A)(9)] Yes \_\_\_ No  N/A  RMK# \_\_\_

17. Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] If so: Yes  No \_\_\_ N/A \_\_\_ RMK# \_\_\_

a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)] Yes  No  N/A \_\_\_ RMK# \_\_\_

**NOTE: Examples include hazardous wastes discharged to a POTW or to a surface water under a NPDES permit.(See 270-07(A)(7))**

18. Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)] Yes  No  N/A \_\_\_ RMK# \_\_\_

REMARKS

**GENERATORS TREATING HAZARDOUS WASTE.** This section is N/A.

**HAZARDOUS DEBRIS.** This section is N/A.

**TREATING FACILITIES WHICH TREAT WASTE TO MEET LDR STANDARDS.** This section is N/A.

**SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS**

*Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more*

*Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less*

**PROHIBITIONS**

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes  No  N/A \_\_\_ RMK# \_\_\_
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes  No  N/A \_\_\_ RMK# \_\_\_

**WASTE MANAGEMENT & LABELING/MARKING**

**UNIVERSAL WASTE BATTERIES**

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes \_\_\_ No  N/A  RMK# \_\_\_
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes \_\_\_ No  N/A  RMK# \_\_\_
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- b. Mix battery types in one container? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- c. Discharge batteries to remove the electric charge? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- d. Regenerated used batteries? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- e. Disassemble them into individual batteries or cells? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- f. Remove batteries from consumer products? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- g. Remove the electrolyte from the battery? Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_

If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]

Yes  No  N/A  RMK#

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]

Yes  No  N/A  RMK#

a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]

Yes  No  N/A  RMK#

b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]

Yes  No  N/A  RMK#

7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]

Yes  No  N/A  RMK#

### UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]

Yes  No  N/A  RMK# 1

9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]

Yes  No  N/A  RMK#

10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]

Yes  No  N/A  RMK#

**NOTE:** Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

**ACCUMULATION TIME**

11. Is the waste accumulated for less than one year? Yes  No \_\_\_ N/A \_\_\_ RMK# \_\_\_  
[3745-273-15(A)] If not:
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes \_\_\_ No  N/A  RMK# \_\_\_

**NOTE:** Accumulation is defined as date generated or date received from another handler.

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes  No  N/A \_\_\_ RMK# \_\_\_
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes  No \_\_\_ N/A \_\_\_ RMK# \_\_\_
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes \_\_\_ No \_\_\_ N/A  RMK# \_\_\_
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes \_\_\_ No \_\_\_ N/A  RMK# \_\_\_
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes \_\_\_ No \_\_\_ N/A  RMK# \_\_\_
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes \_\_\_ No \_\_\_ N/A  RMK# \_\_\_

- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]

Yes  No  N/A  RMK#

### EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]

Yes  No  N/A  RMK#

### RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]

Yes  No  N/A  RMK#

15. Is the material released characterized? [3745-273-17(B)]

Yes  No  N/A  RMK#

16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]

Yes  No  N/A  RMK#

### OFF-SITE SHIPMENTS

**NOTE:** *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]

Yes  No  N/A  RMK#

**NOTE:** *SQUWHs are prohibited to send waste to any other facility.*

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]

Yes  No  N/A  RMK#

19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]

Yes  No  N/A  RMK#

20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes \_\_\_ No \_\_\_ N/A X RMK# \_\_\_
- b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes \_\_\_ No \_\_\_ N/A X RMK# \_\_\_
21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes \_\_\_ No \_\_\_ N/A X RMK# \_\_\_
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes \_\_\_ No \_\_\_ N/A X RMK# \_\_\_
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes \_\_\_ No  N/A X RMK# \_\_\_
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes \_\_\_ No  N/A X RMK# \_\_\_

### EXPORTS

24. Is waste being sent to a foreign destination? If so: Yes \_\_\_ No X N/A \_\_\_ RMK# \_\_\_
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes \_\_\_ No  N/A X RMK# \_\_\_
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes \_\_\_ No  N/A X RMK# \_\_\_
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes \_\_\_ No  N/A X RMK# \_\_\_

## REMARKS

1. Please be aware that the universal waste rules require a small quantity handler of universal waste to manage universal waste lamps in a way that prevents releases of any universal waste or component of a universal waste to the environment. OAC Rule 3745-273-13(D)(1) requires a small quantity handler of universal waste to contain any lamp in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps. Such containers and packages must remain closed and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.

## USED OIL INSPECTION CHECKLIST (Short Version)

**NOTE:** This checklist does not include requirements for used oil transporters and transfer facilities, processors and re-refiners, burners, and marketers.

### PROHIBITIONS

1. Is used oil being managed in a surface impoundment or waste pile? If so: Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_  
Is the surface impoundment or waste pile being regulated under OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-12(A)] Yes \_\_\_ No  N/A  RMK# \_\_\_
2. Is used oil being used as a dust suppressant? [3745-279-12(B)] Yes  No \_\_\_ N/A  RMK# \_\_\_
3. Is off-specification used oil fuel burned for energy recovery only in devices specified in 3745-279-12(C)? Yes \_\_\_ No  N/A  RMK# \_\_\_

### USED OIL GENERATOR STANDARDS

4. Does the generator mix hazardous waste with used oil only as provided in 3745-279-10(B)? [2745-279-21(A)] Yes \_\_\_ No  N/A  RMK# \_\_\_
5. Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)] Yes \_\_\_ No  N/A  RMK# \_\_\_
6. Does the generator only store used oil in tanks, containers, or units subject to OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-22(A)] Yes  No  N/A \_\_\_ RMK# \_\_\_
7. Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)] Yes  No  N/A \_\_\_ RMK# \_\_\_
8. Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)] Yes  No  N/A \_\_\_ RMK# \_\_\_
9. Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]
- a. Stopped the release? Yes \_\_\_ No  N/A  RMK# \_\_\_
- b. Contained the release? Yes \_\_\_ No  N/A  RMK# \_\_\_

- c. Cleaned up and properly managed the used oil and other materials? Yes \_\_\_ No  N/A  RMK# \_\_\_
- d. Repaired or replaced the containers or tanks prior to returning them to service, if necessary? Yes \_\_\_ No  N/A  RMK# \_\_\_
10. Does the generator burn used oil in used fired space heaters? [3745-279-23] If so: Yes \_\_\_ No  N/A \_\_\_ RMK# \_\_\_
- a. Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators? Yes \_\_\_ No  N/A  RMK# \_\_\_
- b. Is the heater designed to have a maximum capacity of not more than 0.5 million BTU per hour? Yes \_\_\_ No  N/A  RMK# \_\_\_
- c. Are the combustion gases from heater vented to the ambient air? Yes \_\_\_ No  N/A  RMK# \_\_\_
11. Does the generator have the used oil hauled only by transporters that have obtained U.S. EPA ID#, unless the generator qualifies for an exemption pursuant to 3745-279-24 (self transportation or tolling agreements)? [3745-279-24] Yes  No  N/A \_\_\_ RMK# \_\_\_

**USED OIL COLLECTION CENTERS AND AGGREGATION POINTS**

12. Is the DIY used oil collection center in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-30] Yes \_\_\_ No  N/A  RMK# \_\_\_
13. Is the non-DIY used oil collection center registered with Ohio EPA? [3745-279-31] Yes \_\_\_ No  N/A  RMK# \_\_\_
14. Is the used oil aggregation point in compliance with the generator standards in 3745-279-20 to 3745-279-24? [3745-279-32] Yes \_\_\_ No  N/A  RMK# \_\_\_

**WASTE EVALUATION**

15. Have all wastes generated at the facility been evaluated? [3745-52-11] Yes  No  N/A \_\_\_ RMK# \_\_\_

G:\Delaware\Worthington Cylinders\WC.Used.Oil.060707.wpd

**REMARKS**