



City of Cleveland
Frank G. Jackson, Mayor

Department of Public Health
Division of Air Quality
75 Erieview Plaza, Second Floor
Cleveland, Ohio 44114-1839
216/664-2297 • Fax: 216/420-8047
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL 7012 2210 0000 5209 2247
RETURN RECEIPT REQUESTED**

September 6, 2013

Marc Garland
Precision Environmental Company
5500 Old Brecksville Road
Independence, Ohio 44022

**RE: 498 East Washington Street
PROJECT ID: CL 13 2227
RESOLUTION OF VIOLATIONS
NOTICE OF VIOLATION FOLLOW-UP LETTER**

Dear Mr. Garland:

On August 15, 2013, the Cleveland Division of Air Quality (CDAQ) issued a Notice of Violation requiring Precision Environmental Company to submit a corrective action plan along with a revised Ohio EPA Notification of Demolition and Renovation providing the correct completion date for asbestos removal at 498 East Washington Street in Chagrin Falls. CDAQ is in receipt via email of a copy of the revised Notification and a fax confirmation dated August 29, 2013.

The corrective action plan was received in a timely manner and appropriate steps were taken to bring the project into compliance. CDAQ has determined that no further enforcement action is warranted at this time, but reserves its right to take such action in the future if necessary.

CDAQ issues this letter with Ohio EPA's concurrence and does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action. Should you have any questions, please call Mike Samec at 216-420-7682. All correspondence with CDAQ must include the Ohio EPA project identification number for Saint Joan of Arc Catholic School: CL 13 2227.

Sincerely,

Valencia White
Chief of Enforcement, CDAQ

VW/ms

cc: John Paulian, Ohio EPA Central Office
L:\Data\Facilities\+ Programs\Asbestos\Sites\498 East Washington\2013-07-31
ROV+NEAR.docx