



FILE COPY

State of Ohio Environmental Protection Agency

STREET ADDRESS:

Central District Office

MAILING ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 728-3778 FAX: (614) 728-3898
www.epa.state.oh.us

P.O. Box 1049
Columbus, OH 43216-1049

January 17, 2008

Ms. Angela Savage
Cardinal Health
2320 McGaw Road
Obetz, Ohio 43207

Re: **Cardinal Health**
SQG
OHD000721837
Franklin County

Dear Ms. Savage:

Thank you for accompanying me during Ohio EPA's December 28 and January 3, 2007 and 2008, inspection of the Cardinal Health facility in Columbus, Ohio. We inspected Cardinal Health to determine its compliance with Ohio's hazardous and Universal waste laws as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC). This letter will explain the violations we found, what you need to do to correct the violations, other general concerns we have and what you need to do to respond to our general concerns.

We found the following violations of Ohio's hazardous waste laws:

1. **Manifest Requirements [OAC 3745- 52- 42 (B)]**

A Small Quantity Generator of hazardous waste who does not receive a copy of the manifest with a hand written signature of the owner or operator of the designated facility within sixty days of the date the waste was accepted must submit a legible copy of the manifest with some indication that the generator has not received confirmation of delivery to the Ohio EPA.

At the time of the inspection Cardinal Health had not received signed return copies for the following manifests: #000037623, #000037512, and #000037923.

Please submit copies of the manifests signed by the designated facility to Ohio EPA.

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Ms. Angela Savage
Cardinal Health
Page -2-

2. **Preparedness and Prevention [OAC 3745-65-32 (C)]**

All facilities shall be equipped with the following, portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment.


At the time of the inspection Cardinal health did not have any spill control equipment near the hazardous waste accumulation area.

Cardinal health must provide spill control equipment for its hazardous waste accumulation area and submit photos to me.

Enclosed please find copies of the checklists completed, and some pollution prevention information on fluorescent lamps. Should you have any further questions, please feel free to contact me at (614) 728-3884.

You can find copies of the rules and other information on the division's web page at <http://www.epa.state.oh.us/dhwm>. Ohio EPA also has helpful information about pollution prevention at the following web address: <http://www.epa.state.oh.us/opp/oppmain.html>

Sincerely,



Peter Maneff
Environmental Specialist
Division of Hazardous Waste Management
Central District Office

Enclosures

c: Tammy McConnell, DHWM/CO
CDO File

PM/nsm Cardinal Health NOV

Ohio Environmental Protection Agency
RCRA SUBTITLE C SITE
IDENTIFICATION/VERIFICATION FORM

For Ohio EPA use only

E-mail this completed form to
tammy.mcconnell@epa.state.oh.us or mail it to Tammy
McConnell, Central Office

2. Site EPA ID No.	EPA ID Number: OHD000721837								
3. Site Name	Name: Cardinal Health				Website: (Optional)				
4. Site Location Information	Street Address: 2320 McGaw Road								
	City, Town, or Village: Obetz			State: OH					
	County Name: Franklin			Zip Code: 43207					
5. Site Land Type (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>	
6. NAICS code(s) www.census.gov/epcd/www/naics.html									
7. Facility Representative Additional names can be recorded in number 12 Only provide address information if it is different than the site address	First Name: Angela			MI:	Last Name: Savage				
	Phone Number: 614-497-6830			Phone Number Extension:					
	E-Mail Address:								
	Fax Number:			Fax Number Extension:					
	Street or P.O. Box:								
	City, Town or Village:								
	State:			Country:		Zip Code:			
8. Legal Owner and Operator of the Site List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: Cardinal Health				Date Became Owner (mm/dd/yyyy):				
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box: 7000 Cardinal Place								
	City, Town or Village: Dublin			Owner Phone #:					
	State: oh			Country: usa		Zip Code: 43017			
	Name of Site's Operator: Cardinal Health				Date Became Operator (mm/dd/yyyy):				
	Owner Type:	Private <input type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>	Other <input type="checkbox"/>
	Street or P.O. Box:								
	City, Town or Village:			Operator Phone #:					
	State:			Country:		Zip Code:			
9. Violations Cited?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
10A. Type of Regulated Waste Activity (Mark "X" in all of the appropriate boxes)									
<input type="checkbox"/> Not Regulated				<input type="checkbox"/> Conditionally Exempt Small Quantity Generator					
<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11				<input type="checkbox"/> United States Importer of Hazardous Waste					
<input type="checkbox"/> Large Quantity Generator (LQG)				<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator					
<input checked="" type="checkbox"/> Small Quantity Generator (SQG)									
<input type="checkbox"/> Hazardous Waste Transporter				<input type="checkbox"/> Exempt Boiler and/or Industrial Furnace					
<input type="checkbox"/> Treater, Storer or Disposer of Hazardous Waste				<input type="checkbox"/> Small Quantity On-Site Burner Exemption					
<input type="checkbox"/> Recycler of Hazardous Waste				<input type="checkbox"/> Smelting, Melting, Refining Furnace Exemption					
<input type="checkbox"/> Underground Injection Control Facility									

10B. Universal Waste Activities (Indicate types of universal waste managed (check all boxes that apply))			
<input checked="" type="checkbox"/> Small Quantity Handler of Universal Waste		<input type="checkbox"/> Large Quantity Handler of Universal Waste (accumulates 5,000 kg. or more)	
<input type="checkbox"/> Destination Facility for Universal Waste			
Check all boxes below that apply for each of the three types of facilities above		10C. Used Oil Activities (Indicate Type(s) of Activity(ies))	
	Managed	<input type="checkbox"/> Used Oil Generator	<input type="checkbox"/> Off-Specification Used Oil Burner
Batteries	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Transporter	<input type="checkbox"/> Used Oil Fuel Marketer Who Directs Shipment of Off-Spec. Oil
Pesticides	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Transfer Facility	<input type="checkbox"/> Used Oil Fuel Marketer to Off-Specification Used Oil Burner
Mercury containing equipment	<input type="checkbox"/>	<input type="checkbox"/> Used Oil Processor	
Lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/> Used Oil Re-refiner	
11. Waste Codes for Federally Regulated Hazardous Wastes. Please list the codes for the federally regulated hazardous waste handled at the site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more space is needed. If there are more than 7 waste codes and they are the same as listed in the most recent RCRAInfo source record, you do not need to list them all. Instead just indicate the date of the most recent source record.			
12. Comments: Use this area to describe whether the inspection was announced, whether the waste is stored in tanks or containers, etc.			
Announced	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Additional Facility Representatives:
Tanks	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Other Comments:
Containers	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
13. Name of Inspector(s)		Name of Inspector(s)	Date of Inspection/Time (mm/dd/yyyy) (hh:mm)
Peter Maneff			12/28/2007 01/03/08
14. OPTIONAL CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			
Signature of Owner, Operator, or an Authorized Representative		Name and Title (Print)	Date (mm/dd/yyyy)

**SMALL QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS, WASTE, P2 SUMMARY SHEET**

CESQG: ≤ 100 Kg. (approximately 25-30 gallons) of waste in a calendar month or < 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (about 25 to under 300 gallons) of waste in a calendar month
 LQG: ≥ 1,000 Kg. (-300 gallons) of waste in a calendar month or ≥ 1 Kg. of acutely hazardous waste in a calendar month
 NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds
 Safety Equipment Used:

GENERAL REQUIREMENTS

- | | | | | | | |
|--|-----|-------------------------------------|----|-------------------------------------|-----|--------------------------|
| 1. Have all wastes generated at the facility been adequately evaluated? [3745-52-11] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 2. Has the generator obtained a U.S. EPA I.D. number? [3745-52-12] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 3. Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02 (F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 4. Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of hazardous waste? [ORC 3734.02 (E) & (F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| 5. Does the generator accumulate hazardous waste? | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |

NOTE: If the SQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements might still apply, e.g. manifest, marking, LDR, etc.

- | | | | | | | |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 6. Has the generator accumulated hazardous wastes <u>in excess of</u> (180/270) days without a permit or an extension from the Director? [3745-52-34; ORC §3734-02(E)&(F)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: SQG's shipping waste to a facility greater than 200 miles away can accumulate on-site for 270 days. [3745-52-34 (E)]

- | | | | | | | |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|
| 7. Is the generator accumulating more than 6,000 kg on site? [3745-52-34(D)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
|--|-----|--------------------------|----|-------------------------------------|-----|--------------------------|

NOTE: 6,000 kg = approximately 27, 55-gallon drums. If the facility is accumulating waste for greater than 180/270 days without an extension/permit or is accumulating greater than 6,000 kg on-site, it is classified as a storage facility and TSD standards apply. Complete applicable TSD checklists.

- | | | | | | | |
|---|-----|--------------------------|----|--------------------------|-----|-------------------------------------|
| 8. Does the generator treat hazardous waste in a: | | | | | | |
| a. Container that meets 3745-66-70 to 3745-66-77? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| b. Tank that meets 3745-66-90 to 3745-66-101 except 3745-66-97 (C)? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| c. Drip pads that meet 3745-69-40 to 3745-69-45? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |
| d. Containment building that meets 3745-256-100 to 3745-256-102? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

MANIFEST REQUIREMENTS

- | | | | | | | |
|---|-----|-------------------------------------|----|-------------------------------------|-----|-------------------------------------|
| 9. Are all hazardous wastes either reclaimed under a contractual agreement as defined in OAC rule 3745-52-20(E), or shipped off-site accompanied by a manifest (U.S. EPA Form 8700-22)? [3745-52-20(A)] | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input type="checkbox"/> |
| 10. Are wastes reclaimed under a contractual agreement? If so: [3745-52-20(E)] | Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> |
| a. Does the contractual agreement specify the type of waste and frequency of shipment? | Yes | <input type="checkbox"/> | No | <input type="checkbox"/> | N/A | <input checked="" type="checkbox"/> |

[Facility Name/Inspection Date]
 [ID number]
 SQG/February 2007
 Page 1 of 4

- b. Is the transport vehicle owned and operated by the reclaimer? Yes No N/A
- c. Is a copy of the reclamation agreement kept on-site for at least three years after termination/expiration of the agreement? Yes No N/A

NOTE: If wastes are reclaimed under a contractual agreement and an answer to questions 10(a) through 10(c) is no, the generator is in violation of 3745-52-20 (A) (B) & (D), 3745-52-22 and 3745-52-23. Even if the waste is being reclaimed under agreement, LDRs still apply. Complete LDR checklist.

11. Have items 1 through 20 of each manifest been completed? [3745-52-20(A)] Yes No N/A

NOTE: U.S. EPA Form 8700-22(A) (the continuation form) may be needed in addition to Form 8700-22. In these situations, items (21) through (35) must also be complete. [3745-52-20 (A)]

12. Does each manifest designate at least one facility which is permitted to handle the waste? [3745-52-20(B)] Yes No N/A

NOTE: The generator may designate on the manifest one alternative facility to handle the waste in the event of an emergency which prevents the delivery of waste to the primary designated facility. [3745-52-20(C)]

13. If the transporter was unable to deliver a shipment of hazardous waste to the designated facility did the generator designate an alternative TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)] Yes No N/A

14. Have the manifests been signed by the generator and initial transporter? [3745-52-23 (A) (1) and (2)] Yes No N/A

NOTE: Remind the generator that the certification statement they signed indicates: 1) they have properly prepared the shipment for transportation and 2) they have made a good faith effort to minimize their waste generation.

15. If the generator did not receive a return copy of each completed manifest within 60 days of being accepted by the transporter did the generator submit to Ohio EPA, a copy of the manifest with some indication that the generator has not received confirmation of delivery? 3745-52-42(B)] **The generator did not have signed return copies at the time of the inspection.** Yes No N/A

16. Are signed copies of all manifests being retained for at least three years? [3745-52-40] Yes No N/A

NOTE: Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

PREPAREDNESS AND PREVENTION

17. Is an emergency coordinator available at all times (on-site or on-call)? [3745-52-34(D)(5)(a)] Yes No N/A

18. Has the following been posted by the telephone: [3745-52-34(D)(5)(b)]

- a. Name and telephone number of emergency coordinator? Yes No N/A
- b. Location of fire and spill control equipment, and, if present, fire alarm(s) Yes No N/A
- c. Telephone number of local fire department? Yes No N/A

19. Are employees familiar with waste handling and emergency procedures [3745-52-34(D)(5)(c)] Yes No N/A

20. Has the facility properly responded to all fires and spills? [3745-52-34(D)(5)(d)] Yes No N/A

21. Is the facility operated to minimize the possibility of fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste? [3745-65-31] Yes No N/A

22. Does the generator have the following equipment at the facility if it is required to actual hazards associated with the waste:
- a. Internal Alarm system? [3745-65-32(A)] Yes No N/A
 - b. Emergency communication device? [3745-65-32(B)] Yes No N/A
 - c. Portable fire control, spill control and decon equipment? [3745-65-32(C)]? **At the time of the inspection there was no spill control equipment in the hazardous waste storage area.** Yes No N/A
 - d. Water of adequate volume/pressure per documentation or facility rep? [3745-65-32(D)] Yes No N/A
23. Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]
- a. Are inspections recorded in a log or summary? [3745-65-33]? Yes No N/A
24. Do personnel have immediate access to an internal alarm or emergency communication device when handling hazardous waste (unless the device is not required under OAC 3745-65-32)? [3745-65-34(A)] Yes No N/A
25. If there is only one employee on the premises is there immediate access to a device (ex. phone, hand-held two-way radio) capable of summoning external emergency assistance? (Unless not required under 3745-65-32?) [3745-65-34(B)] Yes No N/A
26. Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35] Yes No N/A
27. Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)] Yes No N/A
28. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)] Yes No N/A

SATELLITE ACCUMULATION AREA REQUIREMENTS

29. Does the generator ensure that satellite accumulation area(s):
- a. Are at or near a point of generation? [3745-52-34(C)(1)] Yes No N/A
 - b. Are under the control of the operator of the process generating the waste? [3745-52-34(C)(1)] Yes No N/A
 - c. Do not exceed a total of 55 gallons of hazardous waste per waste stream? [3745-52-34(C)(1)] Yes No N/A
 - d. Do not exceed one quart of acutely hazardous waste at any one time? [3745-52-34(C)(1)] Yes No N/A
 - e. Containers are closed, in good condition and compatible with wastes stored in them? [3745-52-34(C)(1)(a)]. Yes No N/A
 - f. Containers are marked with the words "Hazardous Waste" or other words identifying the contents? [3745-52-34(C)(1)(b)] Yes No N/A
30. Is the generator accumulating hazardous waste(s) in excess of the amounts listed in the preceding question? If so:
- a. Did the generator comply with 3745-52-34(A)(1) through (4) or other applicable generator requirements within three days? [3745-52-34(C)(2)] Yes No N/A
 - b. Did the generator mark the container(s) holding the excess with the accumulation date when the 55 gallon (one quart) limit was exceeded? [3745-52-34(C)(2)] Yes No N/A

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS

- 31. Has the generator marked containers with the words "Hazardous Waste"[3745-52-34(D)(4)] Yes No N/A
- 32. Is the accumulation date on each container? [3745-52-34(D)(4)] Yes No N/A
- 33. Are hazardous wastes stored in containers which are:
 - a. Closed (except when adding/removing wastes)? [3745-66-73(A)] Yes No N/A
 - b. In good condition? [3745-66-71] Yes No N/A
 - c. Compatible with wastes stored in them? [3745-66-72] Yes No N/A
 - d. Handled in a manner which prevents rupture/leakage? [3745-66-73(B)] Yes No N/A

NOTE: Record location on process summary sheets and photograph the area.

- 34. Is the container accumulation area(s) inspected at least weekly? [3745-66-74] Per ORC§1.44(A) "Week" means seven(7) consecutive days. Yes No N/A
 - a. Are inspections recorded in a log or summary? [3745-66-74] Yes No N/A
- 35. Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)] Yes No N/A
- 36. If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B) 3745-66-77(A)] Yes No N/A
- 37. If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B) ? [3745-66-77(B)] Yes No N/A

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

PRE-TRANSPORT REQUIREMENTS

- 38. Does each generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)] Yes No N/A
- 39. Does each container ≤ 100 gallons have a completed hazardous waste label? [3745-52-32(B)] Yes No N/A
- 40. Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33] Yes No N/A

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS - BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = 5,000 Kg or less

PROHIBITIONS

1. Did the SQUWH dispose of universal waste? [3745-273-11(A)] Yes No N/A ___ RMK# ___
2. Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in 3745-273-17 or managing specific wastes as provided in 3745-273-13? [3745-273-11(B)] Yes No N/A ___ RMK# ___

WASTE MANAGEMENT & LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3. Are battery(ies) that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)] Yes ___ No N/A RMK# 1
4. If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)] Yes ___ No N/A RMK# ___
5. Does the SQUWH conduct any of the following activities:
- a. Sort batteries by type? Yes ___ No ___ N/A RMK# ___
- b. Mix battery types in one container? Yes ___ No ___ N/A RMK# ___
- c. Discharge batteries to remove the electric charge? Yes ___ No ___ N/A RMK# ___
- d. Regenerated used batteries? Yes ___ No ___ N/A RMK# ___
- e. Disassemble them into individual batteries or cells? Yes ___ No ___ N/A RMK# ___
- f. Remove batteries from consumer products? Yes ___ No ___ N/A RMK# ___
- g. Remove the electrolyte from the battery? Yes ___ No ___ N/A RMK# ___

If so, are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)(2)]

Yes No N/A RMK#

6. If the electrolyte is removed or other waste generated, has it been determined whether it is a hazardous waste? [3745-273-13(A)(3)]

Yes No N/A RMK#

a. If the electrolyte or other waste is characteristic, is it managed in compliance with 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]

Yes No N/A RMK#

b. If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]

Yes No N/A RMK#

7. Are the battery(ies) of container(s) of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]

Yes No N/A RMK#

UNIVERSAL WASTE LAMPS

8. Does the SQGUHW contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and are compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]

Yes No N/A RMK# 2

9. Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]

Yes No N/A RMK#

10. Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)]

Yes No N/A RMK#

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility under a hazardous waste manifest.

ACCUMULATION TIME

11. Is the waste accumulated for less than one year? Yes No N/A RMK# 2
[3745-273-15(A)] If not:
- a. Was the waste accumulated over one year in order to facilitate proper recovery, treatment or disposal? (Burden of proof is on the handler to demonstrate) [3745-273-15(B)] Yes No N/A RMK#

NOTE: Accumulation is defined as date generated or date received from another handler.

12. Is the length of time the universal waste is stored documented by one of the following: [3745-273-15(C)] Yes No N/A RMK# 2
- a. Marking or labeling the container with the earliest date when the universal waste became a waste or was received? [3745-273-15(C)(1)] Yes No N/A RMK#
- b. Marking or labeling individual item(s) of universal waste with the earliest date that it became a waste or was received? [3745-273-15(C)(2)] Yes No N/A RMK#
- c. Maintaining an inventory system on-site that identifies the date the universal waste became a waste or was received? [3745-273-15(C)(3)] Yes No N/A RMK#
- d. Maintaining an inventory system on-site that identifies the earliest date that any universal waste in a group of universal waste items or a group of containers became a universal waste or was received? [3745-273-15(C)(4)] Yes No N/A RMK#
- e. Placing the universal waste in a specific accumulation area and identifying the earliest start date or date received? [3745-273-15(C)(5)] Yes No N/A RMK#

- f. Any other method, which clearly demonstrates, the length of time the universal waste has been accumulated from the date it became a waste or was received? [3745-273-15(C)(6)]

Yes No N/A RMK#

EMPLOYEE TRAINING

13. Are employees who handle or have the responsibility for managing universal waste informed of waste handling/emergency procedures, relative to their responsibilities? [3745-273-16]

Yes No N/A RMK#

RESPONSE TO RELEASES

14. Are releases of universal waste and other residues immediately contained? [3745-273-17(A)]

Yes No N/A RMK#

15. Is the material released characterized? [3745-273-17(B)]

Yes No N/A RMK#

16. If the material released is a hazardous waste, is it managed as required in OAC Chapters 3745-50 through 3745-69? (If the waste is hazardous, the handler is considered the generator of the waste and is subject to Chapter 3745-52) [3745-273-17 (B)]

Yes No N/A RMK#

OFF-SITE SHIPMENTS

NOTE: *If a SQUWH self-transport waste, then they must comply with the Universal Waste transporter requirements.*

17. Are universal wastes sent to either another handler, destination facility or foreign destination? [3745-273-18(A)]

Yes No N/A RMK#

NOTE: *SQUWHs are prohibited to send waste to any other facility.*

18. If the universal waste meets the definition of hazardous material under 49 CFR 171-180, are DOT requirements met with regard to package, labels, placards and shipping papers? [3745-273-18(C)]

Yes No N/A RMK#

19. Prior to shipping universal waste off-site, does the receiver agree to receive the shipment? [3745-273-18(D)]

Yes No N/A RMK#

20. If the universal waste shipped off-site is rejected by another handler or destination facility does the originating handler do one of the following:
- a. Receive the waste back? [3745-273-18(E)(1)] Yes No N/A RMK#
- b. Agree to where the shipment will be sent? [3745-273-18(E)(2)] Yes No N/A RMK#
21. If a handler rejects a partial or full load from another handler, does the receiving handler contact the originating handler and discuss one of the following:
- a. Sending the waste back to the originating handler? [3745-273-18(F)(1)] Yes No N/A RMK#
- b. Sending the shipment to a destination facility? (If both the originating and receiving handler agree) [3745-273-18(F)(2)] Yes No N/A RMK#
22. If the handler received a shipment of hazardous waste that was not universal waste, did the SQUWH immediately notify Ohio EPA? [3745-273-18(G)] Yes No N/A RMK#
23. If the handler received a shipment of nonhazardous, non-universal waste, was the waste managed in accordance with applicable law? [3745-273-18(H)] Yes No N/A RMK#

EXPORTS

24. Is waste being sent to a foreign destination? If so: Yes No N/A RMK#
- a. Does the small quantity handler comply with primary exporter requirements in OAC 3745-52-53, 3745-52-56, and 3745-52-57? [3745-273-20(A)] Yes No N/A RMK#
- b. Is waste exported only upon consent of the receiving country and in conformance with U.S. EPA's "Acknowledgment of Consent" as defined in 3745-52-50 to -52-57? [3745-273-20(B)] Yes No N/A RMK#
- c. Is a copy of U.S. EPA's "Acknowledgment of Consent" provided to the transporter? [3745-273-20(C)] Yes No N/A RMK#

REMARKS

1. At the time of the inspection no batteries were being managed.
2. At the time of the inspection no lamps were being managed, however, Cardinal Health does have a tracking system and is currently using AERC.

LDR REQUIREMENTS

1. Has the generator adequately evaluated all wastes to determine if they are restricted from land disposal? [3745-270-07(A)(1)] **If so:** Yes No N/A ___ RMK# ___
- a. **For determinations based solely on knowledge of the waste:** Is supporting data retained on-site? [3745-270-07(A)(6)] Yes No N/A ___ RMK# ___
- b. **For determinations based upon analytical testing:** Is waste analysis data retained on-site? [3745-270-(A)(6)] Yes No N/A ___ RMK# ___
2. Has the generator determined each Ohio EPA hazardous waste code applicable to the waste? [3745-270-07(A)(2)] Yes No N/A ___ RMK# ___
3. Has the generator determined the correct "treatability group(s)" (e.g., wastewater, non-wastewater, etc.)? [3745-270-07(A), Table 1] Yes No N/A ___ RMK# ___
4. Does the generator generate a characteristic hazardous waste? **If so:** Yes No ___ N/A ___ RMK# ___
- a. Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)] Yes No N/A ___ RMK# ___

NOTE: *If the waste is D001 non-wastewater treated by CMBST, RORGS, POLYM in Table 1 of Rule 3745-270-42 UHCs do not need to be identified.*

5. Does the generator generate listed waste(s) which also exhibit hazardous characteristics? [3745-270-09] **If so:** Yes ___ No N/A ___ RMK# ___
- a. Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)] Yes ___ No N/A RMK# ___

NOTE: *The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]*

6. Has the generator **correctly** determined if restricted wastes meet or exceed treatment standards? [3745-270-07(A)(1)] Yes No N/A ___ RMK# ___

7. Does the generator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03] Yes No N/A ___ RMK# ___

NOTE: *A generator may dilute a waste (that is hazardous only because it exhibits a characteristic) in a treatment system that discharges to waters of the State pursuant to an NPDES permit (§402 of CWA), that treats waste in a CWA equivalent treatment system, or that treats waste for the purposes of pre-treatment requirements under §307 of CWA, unless a method other than DEACT is specified or the waste is a D003 reactive cyanide wastewater or non-wastewater.* [3745-270-03(B)]

8. Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)] Yes No N/A ___ RMK# ___

9. Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)] Yes No N/A ___ RMK# ___

10. Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste? [3745-270-05] **If so:** Yes ___ No N/A ___ RMK# ___

a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment. [3745-270-05]

11. Does the facility have an extension to allow for a restricted waste to be land disposed? [3745-270-06] **If so:** Yes ___ No N/A ___ RMK# ___

a. The facility can land dispose of the waste. [3745-270-06]

12. Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment? **If so:** Yes ___ No N/A ___ RMK# ___

a. Has the facility complied with 3745-270-04? Yes ___ No N/A RMK# ___

REMARKS

NOTIFICATION AND CERTIFICATION REQUIREMENTS

12. If a generators' waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1? [3745-270-07(A)(2)] Yes No N/A RMK#
13. If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1? [3745-270-07(A)(3)] Yes No N/A RMK#
14. If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1? [3745-270-07(A)(4)] Yes No N/A RMK#
15. If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1? [3745-270-07(A)(9)] Yes No N/A RMK#
16. Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] **If so:** Yes No N/A RMK#
- a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)] Yes No N/A RMK#

NOTE: *Examples include hazardous wastes discharged to a POTW or to a surface water under a NPDES permit. (See 270-07(A)(7))*

17. Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)] Yes No N/A RMK#

REMARKS

GENERATORS TREATING HAZARDOUS WASTE

N/A

HAZARDOUS DEBRIS

N/A

TREATING FACILITIES

N/A