

MS



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

FILE COPY

November 9, 2012

Mr. Steven E. McCorry
Manager
Environmental, Health & Safety
PPG Industries, Inc.
559 Pittsburgh Road
Circleville, OH 43113

Re: PPG Industries Ohio, Inc.
LQG/TSD
U.S. EPA ID#: OHD004304689
Pickaway County, CDO
NOV

Dear Mr. McCorry:

On November 7, 2012, I inspected the PPG Industries Ohio, Inc. (PPG) facility in Circleville, Ohio, to determine PPG's compliance with Ohio's hazardous waste laws and rules as found in Chapter 3734 of the Ohio Revised Code (ORC) and Chapter 3745 of the Ohio Administrative Code (OAC). PPG was also inspected for compliance with the terms and conditions of its hazardous waste installation and operation permit renewal issued on December 29, 2006, as modified. Our inspection included a review of company operations and written documentation.

PPG operates a resin manufacturing plant and a rotary kiln hazardous waste incinerator (Energy Recovery Unit or ERU) at this location. At the time of the inspection, PPG was operating as a permitted hazardous waste treatment and storage facility, a large quantity generator (LQG) of hazardous waste, a small quantity handler of universal waste, and a used oil generator.

During the inspection, we found the following violation of Ohio's universal waste rules:

OAC Rule 3745-273-14(E), Labeling/markings – standards for small quantity handlers of universal waste: Each universal waste lamp or a container or package in which such lamps are contained must be labeled or marked clearly with any one of the following phrases: "Universal Waste-Lamp(s)," or "Waste Lamp(s)," or "Used Lamp(s)."

At the time of the inspection, four of the containers being used to store universal waste lamps in the Carbon Building were not properly labeled with the words "Universal Waste - Lamps" or "Waste Lamps" or "Used Lamps."

- PPG must properly label the containers being used to store universal waste lamps in the Carbon Building and submit a photo to Ohio EPA.

Comment:

1. As discussed during the inspection, PPG must evaluate its staging and DOT pre transport activities of hazardous waste drums shipped from its' <90 day area. The facility must ensure that hazardous waste remains labeled and dated at all times during this process. Please provide Ohio EPA with PPG's updated staging procedure.

Enclosed is a copy of the checklists we completed as a result of the inspection. You can find Ohio's hazardous waste rules and other information on the division's web page at: <http://www.epa.ohio.gov/dmwm>.

Should you have any questions, please feel free to call me at (614) 728-3884.

Sincerely,



Peter Maneff
Environmental Specialist
Division of Materials and Waste Management
Central District Office

Enclosure

c: CDO File

PM/nsm PPG NOVRTC November 2012

NOTICE:

Ohio EPA's failure to list specific deficiencies or violations in this letter does not relieve your company from having to comply with applicable regulations.

Send to Central Office <input type="checkbox"/>	Ohio Environmental Protection Agency RCRA SUBTITLE C SITE IDENTIFICATION/VERIFICATION FORM	For Ohio EPA use only
----------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------

Completed verification forms required to be submitted to CO should be e-mailed to brad.hauser@epa.state.oh.us.

Site EPA ID No.	EPA ID Number: OHD004304689						
Site Name	Name: PPG Industries Ohio, Inc.				Website: (Optional)		
Site Location Information	Street Address: 559 Pittsburgh Road						
	City, Town, or Village: Circleville				State: OH		
	County Name: Pickaway						
Site Land Type (check only one)	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>
NAICS code(s) www.census.gov/epcd/www/naics.html	325211		562211				

Facility Representative	First Name: Steven		MI: E.	Last Name: McCorry			
Additional names can be recorded in number 12	Title: Manager, Environmental Health & Safety						
	Phone Number: (740) 420-6622			Phone Number Extension:			
	E-Mail Address: smccorry@ppg.com						
Only provide address information if it is different than the site address	Fax Number: (740) 420-6658			Fax Number Extension:			
	Street or P.O. Box:						
	City, Town or Village:						
	State:			Zip Code:			

Legal Owner And Operator of the Site. List Additional Owners and/or Operators in the Comment Section or on another copy of this form page	Name of Site's Legal Owner: PPG Industries Ohio, Inc.				Date Became Owner (mm/dd/yyyy): 01/01/1999			
	Owner Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>
	Street or P.O. Box: 559 Pittsburgh Road							
	City, Town or Village: Circleville				Owner Phone #:			
	State: OH				Country: USA		Zip Code: 43113	
	Name of Site's Operator: PPG Industries, inc. and PPG Industries Ohio, Inc.				Date Became Operator (mm/dd/yyyy): 01/01/1999			
	Operator Type:	Private <input checked="" type="checkbox"/>	County <input type="checkbox"/>	District <input type="checkbox"/>	Federal <input type="checkbox"/>	Indian <input type="checkbox"/>	Municipal <input type="checkbox"/>	State <input type="checkbox"/>
	Street or P.O. Box: 559 Pittsburgh Road							
	City, Town or Village: Circleville				Operator Phone #:			
	State: OH				Country: USA		Zip Code: 43113	

VIOLATIONS CITED?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---------------------------------------------------------------------

TYPE OF HANDLER - MARK "X" AS APPROPRIATE		
<input type="checkbox"/> Not a HW Generator	<input type="checkbox"/> UNKNOWN: Cited for violation of 3745-52-11	<input checked="" type="checkbox"/> Large Quantity Generator (LQG)
	<input type="checkbox"/> Short-Term/Temporary Generator (generates from a short-term or one-time event and not from on-going processes). Check the box for the applicable generator status and provide a comment.	<input type="checkbox"/> Small Quantity Generator (SQG)
		<input type="checkbox"/> Conditionally Exempt Small Quantity Generator
		<input checked="" type="checkbox"/> U.S. Importer of Hazardous Waste
		<input type="checkbox"/> Mixed Waste (Hazardous and Radioactive) Generator

PROCESS DESCRIPTION SECTION

Give a general process description (include all processes at the facility)

PPG Industries Ohio, Inc. (PPG) operates a resin manufacturing plant and a rotary kiln hazardous waste incinerator (Energy Recovery Unit or ERU) in Circleville, Ohio. PPG operates as a large quantity generator (LQG) and holds a renewal hazardous waste installation and operation permit that was issued by Ohio EPA on December 29, 2006, for the storage of hazardous waste in tanks and containers and for the treatment of hazardous waste (blending in tanks and rotary kiln incineration).

The manufacturing plant produces approximately 400 formulations of synthetic organic resins, including alkyds, epoxies, polyester, acrylics, elastomeric, thermoplastic, and thermosetting resins. These resins are used by PPG's customers to manufacture paints and coatings. The company receives raw materials in containers of various types and sizes and in bulk (e.g., via tanker truck). Raw material containers are stored in the raw material warehouse then moved to either Building 1 or Building 2 for processing. Bulk raw material is stored in a series of aboveground storage tanks.

There are eight reactors in Building #1 (K1, K4-K6, K8-K11) and three reactors in Building #2, C-line, D-line, and a continuous reactor (CR-1). The reactors are used to produce various types of resins. Each reactor has condensers, decanters, drop tanks and weigh tanks associated with them. The finished product is sampled and filtered prior to being packaged for shipment to PPG's customers in containers of various sizes and types or in bulk. Tank storage of finished product also occurs in Building 1. Support facilities for the manufacturing plant include QC laboratories, a maintenance shop, a wastewater treatment facility, a still house (for reclaiming solvents) with two pot stills and a thin film evaporator, and a stripper building where the MIBK recovery system is housed. Five permitted hazardous waste storage tanks are used at the resin plant to accumulate bulk liquid waste. Four of them are used for the accumulation of solvent waste and one is used to accumulate aqueous waste.

The ERU was constructed to thermally treat the wastes generated by the Circleville manufacturing plant and other PPG-owned coatings and resins operations. Hazardous waste in liquid and solid form, and other solid wastes from coatings and resins manufacturing, are treated in this unit. Incoming wastes are stored in permitted hazardous waste storage tanks and/or treatment tanks and the permitted container storage warehouse. There are 16 liquid waste storage tanks for blending and storing bulk organic and aqueous wastes, 3 drum pumpout tanks, 2 control liquid tanks to provide a high BTU waste liquid to the kiln, and 2 (unpermitted) overflow tanks. Support facilities for the incinerator include a waste analysis laboratory and a water treatment area.

Currently the ERU has been shut down for an indefinite period as PPG is evaluating the cost associated with upkeep and operation of the facility. PPG hopes to have the study completed and a determination made within the next 6-12 months. Waste from the resin plant is being diverted to Clean Harbors, EQ, Veolia, and Rineco. While waste stored at the ERU is being repackaged and shipped to Ross Incineration. The ERU plans to have all waste offsite by the end of January 2013.

Non-hazardous wastes generated include used oil, wastewater treatment bio-sludge and post-filtration sludge, batteries, and spent fluorescent lamps. Most of the above wastes are sent to the ERU for treatment, except for batteries and intact fluorescent bulbs, which are managed as universal wastes. They are shipped to AERC Recycling Services in Allentown, Pennsylvania. Broken fluorescent bulbs are collected in a satellite drum and shipped as hazardous waste.

Also, in some circumstances, waste isocyanate solution (D003, U223) is sent off site as hazardous waste because PPG does not want to burn unreacted isocyanates in the ERU (they gel up equipment). In the past, PPG has sent isocyanate waste (D001) to Clean Harbors El Dorado LLC for incineration (H040). In addition, if the ERU is shut down for an extended period of time, hazardous waste may be diverted to another facility (e.g., MEK diverted to Clean Harbors in MD).

ERU:

The incineration system consists of a rotary kiln incinerator, secondary combustion chamber, slag and ash collection systems, heat recovery boiler, electrostatic precipitator (ESP), primary and supplemental induced draft fans, packed bed wet scrubber, carbon adsorption system, and a stack.

Hazardous wastes are generated by the ERU in the waste analysis and thermal treatment processes. The wastes and their associated waste codes (based on the Annual Report) include:

- Kiln slag; F002, F003, F005 and any U-codes associated with the incinerated waste
- Secondary combustion chamber ash; D006, D008, D010, F002, F003, F005 and any U-codes associated with the incinerated waste
- Flyash from the heat recovery boilers and electrostatic precipitator; D006, D008, D010, F002, F003, F005 and any U-codes associated with the incinerated waste
- Scrubber/evaporator blowdown; D008, D010, F002, F003, F005 and any U-codes associated with the incinerated waste
- Organic laboratory wastes; D001, D006, D007, D008, F003, F005
- Manifold drippings; D001, D005, D007, D008, D035
- ERU solvent flush; D001, F003, F005
- Strainer cleanout solids; D001, D005, D006, D007, D008, D035
- Aqueous wash water; D001, D008
- Refractory brick; D006, D008, D010, F002, F003
- Spent carbon and scrubber packing
- U-coded debris and discarded materials from shutdown; D005, D006, D007, D008, D010, F002, F003, F005, U113, U140, U159, U161, U162, U220, U239
- Waste flammable TKU resin solution; D001 (sent to Clean Harbors El Dorado for incineration)
- Contaminated duct work; D008, D009, D010, F002, F003, F005 (ultimately sent to Clean Harbors Canada, Inc. for disposal)

In order to limit the waste codes applicable to waste generated by the ERU, U- and P- wastes are stockpiled and burned in campaigns at certain times of the year. A variety of U- and P- codes are assigned to the ERU waste when that type of waste is incinerated.

The kiln slag and ashes are shipped to either Michigan Disposal Waste Treatment or Wayne Disposal, Inc. Site #2 Landfill in Belleville, Michigan, for either H075 (chemical oxidation), H111

GENERAL PERMIT COMPLIANCE AND ACTIVITIES			
1.	Has the expiration date of the permit passed? If so:		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Is the permittee continuing any activity regulated by the permit after the expiration date of the permit?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Has the facility submitted an application for a permit renewal to the director no later than 180 days prior to the expiration date of the permit? [Condition A.6]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Has the permittee submitted the annual permit fee, payable to "Treasurer, State of Ohio," to Ohio EPA on or before the anniversary of the date of issuance during the term of the permit? [Condition A.26]		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Is the permittee conducting any hazardous waste management activities (not otherwise exempt by law) which are not authorized by the permit? [Conditions A.1(b) and A.5]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
4.	Have any provisions of the permit been identified as invalid? [Condition A.4]		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
5.	Has the permittee identified any instances of noncompliance with the permit, ORC Chapter 3734, or the rules adopted thereunder, which may endanger human health or the environment? If so:		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
	a.	Did the permittee immediately report the following to Ohio EPA's Emergency Response Unit? [Condition A.20]	
	i.	Information concerning a release of any hazardous waste that may cause an endangerment to public drinking water supplies; and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	ii.	Information concerning a release of hazardous waste, fire or explosion at the facility which could threaten human health or the environment outside the facility including a description of:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/>
		A. Name, address and telephone number of the owner/operator?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		B. Name, address and telephone number of the facility?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		C. Date, time and type of incident?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		D. Name and quantity of material(s) involved?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		E. The extent of injuries, if any?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		F. An assessment of the actual or potential hazard to the environment and human health outside the facility?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
		G. Estimated quantity and disposition of recovered material that resulted from the incident?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
6.	Did the permittee provide a written report to Ohio EPA's Emergency Response Unit and DHWM within 5 days of becoming aware of the circumstances reported in Questions No. 5? If so, did the report contain: [Condition A.21]		Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	a.	A description of the noncompliance and its cause (including exact dates and times)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	b.	Whether the noncompliance has been corrected and if not, the anticipated time noncompliance is expected to continue? and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Steps taken or planned to minimize the impact on the environment and to reduce, eliminate and prevent recurrence of the noncompliance?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

SITE ENTRY - AVAILABILITY OF RECORDS		
18.	As specified in Condition A.11, has the permittee allowed the director or an authorized representative, upon proper identification to:	
a.	Enter at reasonable times upon the premises where a regulated activity is located or where records are kept under the conditions of the permit?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Have access to and copy, at reasonable times, any records required to be kept under the conditions of the permit?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Inspect, at any time, facilities, equipment (including control and monitoring equipment), practices or other operations regulated under the conditions of the permit?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Sample, document, photograph or monitor, at reasonable times, any substances or parameter at the location of the facility to assure compliance with the permit or as otherwise authorized by ORC Chapter 3734. and the rules adopted thereunder?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
INSPECTION ITEMS FROM PART B APPLICATION		
<i>NOTE: The inspector or permit writer may add questions pertaining to the permittee's application, as appropriate.</i>		
RECORDKEEPING/OPERATING REQUIREMENTS		
OPERATING RECORD		
19.	In accordance with OAC rules 3745-54-73 and 3745-54-74 and Condition B.22 of the permit, does the permittee maintain an Operating Record which contains the following information:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	A description of the quantity of each hazardous waste and the method(s) and date(s) of its treatment or storage?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	The location of each hazardous waste and quantity at each location including cross-reference to specific manifest numbers?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Records and results of required waste analysis?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Summary reports and details of all incidents that required implementation of the contingency plan?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
e.	Records and results of required inspections?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Documents required to be maintained by LDR requirements of OAC Chapter 3745-270?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
g.	Monitoring, testing, or analytical data, and corrective action where required, from groundwater monitoring and required monitoring of surface impoundments, landfills, waste piles and land treatment units? [3745-54-73(B)(6)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
h.	For disposal facilities , location and quantity of each hazardous waste record on a facility map and cross-references to manifest document numbers? [3745-54-73(B)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
DOCUMENTS TO BE MAINTAINED AT FACILITY		
20.	In accordance with Condition A.28 of the permit, is the permittee maintaining the following documents at the facility:	
a.	Waste analysis plan in accordance with OAC rule 3745-54-13?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Contingency plan in accordance with OAC rule 3745-54-53?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

27.	Has Ohio EPA requested submittal of any reports or other information from the permittee? If so:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Have the submittals been signed and certified according to OAC rule 3745-50-42? [Condition A.13]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
INSPECTION ITEMS FROM THE PART B APPLICATION		
<i>NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.</i>		
WASTE MINIMIZATION REQUIREMENTS		
28.	Does the permittee certify at least once every year that a program is in place to reduce the volume and toxicity of hazardous waste generated in accordance with Condition A.29(a) of the permit and OAC rule 3745-54-73(B)(9)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
29.	Did the permittee submit the waste minimization report to Ohio EPA, Office of Compliance Assistance & Pollution Prevention and Central District Office within 180 days of journalization of this permit and updates every two years thereafter? [Condition A.29] The most recent Waste Minimization Report was received June 2011.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
30.	Has the permittee reduced the amount of waste (hazardous waste, solid waste, air emission, waste water discharges, etc.) this year generated at their facility by implementing pollution prevention/waste minimization? See Waste Minimization Report.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	If so, what amount of waste has the permittee reduced this year?	
31.	Has the permittee saved money this year by implementing pollution prevention (reducing raw material usage, disposal fees, energy savings, etc.)? See Waste Minimization Report.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	If so, how much money has the permittee's company saved this year?	
<i>NOTE: If this facility is inspected two times a year, the information obtained in Questions 28 through 31 only needs to be collected one time for the calendar year.</i>		
GROUND WATER MONITORING		
32.	Has the permittee conducted sampling of their monitoring wells? [Condition J.9 & J.10]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
33.	Have they reported the results in the Annual Report to the director by March 1 st as required by Condition B.25 of the permit?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
INSPECTION ITEMS FROM THE PART B APPLICATION		
<i>NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.</i>		
WASTE ACCEPTANCE AND GENERATION		
34.	Is the permittee storing any containers of hazardous waste received from any off-site source that permittee is not permitted to store? [Condition A.1.]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
35.	Has the permittee arranged to receive hazardous waste from a foreign or off-site source that the permittee is not permitted to store? [Condition A.1.]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
36.	Has the permittee notified the regional administrator of U.S. EPA at least four weeks prior to the date the permittee expects to receive hazardous waste from a foreign source, as required by OAC rule 3745-54-12(A)? [Condition B.2(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

	e.	Did the permittee prepare a manifest in accordance with OAC rules 3745-54-72(F)(1) through (7) for rejected waste to be sent back to the generator? [3745-54-72(F)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
43.		If the permittee receives hazardous waste imported from a foreign source, has the permittee mailed a copy of the manifest to U.S. EPA within 30 days after a delivery? [3745-54-71(A)(3)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
44.		Does the permittee send a hazardous waste shipment to a consignment state (i.e., the state in which the hazardous waste shipment will be transported and subsequently managed)? If so:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	a.	Has the permittee determined whether the consignment state for a shipment regulates any additional wastes (beyond those regulated federally) as hazardous wastes under its state hazardous waste program? [3745-54-71(E)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	b.	Has the permittee determined whether the consignment state requires the permittee to submit any copies of the manifest to the state? [3745-54-71(E)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
45.		If the permittee has accepted any unmanifested hazardous wastes from off-site sources for treatment, storage, or disposal, has an unmanifested waste report containing all the information required by OAC rule 3745-54-76(A) been submitted to the director within 15 days?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
WASTE ANALYSIS/WASTE ANALYSIS PLAN					
46.		Does the permittee have a detailed chemical and physical analysis of waste streams which contains all information of the waste in accordance with OAC Chapters 3745-54 to 3745-57, 3745-205 and 3745-270 and the terms and conditions of the permit? [Condition B.3(a)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
47.		Does the permittee follow the procedures described in the WAP (Section C of the approved permit application)? [Condition B.3(b)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
48.		In accordance with OAC rule 3745-54-13(A)(3), does the permittee repeat the waste analysis when the process or operation generating the hazardous waste has changed, or at least annually? [Condition B.3]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
49.		FOR OFF-SITE FACILITIES: Are the sampling methods and procedures specified in the permittee's WAP that will be used to inspect and, if necessary, analyze each movement of hazardous waste received at the facility to ensure that it matches the identification of the waste on the manifest [3745-54-13(C)]?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
50.		FOR FACILITIES OPERATING SURFACE IMPOUNDMENTS EXEMPT FROM LAND DISPOSAL RESTRICTIONS UNDER OAC rule 3745-270-04(A):			
		Does the waste analysis plan include procedures and schedules for:			
	a.	The sampling of impoundment contents? [3745-54-13(B)(7)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b.	The analysis of test data? [3745-65-13(B)(7)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	c.	The annual removal of residues which are not delisted or which exhibit the characteristic of a hazardous waste and either do not meet treatment standards (OAC rules 3745-270-40 to 3745-270-49) or where no treatment standards have been established? [3745-54-13(B)(7)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
51.		Where applicable: The methods which will be used to meet additional waste analysis requirements for specific waste management methods specified in OAC rules 3745-54-17, 3745-57-14, 3745-57-41 and 3745-270-07? [3745-54-13(B)(6)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
52.		Does the permittee place the results of all waste analyses in the facility operating record in accordance with OAC rule 3745-54-73?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

60.	Does the permittee properly maintain and operate the facility to achieve compliance with the terms and conditions of the permit including: [Condition A.9]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
a.	Effective management practices?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
b.	Adequate funding?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
c.	Adequate operator staffing and training?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
d.	Adequate laboratory and process controls?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

PERSONNEL TRAINING

61.	Is the permittee conducting personnel training in accordance with the conditions of the permit and with the following requirements of OAC rule 3745-54-16? [Condition B.6]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
a.	Does the permittee provide personnel training which includes instruction in safe equipment operation and emergency procedures and implementation of the contingency plan? [3745-54-16(A)(B)(C)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
b.	Does the permittee provide personnel training to new employees within six months after their date of employment as required by OAC rule 3745-54-16(B)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
c.	Does the permittee provide an annual refresher training course as required by OAC rule 3745-54-16(C)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
62.	Is the permittee maintaining personnel training records as required by OAC rule 3745-54-16(D) and Section ___ of the approved permit application, including: written job titles, job descriptions and documented employee training records? [Condition B.6]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

REQUIRED EQUIPMENT

NOTE: Inspector may attach a list of emergency equipment. If so, the attachment document is referenced as Appendix ___.

63.	Has the permittee equipped the facility with the following emergency equipment as required by OAC rule 3745-54-32 and Condition B.9 of the permit:			
a.	An internal communications or alarm system?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
b.	A device such as a telephone which is capable of summoning emergency assistance from local emergency authorities?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
c.	Portable fire extinguishers and/or fire control equipment, spill control and decontamination equipment?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
d.	Water in adequate volume and pressure to supply water hose streams, foam producing equipment, automatic sprinklers or water spray systems?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
64.	Is the permittee inspecting, testing and maintaining the equipment specified in Question No. 63 to ensure its proper operating in accordance with OAC rule 3745-54-33 and Condition B.10 of the permit?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
65.	Whenever hazardous waste is being managed at the facility, has the	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

e.	Facility layout?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
74.	In accordance with OAC rule 3745-54-55, does/do the emergency coordinator(s) have the authority to commit the resources needed to carry out the contingency plan? [Condition B.19]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
75.	Does the permittee have a contingency plan for the facility that: [Condition B.15]			
a.	Describes the actions facility shall take to comply with OAC rules 3745-54-51 through 3745-54-56 in response to fires, explosions, or any unplanned sudden or nonsudden release of hazardous waste or hazardous waste constituents to air, soil or surface water at the facility?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
b.	Describes arrangements agreed to by local police, fire departments, hospitals, contractors and Ohio EPA and the local emergency response team to coordinate emergency services?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
c.	Includes an up-to-date list of names, addresses and phone numbers (office and home) for all persons qualified to act as emergency coordinator in the order that they will assume responsibility for coordination of emergency response?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
d.	Includes a list of all emergency equipment, including fire extinguishing systems, spill control equipment, communications and alarm systems and decontamination equipment?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
e.	Includes the location and a physical description of each item on the list referenced in Question No. 75(d), and a brief outline of its capabilities?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
f.	Includes an evacuation plan for facility personnel describing signals to be used to begin evacuation, evacuation routes, and alternate evacuation routes, in situations where the primary routes could be blocked by releases of hazardous waste?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

NOTE: If the permittee already has a "Spill Prevention, Control and Countermeasures Plan" under 40 CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the permittee can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. The permittee may develop one contingency plan which meets all regulatory requirements. Ohio EPA recommends that the plan be based on the "National Response Team's Integrated Contingency Plan Guidance (One Plan)." [3745-54-52(B)]

IMPLEMENTATION OF CONTINGENCY PLAN

76.	Has there been a fire, explosion, or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment since the date of the last inspection? If so:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
-----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------	----------------------------------------	------------------------------

NOTE: Example scenarios that could be threats to human health or the environment are provided in a DHWM guidance document on "Contingency Plan Implementation and Incident Reporting Under Ohio Hazardous Waste Rules" at: http://epa.ohio.gov/portals/32/pdf/Contingency_Plan_and_Incident_Reporting.pdf. Facility specific scenarios are included in the permittee's contingency plan.

a.	Did the permittee immediately implement the approved contingency plan and follow the emergency procedures described in OAC rule 3745-54-56? [Conditions B.14 and B.20]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
b.	Did the permittee immediately notify Ohio EPA's emergency response team using the 24-hour toll free number (800)282-9378 providing the following information: [3745-54-56(D)(2)]			
i.	Name and telephone number of the reporter?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
ii.	Name and address of the facility?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
iii.	Time and type of incident?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

	zoning authority no later than the submission of certification of closure of each hazardous waste disposal unit? [Condition B.34]	
--	-----------------------------------------------------------------------------------------------------------------------------------	--

POST-CLOSURE MAINTENANCE

NOTE: Inspector may attach a post-closure maintenance inspection schedule. If so, the attached document is referenced as Appendix _____.

81.	Has the permittee inspected the components, structures, and equipment at the site in accordance with the inspection schedule in Section ____ of the approved permit application on a quarterly basis? [OAC rule 3745-55-17(A)(1)(b)] [Condition B.35]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
82.	Has the permittee conducted and recorded an inspection of at least the following? [Condition B.35]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Security control devices (gates, locks, fences and signs);	
b.	Erosion control;	
c.	Cover settlement, subsidence and displacement;	
d.	Vegetative cover conditions;	
e.	Integrity of run-on/run-off control measures;	
f.	Cover drainage system functioning;	
g.	Monitor well conditions; and	
h.	Benchmark integrity.	
83.	Is the permittee using the inspection forms found in the approved Part B permit application? [Section ____ of the approved permit application]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
84.	Have suitable repairs been made within a reasonable amount of time? [Condition B.35]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
85.	Have repairs been indicated on the Notification Repair Form? [Condition B.35]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
86.	Was the Notification of Repair Form submitted to Ohio EPA within one week after determining that repairs are necessary? [Condition B.35]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

STORAGE OF HAZARDOUS WASTES IN CONTAINERS

NOTE: The requirements of Condition C do not apply to the permittee's activities as a generator accumulating hazardous waste for <90 days per OAC rule 3745-52-34(A). Please complete the applicable sections of the Generator Requirements checklist to document compliance with activities associated with <90 day accumulation of wastes.

CONDITION OF CONTAINERS

87.	Are containers holding hazardous wastes in good condition as required by OAC 3745-55-71? [Condition C.4] If not:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the permittee transfer the hazardous waste from such a container to one that is in good condition or otherwise manage the waste in a manner that complies with the conditions of the permit? [Condition C.4]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
88.	Does the permittee ensure that all containers used at the facility are	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	leaks or implementing established workplace practices to ensure leaks are promptly identified, has the permittee documented: [3745-55-95(D)]	
a.	Inspections of above ground portion of tank weekly?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Inspections of construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste weekly?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Use of the alternate inspection schedule, including a description of the established workplace practices at the facility?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
97.	Where applicable, does the permittee inspect the cathodic protection system to confirm proper operation within six months of initial installation and annually thereafter, as required by OAC rule 3745-55-95(G)(1)? [Condition D.6(d)(i)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
98.	Where applicable, does the permittee inspect all sources of impressed current at least bi-monthly as required by OAC rule 3745-55-95(G)(2)? [Condition D.6(d)(ii)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEMS – CLOSURE REQUIREMENTS

99.	If the permittee has closed a tank, was closure completed in accordance with OAC rule 3745-55-97? [Condition D.9]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
-----	-------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

TANK SYSTEMS – STORING IGNITABLE OR REACTIVE WASTES

100.	For tanks used to treat or store ignitable or reactive wastes, has the permittee complied with one of the following in accordance with OAC rule 3745-55-98(A)? [Condition D.10(a)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the waste treated before or immediately after placement in the tank so that the resultant mixture is no longer ignitable or reactive and the permittee has conducted such activities in compliance with OAC rule 3745-54-17(B)?; or	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Is the waste stored or treated to protect it from materials or conditions which may cause ignition or reaction?; or	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Is the tank used solely for emergencies?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
101.	If ignitable or reactive waste is stored or treated, are protective distances maintained between waste management areas and any public streets, alleys or adjoining property lines as required by the NFPA Flammable and Combustible Liquids Code (2008)? [Condition D.10(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
102.	In accordance with OAC rules 3745-55-99(A), (B) and Condition D.11 of the permit, has the permittee placed incompatible wastes or materials into the same tank system, or into a tank system that has not been decontaminated and which previously held an incompatible waste or material?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	If so, have the requirements of OAC rule 3745-54-17(B) been met?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

TANK SYSTEMS – WRITTEN ASSESSMENT REQUIREMENTS

103.	In accordance with OAC rule 3745-55-92(A) and Condition D.3 of the permit, has the permittee obtained and submitted a written assessment attesting that the design, installation and structural integrity of the system is adequate for the management of hazardous waste(s)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: Review the file to see if the written assessment has been previously reviewed and what the results were.

	Does the written assessment include the following items:	
a.	Certification by a qualified professional engineer?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

	iv.	Does liner completely surround the tank and cover all earth likely to be contacted by waste during a release?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	v.	Are chemically resistant water stops in place at all points? (concrete liners only)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	vi.	Is there a compatible interior coating or lining to prevent migration of waste into the concrete? (concrete liners only)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	b.	Vault system as described in OAC rule 3745-55-93(E)(2)? If so,	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
	i.	Is vault system designed to contain 100% of the capacity of the largest tank?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	ii.	Is liner designed and operated to prevent run-on and infiltration or the collection system has excess capacity to contain run-on and infiltration from a 25-year, 24-hour storm?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	iii.	Are chemically resistant water stops in place at all points?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	iv.	Is there a compatible interior coating to prevent migration into the concrete?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	v.	For ignitable or reactive waste : Is the vault system provided with means to prevent (or alternatively "protect against") the formation or ignition of vapors?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	vi.	Is vault system provided with an exterior moisture barrier?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	c.	Double-walled tank as described in OAC rule 3745-55-93(E)(3)? If so,	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
	i.	Is double-walled tank designed as an integral structure to contain any release from the inner tank?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	ii.	If metal, are the primary tank interior and outer shell exterior surfaces protected from corrosion?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	iii.	Is double-walled tank provided with a continuous leak detection system able to detect a release within 24 hours or at the earliest practicable time?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	d.	An equivalent device as described in OAC rule 3745-55-93(D)(4) which has been approved by the director?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

TANK SYSTEMS – SECONDARY CONTAINMENT DESIGN/OPERATION/INSTALLATION

107.	In accordance with OAC rules 3745-55-93(B)(1), (2) and Condition D.4 of the permit, has each secondary containment system been designed, installed and operated to prevent any migration of wastes or liquid to the soil, groundwater, or surface water and is it capable of <u>detecting and collecting releases and accumulated liquids</u> ?		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
108.	Does the secondary containment system meet the following minimum requirements of OAC rule 3745-55-93(C)? [Condition D.4]				
	a.	Constructed or lined with compatible materials of sufficient strength to prevent failure?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	b.	Placed on a foundation or base capable of providing support?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	c.	Provided with a leak detection system designed/operated to detect failure to primary or secondary containment or any release of hazardous waste within 24 hours or at the earliest practicable time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	d.	Sloped or designed to drain and remove liquid resulting from leaks, spills or precipitation?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	e.	Any liquid which accumulates in the containment unit resulting from spills, leaks or precipitation removed within 24 hours or in a timely	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

	professional engineer attesting that the repaired unit is capable of handling hazardous waste, as required by OAC rule 3745-55-96(F)? [Condition D.7(c)]	
112.	Was a copy of the certification submitted to the director within seven days after returning the system to use, as required by OAC rule 3745-55-96(F)? [Condition D.7(c)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/>
113.	If the permittee was unable to repair and return the unit to service as described in Questions 110.i and 110.j, was the tank system closed in accordance with OAC rule 3745-55-97?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/>
114.	Does the permittee have a tank system with a variance from secondary containment from which a release has occurred but <u>has not</u> migrated beyond the zone of engineering control? If so, did the permittee take following actions as required by OAC rule 3745-55-93(G)(3)? [Condition D.7(b)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the permittee complied with OAC rules 3745-55-96(A) through (F) and decontaminated soils?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	If soils cannot be decontaminated/removed, has the permittee complied with OAC rule 3745-55-97(B)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/>
115.	Does the permittee have a tank system with a variance from secondary containment from which a release occurred and <u>has</u> migrated from the zone of engineering control? If so, did the permittee take following actions as required by OAC rule 3745-55-93(G)(4)? [Condition D.7(b)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the permittee complied with OAC rules 3745-55-96(A) through (D), prevented migration, and decontaminated soil?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	If soils cannot be decontaminated/removed, or if the groundwater has been contaminated, has the permittee complied with OAC rule 3745-55-97(B)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

CONTAINMENT SYSTEM

116.	Does the permittee maintain the containment system as described in Section D of the approved permit application, including: [Condition C.7]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Sufficient capacity to hold 10% of the total volume of containers or the volume of the largest container, whichever is greater?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	A system which is free of gaps and sufficiently impervious to contain leaks and spills?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
117.	Has the permittee had a spill or leak of wastes? If so:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	Was spilled or leaked waste removed in a timely manner? [Condition C.7(e)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: This time period is not to exceed 24 hours. [Condition C.7(e)]

AISLE SPACE

118.	Is the permittee maintaining adequate aisle space to allow unobstructed movement of personnel and equipment in the event of an emergency as required by OAC rule 3745-54-35 and Condition B.12 of the permit?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

INSPECTION ITEMS FROM THE PART B APPLICATION

NOTE: The inspector or permit writer may add inspection items based on the permittee's application, as appropriate.

LAND DISPOSAL RESTRICTION REQUIREMENTS

NOTE: In order to determine compliance with all applicable LDR requirements the inspector may need to complete the separate LDR TSD checklist:

119.	Does the permittee comply with all applicable regulations regarding land disposal prohibitions and restrictions as required by OAC Chapter 3745-	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
------	--------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

**LARGE QUANTITY GENERATOR REQUIREMENTS
COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG: ≤100 Kg. (Approximately 25-30 gallons) of waste in a calendar month or ≤ 1 Kg. of acutely hazardous waste.
 SQG: Between 100 and 1,000 Kg. (About 25 to under 300 gallons) of waste in a calendar month.
 LQG: ≥ 1,000 Kg. (~300 gallons) of waste in a calendar month or >1 Kg. of acutely hazardous waste in a calendar month.
NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds.

Safety Equipment Used:

GENERAL REQUIREMENTS

1.	Have all wastes generated at the facility been adequately evaluated? [3745-52-11]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
2.	Are records of waste determination being kept for at least 3 years? [3745-52-40(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
3.	Has the generator obtained a U.S. EPA identification number? [3745-52-12]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Were annual reports filed with Ohio EPA on or before March 1 st ? [3745-52-41(A)] Ohio EPA received PPG's 2011 Annual Report on March 12, 2012.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Are annual reports kept on file for at least 3 years? [3745-52-40(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Has the generator transported or caused to be transported hazardous waste to other than a facility authorized to manage the hazardous waste? [ORC 3734.02(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
7.	Has the generator disposed of hazardous waste on-site without a permit or at another facility other than a facility authorized to dispose of the hazardous waste? [ORC 3734.02(E)&(F)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
8.	Does the generator accumulate hazardous waste?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: If the LQG does not accumulate or treat hazardous waste, it is not subject to 52-34 standards. All other requirements still apply, e.g., annual reports, manifest, marking, record keeping, LDR, etc.

9.	Has the generator accumulated hazardous waste on-site in excess of 90 days without a permit or an extension from the director ORC §3734.02(E)&(F)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	----------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: If F006 waste is generated and accumulated for > 90 days and is recycled see 3745-52-34(G)&(H).

10.	Does the generator treat hazardous waste in a: [ORC 3734.02(E)&(F)]	
a.	Container that meets 3745-66-70 to 3745-66-77?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Tank that meets 3745-66-90 to 3745-66-100 except 3745-66-97(C)?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
c.	Drip pads that meet 3745-69-40 to 3745-69-45?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Containment building that meets 3745-256-100 to 3745-256-102?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Complete appropriate checklist for each unit.

NOTE: If waste is treated to meet LDRs, use LDR checklist.

11.	Does the generator export hazardous waste? If so: Clean Harbors (MIR000014530), in Burton, MI, is acting as the primary exporter on behalf of the generator.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Has the generator notified U.S. EPA of export activity? [3745-52-53(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Has the generator complied with special manifest requirements? [3745-52-54]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	For manifests that have not been returned to the generator: has an exception report been filed? [3745-52-55]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
d.	Has an annual report been submitted to U.S. EPA? [3745-52-56]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

26.	Does the generator keep records and documentation of:		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	a.	Job titles? [3745-65-16(D)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	b.	Job descriptions? [3745-65-16(D)(2)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	c.	Type and amount of training given to each person? [3745-65-16(D)(3)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	d.	Completed training or job experience required? [3745-65-16(D)(4)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
27.	Are training records for current personnel kept until closure of the facility and are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

CONTINGENCY PLAN

28.	Does the owner/operator have a contingency plan to minimize hazards to human health or the environment from fires, explosions or any unplanned release of hazardous waste? [3745-65-51(A)]		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
29.	Does the plan describe the following:				
	a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste? [3745-65-52(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	b.	Arrangements with emergency authorities? [3745-65-52(C)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	c.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator? [3745-65-52(D)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	d.	A list of all emergency equipment, including: location, a physical description and brief outline of capabilities? [3745-65-52(E)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
	e.	An evacuation plan for facility personnel where there is possibility that evacuation may be necessary? [3745-65-52(F)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

NOTE: If the facility already has a "Spill Prevention, Control and Countermeasures Plan" under 40 CFR Part 112 or 40 CFR Part 1510, or some other emergency plan, the facility can amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with OAC requirements. The facility may develop one contingency plan which meets all regulatory requirements. Ohio EPA recommends that the plan be based on the "National Response Team's Integrated Contingency Plan Guidance (One Plan)." [3745-65-52(B)]

30.	Is a copy of the plan (plus revisions) kept on-site and been given to all emergency authorities that may be requested to provide emergency services? [3745-65-53(A)&(B)]		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
31.	Has the generator revised the plan in response to rule changes, facility, equipment and personnel changes, or failure of the plan? [3745-65-54]		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
32.	Is an emergency coordinator available at all times (on-site or on-call)? [3745-65-55]		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

NOTE: The emergency coordinator shall be thoroughly familiar with: (a) all aspects of the facility's contingency plan; (b) all operations and activities at the facility; (c) the location and characteristics of waste handled; (d) the location of all records within the facility; (e) facility layout; and (f) shall have the authority to commit the resources needed to implement provisions of the contingency plan.

EMERGENCY PROCEDURES

33.	Has there been a fire, explosion or release of hazardous waste or hazardous waste constituents since the last inspection? If so:		Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
	a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	c.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(I)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>

NOTE: OAC 3745-65-51(B) requires that the contingency plan be implemented immediately whenever there is a fire,

[3745-52-34(C)(2)]

NOTE: The satellite accumulation area is limited to 55 gallons of hazardous waste accumulated from a distinct point of generation in the process under the control of the operator of the process generating the waste (less than 1 quart for acute hazardous waste). There could be individual waste streams accumulated in an area from different points of generation.

USE AND MANAGEMENT OF CONTAINERS IN <90 DAY ACCUMULATION AREAS

45.	Has the generator marked containers with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
46.	Is the accumulation date on each container? [3745-52-34(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
47.	Are hazardous wastes stored in containers which are:	
a.	Closed (except when adding/removing wastes)? [3745-66-73(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	In good condition? [3745-66-71]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Compatible with wastes stored in them? [3745-66-72]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Handled in a manner which prevents rupture/leakage? [3745-66-73(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: Record location on process summary sheets, photograph the area, and record on facility map.

48.	Is the container accumulation areas(s) inspected weekly? [3745-66-74]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Are inspections recorded in a log or summary? [3745-66-74]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: "Week" means 7 consecutive days per ORC§1.44(A).

49.	Are containers of ignitable or reactive wastes located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
50.	Are containers of incompatible wastes stored separately from each other by means of a dike, berm, wall or other device? [3745-66-77(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
51.	If the generator places incompatible wastes, or incompatible wastes and materials in the same container, is it done in accordance with 3745-65-17(B)? [3745-66-77(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
52.	If the generator places hazardous waste in an unwashed container that previously held an incompatible waste, is it done in accordance with 3745-65-17(B)? [3745-66-77(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

NOTE: OAC 3745-65-17(B) requires that the generator treat, store, or dispose of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials so that it does not create undesirable conditions or threaten human health or the environment.

53.	If the generator has closed a <90 day accumulation area does the closure appear to have met the closure performance standard of 3745-66-11? [3745-52-34(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
-----	----------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: Please provide a description of the unit and documentation provided by the generator to demonstrate closure was completed in accordance with the closure performance standards. If the generator has closed a <90 day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

PRE-TRANSPORT REQUIREMENTS

54.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, 3745-52-31 and 3745-52-32(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
55.	Does each container ≤119 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
56.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**GENERATOR LDR CHECKLIST
DOES NOT APPLY TO CESQGS**

GENERAL REQUIREMENTS

1.	If LDRs do not apply, does the generator have a statement that lists how the HW was generated, why LDRs don't apply and where the HW went? [3745-270-07(A)(7)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
2.	Did the generator determine if the HW/soil must be treated to meet the LDR treatment standard prior to disposal? Generator knowledge or testing may be used. [3745-270-07(A)(1)] If not,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator send the waste to a permitted HW TREATMENT facility? [3745-270-07(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<p><i>NOTE: This is done by determining if the HW /soil contains levels of constituents greater than the levels given in its LDR treatment standard in 3745-270-40. However, if a specific treatment method is given in 3745-270-40 for the HW, no determination is required [3745-270-07(A)(1)(b)]. If soil, generator can choose to have soil treated to LDR levels given in 3745-270-49 (alternative treatment levels for soils).</i></p>		
3.	Does the generator have documentation of how he determined whether the HW/soil meets or does not meet the LDR treatment standard in 2, above? [3745-270-07(A)(6)(a) or 3745-270-07(A)(6)(b)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
4.	Does the generator keep the documentation required in #2, above, on-site for at least three years from the last date the HW/soil was sent on-site/off-site for treatment/disposal? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
5.	Does the generator generate a listed HW that exhibits a characteristic? If yes,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Did the generator determine if the listed HW exhibits a characteristic that is not treated under the LDR treatment standard for the listed HW? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><i>FOR EXAMPLE: F006 that exhibits the characteristic for silver or K062 that is corrosive, D002. Review LDR treatment standard in 3745-270-40 to determine what constituents the listed HW is treated for.</i></p>		
6.	Did the generator determine if its characteristic HW contains underlying hazardous constituents that need to be treated? [3745-270-09(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: This is done by evaluating which underlying hazardous constituents (UHC) are in the HW at levels above the universal treatment standards given in 3745-270-48. This requirement does not apply to high total organic carbon (i.e., contains >10% TOC) D001 wastes or listed HWs.</i></p>		
<p><i>NOTE: Written documentation of this determination is not required.</i></p>		
7.	Did the generator treat his HW /soil on-site to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
<p><i>NOTE: If "Yes" see question #16.</i></p>		
8.	Did the generator send a one-time LDR notification form to the TSD with the first shipment to that facility? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	If the generator chose not to make the determination of whether his waste must be treated, did he send a notice to the TSD facility with each shipment? [3745-270-07(A)(2)] If so, did the notice include:	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
i	Applicable HW codes?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
ii	Manifest number of the first shipment to the TSD?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
iii	A statement that conveys that the HW may or may not be subject to the LDR treatment standards and the TSD must make that determination.?"	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
9.	Did the generator resubmit the LDR notification form to the TSD when the HW changed or the generator used a new TSD? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
10.	Does the generator have a copy of the LDR notification form/notice on file? [3745-270-07(A)(2)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	Is the form/notice kept on file for three years after last HW shipped? [3745-270-07(A)(8)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

<i>NOTE: If "Yes", HW is improperly being treated by dilution.</i>			
	b.	Does the waste carry the D001 code and contain $\geq 10\%$ TOC?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
	c.	Does the wastewater treatment process include a process to separate/recover the organic phase of the waste?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
<i>NOTE: If the answers to b & c are "yes" and "no", respectively, waste is improperly being treated by dilution and generator is in violation of [3745-270-03(B)] and 3745-270-40(A)(3)].</i>			
<i>NOTE: A list of separation/recovery processes are given in 3745-270-42 under RORG.</i>			
GENERATOR TREATMENT			
16.		Does the generator treat to meet LDRs on-site?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
		Did the generator treat his hazardous waste/soil on-site in a tank, container, drip pad or containment building to meet the LDR treatment standard?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
		If "Yes"...complete the rest of the checklist. If "No"...stop...you are done.	
	a.	Does the generator have a written waste analysis plan (WAP) that describes the procedures he will follow to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	Did the generator use a detailed chemical and physical analysis of the HW/soil in order to develop the WAP? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: This is a laboratory analysis but it does not have to be kept by the generator.</i>			
	c.	Does the WAP contain all information necessary to treat the HW/soil to the LDR treatment standard? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	d.	Does the WAP include the testing frequency of the treated HW/soil to demonstrate that the LDR treatment standard is being met? [3745-270-07(A)(5)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	e.	Does the generator keep the WAP on-site? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	f.	Is the WAP available for the inspector's review during the inspection? [3745-270-07(A)(5)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTIFICATION FORM FOR GENERATOR TREATMENT			
17.	a.	Contains all information in #11 a-g above and	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	b.	If the treated HW/soil is listed.....notification contains the following certification statement: "I certify under penalty of law that I personally have examined and am familiar with the waste, through analysis and testing or through knowledge of the waste, to support this certification that the waste complies with the treatment standards specified in rule 3745-270-40 to 3745-270-49 of the Administrative Code. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
	c.	If the treated HW/soil no longer exhibits a characteristic and is no longer a HW, did the generator:	
		i. Prepare a one-time notification? [3745-270-09 (D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
		ii. Maintain a copy of the notice onsite? [3745-270-09(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
		iii. Include in the notification: [3745-270-09(D)]	
		1. Name & address of receiving landfill?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
		2. Description of HW when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
		3. HW code when generated?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

LQG TANK SYSTEM REQUIREMENTS (OAC rule 3745-52-34(A) and OAC rules 3745-66-90 through 3745-66-100)			
(Please refer to the rules before or while completing this checklist.)			
1.	Is each tank clearly labeled/marked with the words "Hazardous Waste?" [3745-52-34(A)(3)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
TANK SYSTEM – GENERAL OPERATING REQUIREMENTS			
2.	Does the o/o follow the general operating requirements below:		
a.	Does the o/o prevent placement of hazardous waste or treatment reagents in tank or secondary containment if such placement can cause the system to leak, rupture, corrode, or otherwise fail? [3745-66-94(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Does the o/o use appropriate controls to prevent spills or overflows from the system (e.g., check valves, dry disconnect couplings, high level alarms, etc.)? [3745-66-94(B)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	If a leak or spill has occurred in the tank system, has the o/o complied with 3745-66-96? [3745-66-94(C)]	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
TANK SYSTEM – INSPECTION REQUIREMENTS			
3.	Has the o/o documented the inspections required in 3745-66-95, in the operating record, including inspection of the following:		
a.	Data from leak detection equipment each operating day? [3745-66-95(A)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Spill control equipment each operating day? [3745-66-95(B)(1)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Above ground portion of tank each operating day? [3745-66-95(B)(2)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste each operating day? [3745-66-95(B)(3)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
<i>NOTE: "Each operating day" is each day that the tank system is being used to manage (store or treat) hazardous waste.</i>			
4.	For tank systems using leak detection systems to alert facility personnel to leaks or implementing established workplace practices to ensure leaks are promptly identified, has the o/o documented: [3745-66-95(C)]	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	Inspections of spill control equipment weekly?	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	Inspections of above ground portion of tank weekly?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Inspections of construction materials and area immediately surrounding the tanks for signs of erosion or release of hazardous waste weekly?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Use of the alternate inspection schedule, including a description of the established workplace practices at the facility?	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	For ancillary equipment NOT provided with secondary containment, has the o/o documented inspections of such equipment each operating day? [3745-66-95(E)]	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> N/A <input type="checkbox"/>
6.	Where applicable, did the o/o inspect the cathodic protection system to confirm proper operation within six months of initial installation and annually thereafter? [3745-66-95(F)(1)]	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Where applicable, did the o/o inspect all sources of impressed current at least bi-monthly? [3745-66-95(F)(2)]	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
TANK SYSTEM CLOSURE REQUIREMENTS			
8.	If the o/o has closed a <90 day tank, was closure completed in accordance with OAC 3745-66-97 (except for paragraph C)?	Yes <input type="checkbox"/>	No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

e.	A determination of design and operational measures that will be needed to protect the tank system from potential damage (only for underground tank components)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Design considerations to ensure that the tank foundations will maintain the load of a full tank? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
g.	Design considerations for anchoring the unit to prevent floatation (only for tanks situated in a seismic fault zone or saturated zone)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
h.	Design considerations to ensure that the tank system will withstand the effects of frost heave (only for underground tank systems)? [3745-66-92(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: CO-DHWM Engineering staff are available to assist you with evaluation of the written assessment.		
15.	Are there written statements by those persons who supervised installation or certified design of the new tank system, that the tank system was properly installed and designed and that required repairs were performed? [3745-66-92(G)] See Number 13.	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Do the written statements address all of the following:		
a.	Inspection for damage and/or inadequate construction and installation was conducted? [3745-66-92(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Statement that deficiencies were corrected before the tank system was covered or put into use? [3745-66-92(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
c.	Proper backfilling? [3745-66-92(C)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
d.	Tightness test; if the tank system was found not to be tight, does the statement indicate that proper repairs were made? [3745-66-92(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
e.	Proper support and protection of ancillary equipment? [3745-66-92(E)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
f.	Supervision of the installation of field fabricated corrosion protection? [3745-66-92(F)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
SECONDARY CONTAINMENT		
16.	Has secondary containment been provided? [3745-66-93(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
NOTE: Secondary containment must be provided for tank systems that store or treat materials that become hazardous wastes within two years after the hazardous waste listing, or when the system has reached 15 years of age, whichever comes later. [3745-66-92(A)(2)]		
17.	Is secondary containment one of the following:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
a.	An External Liner ? [3745-66-93(E)(1)] If so,	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
i.	Is liner designed or operated to contain 100% of the capacity of the largest tank?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
ii.	Is liner designed and operated to prevent run-on and infiltration or the collection system has excess capacity to contain run-on and infiltration from a 25-year, 24-hour storm?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iii.	Is liner free of cracks and gaps?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
iv.	Does liner completely surround the tank and cover all earth likely to be contacted by waste during a release?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
v.	Are chemically resistant water stops in place at all points? (concrete liners only)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
vi.	Is there a compatible interior coating or lining to prevent migration of waste into the concrete? (concrete liners only)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
b.	Vault System ? [3745-66-93(E)(2)] If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

	d.	Pressurized above ground piping systems with automatic shut-off devices (e.g., excess flow check valves, flow metering shutdown and/or loss of pressure-actuated shut-off devices) that is inspected daily?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
TANK SYSTEMS FOUND TO BE LEAKING OR UNFIT FOR USE					
21.	Has there been a leak or spill from any tank system or has any tank system been found unfit for use? If so , did the o/o:		Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
<i>NOTE: If the tank is found to be unfit for use, inspector should explain why.</i>					
	a.	Immediately cease flow of material into tank and investigate the cause of the release? [3745-66-96(A)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b.	Remove waste from tank system to prevent further release within 24 hours of detection or earliest practicable time? [3745-66-96(B)(1)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	c.	Remove all material released into secondary containment system within 24 hours or as timely as possible to prevent harm to human health and the environment? [3745-66-96(B)(2)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	d.	For a visible release to the environment, immediately conduct a visual inspection of the release? [3745-66-96(C)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	e.	For a visible release to the environment, prevent further migration of the leak or spill to soils or surface waters? [3745-66-96(C)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	f.	For a visible release to the environment, properly dispose of any visibly contaminated soil or surface water? [3745-66-96(C)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	g.	Report any release to the environment to the director within 24 hours unless it was less than one pound and was cleaned up immediately? [3745-66-96(D)(1)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	h.	For a release to the environment, submit a written report of the incident to the director within 30 days of the release? [3745-66-96(D)(3)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	i.	Remediate the spill and repair the unit prior to returning it to service? [3745-66-96(E)(2)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	j.	For a release from a tank system without secondary containment, did the o/o provide secondary containment meeting the requirements of 3745-66-93 for the unit prior to putting it back into service? [3745-66-96(E)(4)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
<i>NOTE: The requirements noted in 20.j. do not apply if the release was from an above ground component of the tank which can be inspected visually after being put back into service.</i>					
22.	In the event that the repairs to the tank system were major (e.g., replacement of liner, repair of ruptured primary or secondary containment structure), did the o/o obtain a certification from a qualified professional engineer attesting that the repaired unit is capable of handling hazardous waste? [3745-66-96(F)]		Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
23.	Was a copy of the certification submitted to the director within seven days after returning the system to use? [3745-66-96(F)]		Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
24.	If the o/o was unable to repair and return the unit to service as described in 20.a through 20.e, was the tank system closed in accordance with 3745-66-97? [3745-66-96(E)(1)]		Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
25.	Does the o/o have a tank system with a variance from secondary containment from which a release has occurred but <u>has not</u> migrated beyond the zone of engineering control? If so ,		Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
	a.	Has the o/o complied with 3745-66-96(A) through (F), except (D), and decontaminated soils? [3745-66-93(G)(3)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
	b.	If soils cannot be decontaminated/removed, has the o/o complied with 3745-66-97(B)? [3745-66-93(G)(3)]	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
26.	Does the o/o have a tank system with a variance from secondary containment from which a release occurred and <u>has</u> migrated from the zone of engineering control? If so ,		Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>

SMALL QUANTITY UNIVERSAL WASTE HANDLER REQUIREMENTS – BATTERIES AND LAMPS

Large Quantity Universal Waste Handler (LQUWH) = 5,000 Kg or more

Small Quantity Universal Waste Handler (SQUWH) = less than 5,000 Kg

PROHIBITIONS

1.	Did the SQUWH dispose of universal waste? [3745-273-11(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
2.	Did the SQUWH dilute or treat universal waste, except when responding to releases as provided in OAC rule 3745-273-17 or managing specific wastes as provided in OAC rule 3745-273-13? [3745-273-11(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>

WASTE MANAGEMENT AND LABELING/MARKING

UNIVERSAL WASTE BATTERIES

3.	Are batteries that show evidence of leakage, spillage or damage that could cause leaks contained? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
4.	If batteries are contained, are the containers closed and structurally sound, compatible with the contents of the battery and lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(A)(1)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
5.	Are the casings of the batteries breached, not intact, or open (except to remove the electrolyte)? [3745-273-13(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
6.	If the electrolyte is removed or other wastes generated, has it been determined whether the electrolyte or other wastes exhibit a characteristic of hazardous waste? [3745-273-13(A)(3)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
a.	If the electrolyte or other waste is characteristic, is it managed in compliance with OAC Chapters 3745-50 through 3745-69? [3745-273-13(A)(3)(a)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
b.	If the electrolyte or other waste is not hazardous, is it managed in compliance with applicable law? [3745-273-13(A)(3)(b)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
7.	Are the batteries or containers of batteries labeled with the words "Universal Waste - Batteries" or "Waste Battery(ies)" or "Used Battery(ies)"? [3745-273-14(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

UNIVERSAL WASTE LAMPS

8.	Does the SQUWH contain lamps in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with contents of the lamps? Are containers or packages closed and do they lack evidence of leakage, spillage or damage that could cause leakage? [3745-273-13(D)(1)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
9.	Are lamps that show evidence of breakage, leakage or damage that could cause a release of mercury or hazardous constituents into the environment immediately cleaned up? Are they placed into a container that is closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or hazardous waste constituents to the environment? [3745-273-13(D)(2)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>

NOTE: Treatment (such as crushing) by a UWH is prohibited under this rule unless the facility is permitted for such activities [3745-273-31(B)]. A generator crushing lamps must manage lamps according to hazardous waste rules (OAC Chapter 3745-52). Lamp crushing is a form of generator treatment (OAC rule 3745-52-34). Crushed lamps must be transported by a registered hazardous waste transporter to a permitted hazardous waste facility using a hazardous waste manifest.

10.	Are the lamps or containers or packages of lamps labeled with the words "Universal Waste - Lamp(s)" or "Waste Lamp(s)" or "Used Lamp(s)"? [3745-273-14(E)] At the time of the inspection, several containers being used to store universal waste lamps in the Carbon Building were not labeled properly.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
-----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

ACCUMULATION TIME

11.	Is the waste accumulated for less than one year? [3745-273-15(A)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
a.	If not, is the waste accumulated over one year in order to facilitate	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

**USED OIL INSPECTION CHECKLIST
GENERATORS, COLLECTION CENTERS AND AGGREGATION POINTS**

NOTE: 1. A facility is subject to the federal SPCC regulations (40 CFR 112) if it is non-transportation related (e.g., fixed) and has an aggregate above ground storage capacity greater than 1,320 gallons or a total underground storage capacity greater than 42,000 gallons of oil (including used oil), and there is reasonable expectation of a discharge to navigable waters.

2. Inspectors can check BUSTR's web-site at https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/PublicInquiry.asp to determine if a UST containing used oil is registered with BUSTR. Inspectors may call BUSTR at 614-752-7938 or a BUSTR site coordinator to report an unregistered UST or a UST that appears to not be in compliance with BUSTR regulations. A list of BUSTR coordinators by county are at:

https://www.comapps.ohio.gov/sfm/fire_apps/bust/bustr/SearchByCounty.asp.

PROHIBITIONS

1.	Does the generator manage used oil in a surface impoundment or waste pile? If yes:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

a.	Is the surface impoundment or waste pile regulated as a hazardous waste management unit? [3745-279-12(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	-----------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: For example, used oil contaminated scrap metal stored in a pile.

2.	Is used oil used as a dust suppressant? [3745-279-12(B)]	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	----------------------------------------------------------	--------------------------------------------------------------------------------------------------

3.	Is off-specification used oil fuel burned for energy recovery in devices specified in 3745-279-12(C)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	-------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: Multiple used oil checklists may be applicable if used oil handler is performing multiple tasks (e.g., if generating used oil and shipping directly to a burner, complete generator and marketer checklists at a minimum).

GENERATOR STANDARDS

4.	Does the generator mix hazardous waste with used oil? If so,	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
----	--------------------------------------------------------------	--------------------------------------------------------------------------------------------------

a.	Is the mixture managed as specified in 3745-279-10(B)? [3745-279-21(A)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	-------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: Used Oil mixed with listed (3745-51-30 to 3745-51-35) or characteristic (3745-51-20 to 3745-51-24) hazardous waste are subject to regulation as a hazardous waste, unless the listed hazardous waste is listed solely because it exhibits a hazardous characteristic, and the resultant mixtures do not exhibit a characteristic. Mixtures of used oil and CESQG hazardous waste are subject to OAC Chapter 3745-279.

5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

NOTE: If used oil contains greater than 1000 ppm total halogens, it is presumed to be listed hazardous waste until the presumption is successfully rebutted.

6.	Does the generator store used oil in tanks; or containers; or a unit(s) subject to regulation as a hazardous waste management unit? [3745-279-22(A)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	-----------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
----	--------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	--------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

a.	Stopped the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	----------------------	--------------------------------------------------------------------------------------------------

b.	Contained the release?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	------------------------	--------------------------------------------------------------------------------------------------

c.	Cleaned up and properly managed the used oil and other materials?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	-------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>
----	------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

ON-SITE BURNING IN SPACE HEATER

10.	Does the generator burn used oil in used-oil fired space heaters? [3745-279-	
-----	------------------------------------------------------------------------------	--