



**Environmental  
Protection Agency**

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

RE: Notice of Violation  
Allen County  
Lima WWTP  
Ohio EPA Permit No. 2PE00000  
NPDES Permit No. OH0023841

February 7, 2012

Mr. Russell C. Bales, Superintendent  
City of Lima  
50 Town Square  
Lima, Ohio 45801-4900

Dear Mr. Bales:

We are in receipt of your self-monitoring report covering the months of June through December 2011 for the referenced facility. Our review indicates a violation of the conditions of your NPDES permit. The specific instance of noncompliance is enclosed on a separate sheet.

Please inform this office in writing as to the reasons for the above referenced violations, as well as a description of the actions taken or proposed to prevent any further violations. Your response should include the dates, either actual or proposed, for completion of the actions.

Please be advised that failure to comply with the effluent limitations and/or monitoring requirements, including adequate laboratory controls, appropriate quality assurance procedures, and records retention, as specified in your Part III-General conditions of your NPDES permit may be cause for enforcement action pursuant to Ohio Revised Code, Chapter 6111. If these violations continue to occur and if satisfactory progress is not made, it may be necessary to initiate enforcement action to achieve compliance.

The Ohio EPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes or pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment, and improve your public image by implementing pollution prevention programs. Information about Ohio EPA's Office of Compliance Assistance & Pollution Prevention can be found on Ohio EPA's Website at <http://epa.ohio.gov/ocapp> or by calling (614) 644 – 3469.

If there are any questions, please contact Mr. Justin Williams at (419) 373 – 3022.

Sincerely,

Thomas Poffenbarger, P.E.  
Water Quality Engineer II/Unit Supervisor  
Division of Surface Water

JAW/jlm  
Enclosure  
pc: Mr. David L. Schnipke, City of Lima  
ec: Inspection Tracking

Get New Data

Violations for City of Lima WTP - June - December 2011

Permit No	Reporting Period	Station	Reporting Code	Parameter	Limit Type	Limit	Reported Value	Violation Date
2PE00000*LD	October 2011	001	50060	Chlorine, Total Residu	1D Conc	0.020	.54	10/31/2011