



**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

February 10, 2012

Mr. Charles Geluso
CSG Enterprises LLC
5411 G Bluesky Drive
Cincinnati, OH 45247

Re: Hamilton County, Northcrest Apartments, NPDES Permit Violations

Dear Mr. Geluso:

The Ohio EPA has completed a compliance evaluation of the Discharge Monitoring Reports covering the months of May 2011 through December 2011 for Northcrest Apartments. The evaluation indicates violations of the conditions of your NPDES Permit (NPDES Permit # OH0115797; OEPA Permit # 1PW00032*CD). The specific instances of noncompliance are as follows:

Frequency / Monitoring Violations						
Reporting Period	Parameter	Sample Frequency	Expected	Reported	Violation Date	
June 2011	Temperature	1/Day	1	0	06/02/2011	
June 2011	Temperature	1/Day	1	0	06/03/2011	
June 2011	Temperature	1/Day	1	0	06/04/2011	
June 2011	Temperature	1/Day	1	0	06/05/2011	
June 2011	Temperature	1/Day	1	0	06/06/2011	
June 2011	Temperature	1/Day	1	0	06/07/2011	
June 2011	Temperature	1/Day	1	0	06/09/2011	
June 2011	Temperature	1/Day	1	0	06/10/2011	
June 2011	Temperature	1/Day	1	0	06/11/2011	
June 2011	Temperature	1/Day	1	0	06/12/2011	
June 2011	Temperature	1/Day	1	0	06/13/2011	
June 2011	Temperature	1/Day	1	0	06/14/2011	
June 2011	Temperature	1/Day	1	0	06/16/2011	
June 2011	Temperature	1/Day	1	0	06/17/2011	
June 2011	Temperature	1/Day	1	0	06/18/2011	
June 2011	Temperature	1/Day	1	0	06/19/2011	
June 2011	Temperature	1/Day	1	0	06/20/2011	
June 2011	Temperature	1/Day	1	0	06/21/2011	
June 2011	Temperature	1/Day	1	0	06/23/2011	

Frequency / Monitoring Violations						
Reporting Period		Parameter	Sample Frequency	Expected	Reported	Violation Date
June	2011	Temperature	1/Day	1	0	06/24/2011
June	2011	Temperature	1/Day	1	0	06/25/2011
June	2011	Temperature	1/Day	1	0	06/26/2011
June	2011	Temperature	1/Day	1	0	06/27/2011
June	2011	Temperature	1/Day	1	0	06/28/2011
June	2011	Temperature	1/Day	1	0	06/29/2011
June	2011	Temperature	1/Day	1	0	06/30/2011
June	2011	Color	1/Day	1	0	06/02/2011
June	2011	Color	1/Day	1	0	06/03/2011
June	2011	Color	1/Day	1	0	06/04/2011
June	2011	Color	1/Day	1	0	06/05/2011
June	2011	Color	1/Day	1	0	06/06/2011
June	2011	Color	1/Day	1	0	06/07/2011
June	2011	Color	1/Day	1	0	06/09/2011
June	2011	Color	1/Day	1	0	06/10/2011
June	2011	Color	1/Day	1	0	06/11/2011
June	2011	Color	1/Day	1	0	06/12/2011
June	2011	Color	1/Day	1	0	06/13/2011
June	2011	Color	1/Day	1	0	06/14/2011
June	2011	Color	1/Day	1	0	06/16/2011
June	2011	Color	1/Day	1	0	06/17/2011
June	2011	Color	1/Day	1	0	06/18/2011
June	2011	Color	1/Day	1	0	06/19/2011
June	2011	Color	1/Day	1	0	06/20/2011
June	2011	Color	1/Day	1	0	06/21/2011
June	2011	Color	1/Day	1	0	06/23/2011
June	2011	Color	1/Day	1	0	06/24/2011
June	2011	Color	1/Day	1	0	06/25/2011
June	2011	Color	1/Day	1	0	06/26/2011
June	2011	Color	1/Day	1	0	06/27/2011
June	2011	Color	1/Day	1	0	06/28/2011
June	2011	Color	1/Day	1	0	06/29/2011
June	2011	Color	1/Day	1	0	06/30/2011
June	2011	Odor	1/Day	1	0	06/02/2011
June	2011	Odor	1/Day	1	0	06/03/2011
June	2011	Odor	1/Day	1	0	06/04/2011
June	2011	Odor	1/Day	1	0	06/05/2011

Frequency / Monitoring Violations						
Reporting Period		Parameter	Sample Frequency	Expected	Reported	Violation Date
June	2011	Odor	1/Day	1	0	06/06/2011
June	2011	Odor	1/Day	1	0	06/07/2011
June	2011	Odor	1/Day	1	0	06/09/2011
June	2011	Odor	1/Day	1	0	06/10/2011
June	2011	Odor	1/Day	1	0	06/11/2011
June	2011	Odor	1/Day	1	0	06/12/2011
June	2011	Odor	1/Day	1	0	06/13/2011
June	2011	Odor	1/Day	1	0	06/14/2011
June	2011	Odor	1/Day	1	0	06/16/2011
June	2011	Odor	1/Day	1	0	06/17/2011
June	2011	Odor	1/Day	1	0	06/18/2011
June	2011	Odor	1/Day	1	0	06/19/2011
June	2011	Odor	1/Day	1	0	06/20/2011
June	2011	Odor	1/Day	1	0	06/21/2011
June	2011	Odor	1/Day	1	0	06/23/2011
June	2011	Odor	1/Day	1	0	06/24/2011
June	2011	Odor	1/Day	1	0	06/25/2011
June	2011	Odor	1/Day	1	0	06/26/2011
June	2011	Odor	1/Day	1	0	06/27/2011
June	2011	Odor	1/Day	1	0	06/28/2011
June	2011	Odor	1/Day	1	0	06/29/2011
June	2011	Odor	1/Day	1	0	06/30/2011
June	2011	Turbidity	1/Day	1	0	06/02/2011
June	2011	Turbidity	1/Day	1	0	06/03/2011
June	2011	Turbidity	1/Day	1	0	06/04/2011
June	2011	Turbidity	1/Day	1	0	06/05/2011
June	2011	Turbidity	1/Day	1	0	06/06/2011
June	2011	Turbidity	1/Day	1	0	06/07/2011
June	2011	Turbidity	1/Day	1	0	06/09/2011
June	2011	Turbidity	1/Day	1	0	06/10/2011
June	2011	Turbidity	1/Day	1	0	06/11/2011
June	2011	Turbidity	1/Day	1	0	06/12/2011
June	2011	Turbidity	1/Day	1	0	06/13/2011
June	2011	Turbidity	1/Day	1	0	06/14/2011
June	2011	Turbidity	1/Day	1	0	06/16/2011
June	2011	Turbidity	1/Day	1	0	06/17/2011
June	2011	Turbidity	1/Day	1	0	06/18/2011

Frequency / Monitoring Violations						
Reporting Period		Parameter	Sample Frequency	Expected	Reported	Violation Date
June	2011	Turbidity	1/Day	1	0	06/19/2011
June	2011	Turbidity	1/Day	1	0	06/20/2011
June	2011	Turbidity	1/Day	1	0	06/21/2011
June	2011	Turbidity	1/Day	1	0	06/23/2011
June	2011	Turbidity	1/Day	1	0	06/24/2011
June	2011	Turbidity	1/Day	1	0	06/25/2011
June	2011	Turbidity	1/Day	1	0	06/26/2011
June	2011	Turbidity	1/Day	1	0	06/27/2011
June	2011	Turbidity	1/Day	1	0	06/28/2011
June	2011	Turbidity	1/Day	1	0	06/29/2011
June	2011	Turbidity	1/Day	1	0	06/30/2011
June	2011	Flow Rate	1/Day	1	0	06/01/2011
June	2011	Flow Rate	1/Day	1	0	06/02/2011
June	2011	Flow Rate	1/Day	1	0	06/03/2011
June	2011	Flow Rate	1/Day	1	0	06/04/2011
June	2011	Flow Rate	1/Day	1	0	06/05/2011
June	2011	Flow Rate	1/Day	1	0	06/06/2011
June	2011	Flow Rate	1/Day	1	0	06/07/2011
June	2011	Flow Rate	1/Day	1	0	06/08/2011
June	2011	Flow Rate	1/Day	1	0	06/09/2011
June	2011	Flow Rate	1/Day	1	0	06/10/2011
June	2011	Flow Rate	1/Day	1	0	06/11/2011
June	2011	Flow Rate	1/Day	1	0	06/12/2011
June	2011	Flow Rate	1/Day	1	0	06/13/2011
June	2011	Flow Rate	1/Day	1	0	06/14/2011
June	2011	Flow Rate	1/Day	1	0	06/15/2011
June	2011	Flow Rate	1/Day	1	0	06/16/2011
June	2011	Flow Rate	1/Day	1	0	06/17/2011
June	2011	Flow Rate	1/Day	1	0	06/18/2011
June	2011	Flow Rate	1/Day	1	0	06/19/2011
June	2011	Flow Rate	1/Day	1	0	06/20/2011
June	2011	Flow Rate	1/Day	1	0	06/21/2011
June	2011	Flow Rate	1/Day	1	0	06/22/2011
June	2011	Flow Rate	1/Day	1	0	06/23/2011
June	2011	Flow Rate	1/Day	1	0	06/24/2011
June	2011	Flow Rate	1/Day	1	0	06/25/2011
June	2011	Flow Rate	1/Day	1	0	06/26/2011

Frequency / Monitoring Violations						
Reporting Period		Parameter	Sample Frequency	Expected	Reported	Violation Date
June	2011	Flow Rate	1/Day	1	0	06/27/2011
June	2011	Flow Rate	1/Day	1	0	06/28/2011
June	2011	Flow Rate	1/Day	1	0	06/29/2011
June	2011	Flow Rate	1/Day	1	0	06/30/2011
June	2011	Chlorine	1/Day	1	0	06/02/2011
June	2011	Chlorine	1/Day	1	0	06/03/2011
June	2011	Chlorine	1/Day	1	0	06/04/2011
June	2011	Chlorine	1/Day	1	0	06/05/2011
June	2011	Chlorine	1/Day	1	0	06/06/2011
June	2011	Chlorine	1/Day	1	0	06/07/2011
June	2011	Chlorine	1/Day	1	0	06/09/2011
June	2011	Chlorine	1/Day	1	0	06/10/2011
June	2011	Chlorine	1/Day	1	0	06/11/2011
June	2011	Chlorine	1/Day	1	0	06/12/2011
June	2011	Chlorine	1/Day	1	0	06/13/2011
June	2011	Chlorine	1/Day	1	0	06/14/2011
June	2011	Chlorine	1/Day	1	0	06/16/2011
June	2011	Chlorine	1/Day	1	0	06/17/2011
June	2011	Chlorine	1/Day	1	0	06/18/2011
June	2011	Chlorine	1/Day	1	0	06/19/2011
June	2011	Chlorine	1/Day	1	0	06/20/2011
June	2011	Chlorine	1/Day	1	0	06/21/2011
June	2011	Chlorine	1/Day	1	0	06/23/2011
June	2011	Chlorine	1/Day	1	0	06/24/2011
June	2011	Chlorine	1/Day	1	0	06/25/2011
June	2011	Chlorine	1/Day	1	0	06/26/2011
June	2011	Chlorine	1/Day	1	0	06/27/2011
June	2011	Chlorine	1/Day	1	0	06/28/2011
June	2011	Chlorine	1/Day	1	0	06/29/2011
June	2011	Chlorine	1/Day	1	0	06/30/2011
September	2011	Nitrite/Nitrate	1/2months	1	0	09/01/2011
September	2011	TDS	1/2months	1	0	09/01/2011
September	2011	TKN	1/2months	1	0	09/01/2011
September	2011	E. coli	1/Month	1	0	09/01/2011


Page 6
Mr. Charles Geluso
February 10, 2012

Please inform this office, in writing, within ten days of receipt of this notification as to the reason for the above referenced violations, as well as a description of the actions taken or proposed to prevent further violations.

Please be advised that failure to comply with the effluent limitations, monitoring, or reporting requirements of your NPDES Permit may be cause for enforcement action pursuant to the Ohio Revised Code Chapter 6111.

If you have any questions or concerns regarding this matter please feel free to contact me at (937) 285-6107 or via email at Robert.Ostendorf@epa.state.oh.us.

Sincerely,

A handwritten signature in blue ink that reads "Bob Ostendorf Jr." with a stylized flourish at the end.

Bob Ostendorf Jr.
Division of Surface Water
Permit Section

BO/rb