



**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

RE: **Notice of Violation**
Auglaize County
Minster WWTP
Ohio EPA Permit No. 2PB00036
NPDES Permit No. OH0026573

June 6, 2012

Mr. Daniel P. Haehn
WWTP & WTP Superintendent
Village of Minster
P.O. Box 1
Minster, Ohio 45865

Dear Mr. Haehn:

We are in receipt of your self-monitoring report covering the months of January through March 2012 for the referenced facility. Our review indicates violations of the conditions of your National Pollutant Discharge Elimination System (NPDES) permit. The specific instances of non-compliance are enclosed on a separate sheet.

We have received your email responses dated March 8, 2012, March 22, 2012, and April 3, 2012, regarding the referenced violations. No further response is needed at this time.

Please be advised that failure to comply with the effluent limitations and/or monitoring requirements, including adequate laboratory controls, appropriate quality assurance procedures, and records retention, as specified in your Part III-General conditions of your NPDES permit, may be cause for enforcement action pursuant to Ohio Revised Code, Chapter 6111. If these violations continue to occur, and if satisfactory progress is not made, it may be necessary to initiate enforcement action to achieve compliance.

The Ohio EPA strongly encourages pollution prevention as the preferred approach for waste management. The first priority of pollution prevention is to eliminate the generation of wastes and pollutants at the source (source reduction). For those wastes or pollutants that are generated, the second priority is to recycle or reuse them in an environmentally sound manner. You can benefit economically, help preserve the environment, and improve your public image by implementing pollution prevention programs. Information about Ohio EPA's Office of Compliance Assistance & Pollution Prevention can be found on Ohio EPA's website at <http://epa.ohio.gov/ocapp> or by calling (614) 644 – 3469.

If there are any questions, please contact Mr. Justin Williams at (419) 373 – 3022.

Sincerely,

Thomas Poffenbarger, P.E.
Water Quality Engineer II/Unit Supervisor
Division of Surface Water

JAW/jlm
Enclosure
ec: Inspection Tracking

Get New Data

Violations for Minster WWT - January - March 2012

Permit No	Reporting Period	Station	Reporting Code	Parameter	Limit Type	Limit	Reported Value	Violation Date
2PB00036*LD	March 2012	001	00300	Dissolved Oxygen	1D Conc	6.0	5.6	3/22/2012
2PB00036*LD	March 2012	002	00530	Total Suspended Solids	7D Conc	18.0	19.6666	3/1/2012
2PB00036*LD	March 2012	002	00530	Total Suspended Solids	30D Conc	12.0	15.5833	3/1/2012