



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

May 16, 2013

RE: CUYAHOGA COUNTY
SOUTH EUCLID
INDUSTRIAL STORM WATER
AERO CONTROLEX
3GRN0393*AG

Environmental Compliance Manager
Aero Controlex
4223 Monticello Blvd.
South Euclid, OH 44121

To Whom It May Concern:

Ohio EPA records indicate that Aero Controlex received a No Exposure exclusion from the National Pollutant Discharge Elimination System (NPDES) permit program for storm water associated with industrial activity. Per Ohio Administrative Code 3745-39-04, a No Exposure Certification (NOE) form must be resubmitted to the agency every 5 years in order to maintain the No Exposure exclusion. Our records indicate that No Exposure Certification #3GRN0393*AG for Aero Controlex located at 4223 Monticello Boulevard has expired as of October 28, 2008. If you wish to maintain No Exposure status, please submit the NOE form by May 30, 2013. The NOE form can be obtained via the following web link:

http://www.epa.ohio.gov/portals/35/storm/no_exposure_certification_fis.pdf

If this facility no longer meets the requirements of the No Exposure exclusion, an NPDES permit must be obtained to discharge storm water associated with industrial activity. Further, you must develop and implement a Storm Water Pollution Prevention Plan (SWP3) within 180 days of obtaining NPDES permit coverage. Coverage under the Ohio EPA General Storm Water NPDES Permit for Industrial Activities may be obtained by submitting a Notice of Intent (NOI) and permit fee to the Ohio EPA Office of Fiscal Administration at P.O. Box 1049, Columbus, OH 43216. The NOI and instructions are available online at www.epa.ohio.gov/dsw/storm/stormform.aspx. If you wish to obtain an individual NPDES permit rather than general permit coverage, please contact me for further instructions.

If this facility has closed or no longer generates a storm water discharge associated with industrial activity, please submit a letter of explanation to me by May 30, 2013.

If you should have any questions concerning this letter, feel free to contact me at (330) 963-1125.

Sincerely,

A handwritten signature in black ink, appearing to read 'Julianna Murphy', is written over a circular stamp or mark.

Julianna Murphy
Assistant to the District Engineer
Division of Surface Water

JEM:ddw

cc: Michael Joseph, DSW, CO