



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

May 23, 2013

RE: CUYAHOGA COUNTY  
CITY OF CLEVELAND  
INDUSTRIAL STORM WATER  
BESTIN, INC.

Environmental Compliance Manager  
Bestin, Inc.  
4416 Lee Road  
Cleveland, OH 44128

To Whom It May Concern:

Ohio EPA records indicate that Bestin Inc. received a No Exposure exclusion from the National Pollutant Discharge Elimination System (NPDES) permit program for storm water associated with industrial activity. Per Ohio Administrative Code 3745-39-04, a No Exposure Certification (NOE) form must be resubmitted to the agency every 5 years in order to maintain the No Exposure exclusion. Our records indicate that No Exposure Certification #3GRN0598\*AG for Bestin Inc. located at 4416 Lee Road has expired as of February 16, 2010. If you wish to maintain No Exposure status, please submit the NOE form by July 5, 2013. The NOE form can be obtained via the following web link:

[http://www.epa.ohio.gov/portals/35/storm/no\\_exposure\\_certification\\_fis.pdf](http://www.epa.ohio.gov/portals/35/storm/no_exposure_certification_fis.pdf)

If this facility no longer meets the requirements of the No Exposure exclusion, an NPDES permit must be obtained to discharge storm water associated with industrial activity. Further, you must develop and implement a Storm Water Pollution Prevention Plan (SWP3) within 180 days of obtaining NPDES permit coverage. Coverage under the Ohio EPA General Storm Water NPDES Permit for Industrial Activities may be obtained by submitting a Notice of Intent (NOI) and permit fee to the Ohio EPA Office of Fiscal Administration at P.O. Box 1049, Columbus, OH 43216. The NOI and instructions are available online at [www.epa.ohio.gov/dsw/storm/stormform.aspx](http://www.epa.ohio.gov/dsw/storm/stormform.aspx). If you wish to obtain an individual NPDES permit rather than general permit coverage, please contact me for further instructions.

If this facility has closed or no longer generates a storm water discharge associated with industrial activity, please submit a letter of explanation to me by July 5, 2013.

If you should have any questions concerning this letter, feel free to contact me at (330) 963-1125.

Sincerely,

A handwritten signature in black ink that reads "Julianna Murphy". The signature is written in a cursive style with a large, looping "M" at the end.

Julianna Murphy  
Assistant to the District Engineer  
Division of Surface Water

JM:ddw

ec: Michael Joseph, DSW, CO