



City of Cleveland
Frank G. Jackson, Mayor

Department of Public Health
Division of Air Quality
75 Erievue Plaza, Second Floor
Cleveland, Ohio 44114-1839
216/664-2297 • Fax: 216/420-8047
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL #70122210000052090557
RETURN RECEIPT REQUESTED**

July 25, 2013

Nedha Shehadeh
GP Express
11750 Snow Road
Parma, OH 44130

NON-HIGH PRIORITY FACILITY

FACILITY ID: 13-18-45-7546

NOTICE OF VIOLATION: Failing Annual Static Leak Test

Dear Mr. Shehadeh:

On July 24, 2013, the Cleveland Division of Air Quality (CDAQ) inspected GP Express located at 11750 Snow Road in Parma. This letter serves as notification that you are operating a source in violation of the following applicable air statutes, air regulations, or air permit conditions.

GP Express is operating emissions unit, G001: Gasoline Dispensing Facility with Stage II vapor controls, in violation of Ohio Administrative Code (OAC) rule 3745-21-09(DDD)(1)(c), in that applicable Stage II testing, as contained in OAC rule 3745-21-09(DDD)(2), has not successfully passed. This is also a violation of Ohio Revised Code sections 3704.05(G).

Unless you undertake some type of corrective action with respect to the above noted violations, you will remain in non-compliance. CDAQ requests that GP Express schedule and retest the Static Leak test and complete all required Stage II testing then submit the test results within thirty (30) days, to the following enforcement representative:

Andrew Kenney
Cleveland Division of Air Quality
75 Erievue Plaza, 2nd Floor
Cleveland, Ohio 44114-1839



Your written response to this letter must be received by CDAQ within thirty (30) days of your receipt of this letter. If there is insufficient time to correct the alleged violations within this timeframe, your response must include a timeline for correcting the alleged violations.

Violations of Ohio air pollution laws and /or permit terms and conditions are subject to the penalties stipulated in Ohio Revised Code Section 3704.99(A), which allows fines of not more than twenty-five thousand dollars or imprisonment for not more than one year, or both, for each violation.

Free assistance with state and/or federal regulations, rules, laws or permit conditions can be provided at no charge through Ohio EPA Office of Compliance Assistance and Pollution Prevention (OCAPP). OCAPP can be contacted at <http://www.epa.state.oh.us/ocapp> or (614) 644-3469 or (800) 329-7518. CDAQ makes no guarantee that the facility will meet the qualifying guidelines established by the OCAPP.

Facilities that want to investigate methods of pollution prevention to reduce raw material usage and waste production can contact the Ohio EPA Office of Compliance Assistance and Pollution Prevention (OCAPP). OCAPP can be contacted at <http://www.epa.state.oh.us/ocapp> or (614) 644-3469 or (800) 329-7518 and there is no charge for their services.

CDAQ issues this letter with Ohio EPA's concurrence. The failure to mention any specific violation does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action. Should you have any questions, please call Andrew Kenney at 216-420-7683. All correspondence with CDAQ must include the Ohio EPA facility identification number for GP Express: 13-18-45-7546.

Sincerely,

Valencia White
Chief of Enforcement, CDAQ

VW/ak *kk*

cc: George P. Baker, CDAQ
Michael J. Krzywicki, CDAQ
John Paulian, Ohio EPA Central Office
Brian Dickens, U.S. EPA Region V
L:\Data\Facilities\1318457546\2013-7-24 NOV.doc