



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
50 West Town St., Ste 700  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

July 27, 2007

ANTHONY FARINACCI  
TRI-COUNTY CONCRETE COMPANY  
P.O. BOX 665  
TWINSBURG, OH 44087

**NOTICE OF VIOLATION**  
Certified Mail

**VIOLATION: 2006 Synthetic Minor Title V Facility Fee Emission Report and Emissions Statement Due in 30 Days for:**

Tri-County Concrete Company (Ohio EPA Facility ID 1677130070)  
9423 DARROW ROAD, TWINSBURG, OH.

Dear ANTHONY FARINACCI:

A Synthetic Minor Title V (SMTV) Fee Emissions Report for calendar year 2006 was due on April 16, 2007 for the facility identified above. Failure to submit the report by April 16, 2007, is a violation of Ohio Administrative Code 3745-78-02. This letter serves as a warning that failure to fulfill your obligation to submit a fee emission report will result in the initiation of an Enforcement Action. **Please respond within thirty days of receipt of this letter with a completed SMTV fee emission report indicating the actual emission data for the facility.**

A letter was sent on February 20, 2007, to this facility indicating the emissions reporting requirements and providing guidance on completing the report. A copy of the letter, required reporting forms, and guidance may be found at the following Web link:

**CY 2006 SMTV Emissions Reporting  
Reminder Letter & Reporting Forms:**  
<http://www.epa.state.oh.us/dapc/synmin.html>

If you have questions regarding the resultant fees that will be charged please contact Elisa Thomas at (614) 644-3621. Please contact the **Akron Regional Air Quality Management District at (330) 375-2480**, if you have questions concerning which Synthetic Minor permitting document(s) places your facility in the SMTV fee program.

Sincerely,

Robert Hodanbosi  
Chief, Division of Air Pollution Control

cc: Akron Regional Air Quality Management District