



PHASE 0 AD-HOC BARCODE SHEET

1/18/2012 3:42 PM

Department:



DAPC

Subdepartment:



<NONE>

Office Location:



LAA-ARAQMD

Media:



AIR

Doc Type:



NOV

Doc Subtype:



DAPC-Permit

Program:



DAPC-NON-TITLE V

County:



52 - MEDINA

Facility ID



1652010047

Facility Name:
(Optional)



OASIS GAS PLAZA

(Auto Load)

Date:



1/18/2012

Record ID:
(Optional)





AKRON REGIONAL AIR QUALITY MANAGEMENT DISTRICT

Agent of the Ohio Environmental Protection Agency • Division of the Summit County Health District
Serving Franklin, Licking, Portage and Summit Counties

TELEPHONE: (330) 375-2480

FAX: (330) 375-2402

January 18, 2012

Premise No: 1652010047

Mr. Michael Esber
Oasis Gas Plaza, Ltd.
327 Pearl Rd.
Brunswick, OH 44212

RE: NOTICE OF VIOLATION OF OAC RULE 3745-21-09 (DDD) AT OASIS GAS PLAZA

Dear Mr. Esber:

Your Gas Dispensing Facility (GDF) is in violation of OAC rule 3745-21-09 (DDD)(2), which specifies Stage II testing requirements and its frequency. This facility was required to pass all necessary portions of Stage II testing on or before **July 2, 2011**. Your Stage II testing was not completed until **August 26, 2011**. This means that this GDF exceeded the permitted testing frequency by 55 days.

This agency is in receipt of the August 26, 2011 test result submitted by Tanknology for the Oasis Gas Plaza gasoline dispensing facility located at 327 Pearl Road, located in Brunswick and upon review, the test results are accepted as received and will be included in the operating file for this facility. However, acceptance of the information requested by this Agency does not constitute a waiver of this Agency's or the Ohio EPA's authority to seek civil penalties as provided in Section 3704.06 of the Ohio Revised Code. This Agency has the option to reject or accept late submittals. The determination to pursue or decline such penalties will be made at a later date.

This facility will be inspected on an annual basis for compliance with the Stage II vapor recovery rule. It is required that you keep record keeping information at a readily available location for inspection. For this Agency, it is requested that you keep copies of the required information at each individual location where all employees can access them.

Full compliance testing, as conducted at this facility, must be performed again within five year intervals according to the testing requirements of OAC rule 3745-21-09 (DDD)(2)(a)&(b). This facility will be due for **full testing** on or before **July 6, 2014**. Notification of testing is required as before, as well as reporting requirements.

Thank you for your cooperation and assistance in this matter. If you have any questions, please contact Harry Eckert at 330/375-2480 ext 3354

Sincerely,

Sam Rubens
Environmental Specialist Supervisor