



City of Cleveland
Frank G. Jackson, Mayor

Department of Public Health
Division of Air Quality
1925 St. Clair Avenue
Cleveland, Ohio 44114-2080
216/664-2297 • Fax: 216/420-8047
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL #70022030000118088978
RETURN RECEIPT REQUESTED**

October 28, 2008

Abdel Salam Shehaeesh
GP Express
11750 Snow Rd
Parma OH, 44130

**FACILITY ID: 1318457546
NOTICE OF VIOLATION FOLLOW-UP LETTER**

Dear Mr. Shehaeesh:

On September 15, 2008, the Cleveland Division of Air Quality (CDAQ) issued a Notice of Violation requiring GP Express to submit a corrective action plan for the following violations:

- Failure to provide a copy of the most recent permit-to-operate (PTO) issued to your facility.
- Failure to provide a copy of the most recent PTO application and emissions activity category form for your facility.
- Failure to submit a PTO application and emissions activity category form for your facility.
- Failure to submit a permit-to-install application and emissions activity category form for your facility
- Failure to conduct an Air-to-Liquid Ratio test within 12 months on your gasoline dispensing facility.
- Failure to conduct a Static Leak test within 12 months on your gasoline dispensing facility.
- Failure to conduct a Dynamic Pressure test within 5 years on your gasoline dispensing facility.
- Failure to provide a copy of the certificate issued to the Stage II Compliance Specialist for your gasoline dispensing facility.
- Failure to submit Stage II test results to CDAQ within 30 days of completing the test.

CDAQ is in receipt of a corrective action plan dated October 27, 2008 which stated that all of the above violations were attended to; this information was verified by John Szleszynski on October 2, 2008.

The corrective action plan was received in a timely manner and appropriate steps were taken to bring the source into compliance. CDAQ has determined that no further enforcement action is warranted at this time, but reserves its right to take such action in the future if necessary.

CDAQ issues this letter with Ohio EPA's concurrence and does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further



enforcement action. Should you have any questions, please call Andrew Kenney at 216-420-7683. All correspondence with CDAQ must include the Ohio EPA facility identification number for GP Express: 1318457546.

Sincerely,

Valencia White
Field Enforcement Manager, CDAQ

VW/ak

cc:

John Paulian, Ohio EPA Central Office
Lisa Holscher, U.S. EPA Region V
Facility File and L:\Data\Facilities\1318000732\NEAR.doc

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

GP Express
11750 Snow Rd
Parma OH
44130

2. Article Number

(If far from service lab)

7002 2030 0001 1808 8978

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X *Robert De*

Agent

Addressee

B. Received by (Printed Name)

C. Date of Delivery

10/10/00

D. Is delivery address different from item 1? Yes

if YES, enter delivery address below: No

3. Service Type

Certified Mail

Express Mail

Registered

Return Receipt for Merchandise

Insured Mail

C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Andrew Kenney
75 Erieview Plaza
2nd Floor CDAQ
44114



Oct 27 08 09:24a

2167411399

p.1

GP EXPRESS

11750 snow road
PARMA OHIO
44130
1440-842-5002

Attention Kenny
October 25, 2008

TO WHOM IT MAY CONCERN:

I am from GP EXPRESS 11750 snow rd writing to let you know all violations have been taking care of. ON OCT 23, 2008 I spoke to JOE O'BRIEN from TECHNICAL SERVICES and he stated "that all violations were took care of except for PTI-PTO" and the PVR notification was sent to your agency. ALL documents all available at the facility. IF you have any question please call at 2163464918.

Failure to provide a copy of the most recent permit-to-operate (PTO) issued to your facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(v)*

Failure to provide a copy of the most recent PTO application and emissions activity category form for your facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(iv)*

Failure to submit a PTO application and emissions activity-category form for your facility. *Violation of OAC 3745-35-02(A)*

Failure to submit a permit-to-install (PTI) application and emissions activity category form for your facility. *Violation of OAC 3745-31-02(A)(1)*

Failure to conduct an Air-to-Liquid Ratio test within 12 months on your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(2)(f)*

Failure to conduct a Static Leak test within 12 months on your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(2)(f)*

Failure to conduct a Dynamic Pressure test within 5 years on your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(2)(d)*

Failure to provide a copy of the most recent Stage II test results for your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(ii)*

Failure to provide a copy of the certificate issued to the Stage II Compliance Specialist for your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(vi)*

Failure to submit Stage II test results to CDAQ within 30 days of completing the test. *Violation of OAC 3745-21-09(DDD)(2)(c)*

Your gasoline dispensing facility has been issued PTI _____. The violations listed above are also violations of this PTI and ORC Section 3704.05(C).

Your gasoline dispensing facility has been issued a PTO on _____. The violations listed above are also violations of this PTO and ORC Section 3704.05(C).

Thank you



SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY

VIA HAND DELIVERY

VIA CERTIFIED MAIL: _____

Date: 9-15-08

Owner: Abdel Salam Shehadeh

Facility Name: GP Express

Address: 11750 Snow Rd Parma OH 44130

Inspector: Andrew Kenney

FACILITY ID: 128457546 New Ownership
NOTICE OF VIOLATION: STAGE II REQUIREMENTS

The Cleveland Division of Air Quality (CDAQ) inspected the above reference facility. This letter serves as notification that you are operating sources in violation of the following applicable air statutes, air regulations, or air permit conditions. Violations are noted by checkboxes before the paragraph; each checked item is a violation of the Ohio Administrative Code (OAC) noted in that paragraph, and a separate violation of Ohio Revised Code (ORC) Section 3704.05(G).

- Failure to provide a copy of the most recent permit-to-operate (PTO) issued to your facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(v)*
- Failure to provide a copy of the most recent PTO application and emissions activity category form for your facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(iv)*
- Failure to submit a PTO application and emissions activity category form for your facility. *Violation of OAC 3745-35-02(A)*
- Failure to submit a permit-to-install (PTI) application and emissions activity category form for your facility. *Violation of OAC 3745-31-02(A)(1)*
- Failure to conduct an Air-to-Liquid Ratio test within 12 months on your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(2)(f)*
- Failure to conduct a Static Leak test within 12 months on your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(2)(f)*
- Failure to conduct a Dynamic Pressure test within 5 years on your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(2)(d)*
- Failure to provide a copy of the most recent Stage II test results for your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(ii)*
- Failure to provide a copy of the certificate issued to the Stage II Compliance Specialist for your gasoline dispensing facility. *Violation of OAC 3745-21-09(DDD)(3)(a)(vi)*
- Failure to submit Stage II test results to CDAQ within 30 days of completing the test. *Violation of OAC 3745-21-09(DDD)(2)(c)*
- Your gasoline dispensing facility has been issued PTI _____. The violations listed above are also violations of this PTI and ORC Section 3704.05(C).
- Your gasoline dispensing facility has been issued a PTO on _____. The violations listed above are also violations of this PTO and ORC Section 3704.05(C).



Unless you undertake some type of corrective action with respect to the above noted violations, you will remain in non-compliance. Your written response to this letter must be received by CDAQ within fourteen (14) days of your receipt of this letter. If there is insufficient time to correct the alleged violations within this timeframe, your response must include a timeline for correcting the alleged violations. Your written response should be addressed to the inspector listed on the first page of this letter and mailed to:

Cleveland Division of Air Quality
1925 St. Clair Avenue NE
Cleveland, Ohio 44114-2080

Violations of Ohio air pollution laws and /or permit terms and conditions are subject to the penalties stipulated in Ohio Revised Code Section 3704.99(A), which allows fines of not more than twenty-five thousand dollars or imprisonment for not more than one year, or both, for each violation.

Free assistance with state and/or federal regulations, rules, laws or permit conditions can be provided at no charge through Ohio EPA Office of Compliance Assistance and Pollution Prevention (OCAPP). OCAPP can be contacted at <http://www.epa.state.oh.us/ocapp> or (614) 644-3469 or (800) 329-7518. CDAQ makes no guarantee that the facility will meet the qualifying guidelines established by the OCAPP.

Facilities that want to investigate methods of pollution prevention to reduce raw material usage and waste production can contact the Ohio EPA Office of Compliance Assistance and Pollution Prevention (OCAPP). OCAPP can be contacted at <http://www.epa.state.oh.us/ocapp> or (614) 644-3469 or (800) 329-7518 and there is no charge for their services.

CDAQ issues this letter with Ohio EPA's concurrence. The failure to mention any specific violation does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action. Should you have any questions, please call CDAQ at 216-664-2297 and ask for the inspector on the first page of this letter. All correspondence with CDAQ must include the Ohio EPA facility identification number listed on the first page of this letter.

Sincerely,

George Baker
Chief of Enforcement, CDAQ

cc: Richard Nemeth and Michael J. Krzywicki, CDAQ
John Paulian, Ohio EPA Central Office
Lisa Holscher, U.S. EPA Region V
Facility File



City of Cleveland Facsimile

Frank C. Jackson, Mayor

Department of Public Health Director's Office 1925 St. Clair Avenue Cleveland, Ohio 44114-2080 216/664-2324 FAX 216/664-2197	To: <i>KOP Express</i>	Fax #: <i>216-741-1399</i>
	From: <i>Andrew Kenney - CDAQ</i>	Telephone: <i>216 420 7693</i>
	Date: <i>10-23</i> Time: <i>8:30 am</i>	Total No. of Pages (Inc. Cover) <i>3</i>
	Sender <input checked="" type="checkbox"/> Has <input type="checkbox"/> Has Not called ahead to announce transmission. If transmission is not complete, please call sender at phone # listed above.	

COMMENTS:

hp LaserJet 3015



AIR QUALITY FAX
 2164208047
 Oct-23-2008 8:31AM

Fax Call Report

Job	Date	Time	Type	Identification	Duration	Pages	Result
646	10/23/2008	8:30:29AM	Send	2167411399	1:00	3	OK

HP LaserJet 3015

COMMENTS:

If transmission is not complete, please call under # listed above. Sender: <input checked="" type="checkbox"/> Has Not Called Ahead To Announce Transmission.	
Date/Time: 8:30 am	Total No. of Pages: 3
From: Andrew Kentz - CMAA	Telephone: 216 420 2687
To: Sol Express	Fax #: 216-741-1189

City of Cleveland Facsimile

