

***T.D. Kmiec and Associates
1520 Commodore Road
Lyndhurst, OH 44124-2826***

Phone (440) 449-4720 FAX (440) 449-2827

SENT by FAX

February 06, 2009

Bryan Sokolowski
Cleveland Division of Air Quality
Ohio EPA - Agency 13 - Cuyahoga County
75 Erieview Plaza, 2nd Floor
Cleveland, OH 44114



RE: Woodhill Plating Company; 9114 Reno Avenue; Cleveland, OH 44105
Facility ID 13-18-00-1881

Dear Mr Sokolowski:

I am submitting this letter as a follow-up to our telephone conversation of January 29, 2009 and my subsequent FOI letter to CDAQ of the same day.

I understand that timing to resolve this issue is important but I have to reiterate that I cannot serve Woodhill Plating in a professional and cost effective manner until I review the facility records on file at the CDAQ. Once I review the background material on file I will be able to gather the information I require to prepare the application for the PTIO for the Nickel/Chrome, Automatic Rack Line.

By copy of this letter, I am informing Mr. John Sporano that I will contact him to schedule a visit to Woodhill Plating to obtain the operational and technical information about this Plating Line required to prepare the PTIO Application.

Thank you for your cooperation..

Sincerely,

Thomas D. Kmiec, J.D., P.E.
Professional Engineer

cc: John Sporano/Woodhill Plating Company