



City of Cleveland
Frank G. Jackson, Mayor

Department of Public Health
Division of Air Quality
75 Erieview Plaza, Suite 200
Cleveland, Ohio 44114-1839
216/664-2297 • Fax: 216/420-8047
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL 7002 2030 0001 1807 7910
RETURN RECEIPT REQUESTED**

December 8, 2009

Mr. James E. Conlon
Stein, Inc.
1929 East Royalton Road
Broadview Heights, OH 44147

**FACILITY ID: 13-18-00-3929
NOTICE OF VIOLATION FOLLOW-UP LETTER**

Dear Mr. Conlon:

On June 3, and November 16, 2009, the Cleveland Division of Air Quality (CDAQ) issued Notice of Violations requiring Stein, Inc. (Stein) located at 2032 Campbell Road in Cleveland to electronically submit a corrected 2008 Annual Compliance Certification. CDAQ is in receipt of a corrected 2008 Annual Compliance Certification that was electronically submitted on December 2, 2009.

The corrective action was received and appropriate steps were taken to bring the source into compliance. CDAQ has determined that no further enforcement action is warranted at this time, but reserves its right to take such action in the future if necessary.

CDAQ issues this letter with Ohio EPA's concurrence and does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action. Should you have any questions, please call Linda Kimmy at 216-664-2985. All correspondence with CDAQ must include the Ohio EPA facility identification number for Stein: 13-18-00-3929.

Sincerely,

A handwritten signature in black ink, appearing to read "George Baker".

George Baker
Chief of Enforcement, CDAQ

GB/k

Handwritten initials "GB/k" in black ink.

cc: Richard Nemeth and Michael J. Krzywicki, CDAQ
John Paulian, Ohio EPA Central Office
Lisa Holscher, U.S. EPA Region V
Facility File and L:\Data\Facilities\1318003929\Enforcement\2009-5-13
NEAR.doc