



City of Cleveland
Frank G. Jackson, Mayor

Department of Public Health
Division of Air Quality
75 Erieview Plaza, Suite 200
Cleveland, Ohio 44114-1839
216/664-2297 • Fax: 216/420-8047
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL 7009 3410 0002 1934 1424
RETURN RECEIPT REQUESTED**

3/21/11

Greg Budoï
EZ Energy #3665
Rockside Road, Suite 400
Seven Hills, OH 44131

FACILITY ID: 13-18-13-6950

NOTICE OF VIOLATION: Failure to pass Stage II Testing; Failure to maintain testing records and have them available for review during normal business hours.

Dear Mr. Budoï:

On 3/10/11, the Cleveland Division of Air Quality (CDAQ) witnessed Stage II testing at EZ Energy #3665 located at 20 E. Washington St. in Chagrin Falls. This letter serves as notification that you are operating sources in violation of the following applicable air statutes, air regulations, or air permit conditions.

EZ Energy #3665 conducted both a Static Leak (SL) test and an Air to Liquid Ratio (A/L) test. The SL test passed, however, dispenser #13 failed the A/L test due to no vacuum. The failure to successfully pass the testing requirements specified in Ohio Administrative Code (OAC) Rule 3745-21-09(DDD)(2) while causing, allowing or permitting the transfer of gasoline from a stationary storage tank into a motor vehicle is a violation of Ohio Revised Code (ORC) Chapter 3704.05(G) and OAC Rule 3745-21-09(DDD)(1)(c).

Additionally, testing records for the three previous years were not available on-site at the time of the inspection. This is a violation of OAC 3745-21-09 (DDD)(3)(a)(ii, vii) and OAC 3745-21-09 (DDD)(3)(b).

Unless you undertake some type of corrective action with respect to the above noted violations, you will remain in non-compliance. CDAQ requests that EZ Energy #3665 complete necessary repairs, then conduct a re-test of the A/L Ratio test on dispenser #13. Update on-site records accordingly and submit the current test results to the following enforcement representative within thirty (30) days of receipt of this letter.



Dave DeChant
Cleveland Division of Air Quality
75 Erieview Plaza 2nd Floor
Cleveland, Ohio 44114-1839

If there is insufficient time to correct the alleged violations within this timeframe, submit a written response which includes a timeline for correcting the alleged violations within thirty (30) days of receipt of this letter.

Violations of Ohio air pollution laws and /or permit terms and conditions are subject to the penalties stipulated in Ohio Revised Code Section 3704.99(A), which allows fines of not more than twenty-five thousand dollars or imprisonment for not more than one year, or both, for each violation.

CDAQ issues this letter with Ohio EPA's concurrence. The failure to mention any specific violation does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action. Should you have any questions, please call Dave DeChant at 216-664-3213. All correspondence with CDAQ must include the Ohio EPA facility identification number for EZ Energy #3665: 13-18-13-6950.

Sincerely,

Linda Kimmy
Field Enforcement Manager

LK/dd

cc: George P. Baker, CDAQ
Michael J. Krzywicki, CDAQ
John Paulian, Ohio EPA Central Office
William MacDowell, USEPA, Region V
Facility File and L:\Data\Facilities\1318136950\2011-3-10 NOV.doc

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Greg Budoj
EZ Energy #3665
Rockside Rd., Suite 400
Seven Hills, OH 44131

2. Article Number
(Transfer from service label)


7009 3410 0002 1934 1899

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 Addressee

B. Received by (Printed Name) C. Date of Delivery
APR 21 2011

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes