



City of Cleveland
Frank G. Jackson, Mayor

Department of Public Health
Division of Air Quality
75 Erieview Plaza, Suite 200
Cleveland, Ohio 44114-1839
216/664-2297 • Fax: 216/420-8047
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL 70022030000118077866
RETURN RECEIPT REQUESTED**

April 7, 2011

Mr. Matthew Beverstock, President
Warwick Products Company
5350 Tradex Parkway
Cleveland, Ohio 44102

**FACILITY ID: Unassigned
RECEIPT OF CORRECTIVE ACTION PLAN: FAILURE TO APPLY FOR PERMIT TO
INSTALL/OPERATE (PTIO) APPLICATIONS**

Dear Mr. Beverstock:

On February 8, 2011, the Cleveland Division of Air Quality (CDAQ) issued a Notice of Violation requesting that Warwick Products Company (Warwick) submit PTIO applications for two spray booths.

CDAQ is in receipt of a time extension request dated March 16, 2011. The letter states Warwick is working with the Office of Compliance and Pollution Prevention (OCAPP) to complete the PTIO applications. You are expected to comply with submitting the PTIO applications by April 30, 2011.

Failure to do so may result in referral to Ohio EPA or U.S. EPA for further enforcement action. Fulfillment of your commitments included in the corrective action plan and/or any modifications contained within this letter does not constitute a waiver of CDAQ's ability to refer this matter to Ohio EPA or U.S. EPA for further enforcement action. Please submit the PTIO applications to the following enforcement representative:

John Polak
Cleveland Division of Air Quality
75 Erieview Plaza 2nd Floor
Cleveland, Ohio 44114-1839

CDAQ issues this letter with Ohio EPA's concurrence and does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action. Should you have any questions, please call Linda Kimmy at 216-664-2985.

Sincerely,

A handwritten signature in black ink, appearing to read 'Michael J. Krzywicki'.

Michael J. Krzywicki, CDAQ



MK/lk

cc: John Paulian, Ohio EPA Central Office
William MacDowell, U.S. EPA Region V
Facility File and L:\Data\Facilities\1318005003\2011-01-20 RCAP.doc



STORE FIXTURES • DISPLAYS • LIGHT BOXES • SINCE 1949

Mike Samec,

03/16/2011

We are requesting an extension of time until April 30th, 2011 in order to complete the PTIO. We are Enlisting help from OCAPP Adrienne LaFavre.

Sincerely,

MAR 23 2011

Matthew Beverstock

A handwritten signature in black ink, appearing to read 'Matthew Beverstock', written over a horizontal line.

President

13-18-00-5003

Samec, Michael

From: Matt Beverstock [mattb@warwickproducts.com]
Sent: Monday, February 28, 2011 9:36 AM
To: Samec, Michael
Subject: RE: PITO.docx

Thanks Mike.

It wasn't clear to me so we will contact OCAPP.
May need a little more time.

Matt

From: Samec, Michael [mailto:MSamec@city.cleveland.oh.us]
Sent: Monday, February 28, 2011 9:09 AM
To: 'Matt Beverstock'
Subject: RE: PITO.docx

I did receive the MSDS reports from the other email.

I left a voice mail last week regarding the information you have provide.

The information you sent to me is not exactly what I am looking for. Please re-read the letter and use the website link to fill out the PTIO application for each emission unit. If you need additional help contact OCAPP. They provide a free service regarding the information that is being asked.

If you need additional time please reply or mail a letter requesting more time for processing the PTIO applications.

If you have any questions feel free to contact me.

Thank you.

Mike Samec
Environmental Enforcement Specialist
Ohio EPA - Agency 13 (Cuyahoga)
Cleveland Division of Air Quality
75 Erieview Plaza- 2nd Floor
Cleveland, Ohio 44114
Office: 216/420-7682 - Fax: 216/420-8047
Email: msamec@city.cleveland.oh.us

From: Matt Beverstock [mailto:mattb@warwickproducts.com]
Sent: Monday, February 21, 2011 11:24 AM
To: Samec, Michael
Subject: FW: PITO.docx

Enclosed is a document answering the questions on the PITO request you made.

3/1/2011

Is this what you are looking for?

Also, did you receive our info on the MSDS sheets?

Thanks

Samec, Michael

From: Matt Beverstock [mattb@warwickproducts.com]

Sent: Monday, February 21, 2011 11:24 AM

To: Samec, Michael

Subject: FW: PITO.docx

Attachments: PITO.docx

Enclosed is a document answering the questions on the PITO request you made.
Is this what you are looking for?

Also, did you receive our info on the MSDS sheets?

Thanks

INSTRUCTIONS FOR PERMIT TO INSTALL (PTI) AND PERMIT TO INSTALL/OPERATE (PTIO) APPLICATIONS

1.) Facility Information

Legal Facility Name: Warwick Products Co Inc

Facility Physical Address: 5350 Tradex Parkway, Cleveland, OH 44102

Facility Description: Woodworking operations

Facility Latitude and Longitude: Latitude-41 degrees N, Longitude – 81 degrees W

Portable: NOT PORTABLE

2.) Contact Information

Billing: Matthew Beverstock

Owner: Matthew Beverstock

Primary: Matthew Beverstock

Operator: John Heim

On-Site: Matthew Beverstock & John Heim

Responsible Official: Matthew Beverstock