



City of Cleveland
Frank G. Jackson, Mayor

Department of Public Health
Division of Air Quality
75 Erieview Plaza, Suite 200
Cleveland, Ohio 44114-1839
216/664-2297 • Fax: 216/420-8047
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL 7003 1010 0004 2923 6998
RETURN RECEIPT REQUESTED**

May 9, 2011

Kevin Elkins
TECT Power
P. O. Box 17187
Euclid, OH 44117-0187

NON-HPV

FACILITY ID: 13-18-20-7467

NOTICE OF VIOLATION: PERMIT-TO-INSTALL/OPERATE APPLICATION

Dear Mr. Elkins:

On March 24, 2011, the Cleveland Division of Air Quality (CDAQ) inspected TECT Corporation (TECT) located at 23555 Euclid Avenue in Cleveland. This letter serves as notification that you are operating sources in violation of the following applicable air statutes, air regulations, or air permit conditions.

TECT's operation of the following emissions unit (EU) is in violation of Ohio Administrative Code (OAC) Rules 3745-31-02(A) and the Ohio Revised Code (ORC) Sections 3704.05(F) and (G). The following EU has been operating without submitting a permit-to-install/operate (PTIO) application as required by state rules:
a glass-impregnated coating line for metal parts

Unless you undertake some type of corrective action with respect to the above noted violations, you will remain in non-compliance. The PTIO application and surface coating operation emissions activity category form can be downloaded from the Ohio EPA's website: <http://www.epa.ohio.gov/dapc/fops/eac/eacforms.aspx>.

In accordance with OAC rule 3745-31-08(D), CDAQ requests new PTIO applications or potential to emit (PTE) calculations for the following EUs:

- P001: ASR plating line No. 1
- P004: blue etch anodizing line
- P005: acid etch line
- P006: ASR plating line No. 2
- P007: anodic etch line
- P011: abrasive cutting
- P015 forging presses

CDAQ requests that TECT submit the PTIO applications and PTE calculations to the following address:

Permit Section
Cleveland Division of Air Quality
75 Erieview Plz., 2nd Flr.
Cleveland, OH 44114-1839




Your written response to this letter must be received by CDAQ within 30 days of your receipt of this letter. If there is insufficient time to correct the alleged violations within this timeframe, your response must include a timeline for correcting the alleged violations.

Please note that all permit applications submitted to CDAQ must include original signatures. Photocopied signatures are not valid; the application will not be accepted by CDAQ and will be returned to you if original signatures are not provided.

Free assistance with state and/or federal regulations, rules, laws or permit conditions can be provided at no charge through the Ohio EPA Office of Compliance Assistance and Pollution Prevention (OCAPP). OCAPP can be contacted at <http://www.epa.ohio.gov/ocapp> or 614/644-3469 or 800/329-7518. CDAQ makes no guarantee that the facility will meet the qualifying guidelines established by OCAPP.

CDAQ issues this letter with Ohio EPA's concurrence. The failure to mention any specific violation does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action. If you have any questions, please call David Wagner at 216/664-3004. All correspondence with CDAQ must include the Ohio EPA facility identification number for TECT: 13-18-20-7467.

Sincerely,



Linda Kimmy
Field Enforcement Manager

LK/dlw

cc: George P. Baker, CDAQ
Michael J. Krzywicki, CDAQ
John Paulian, Ohio EPA Central Office
William MacDowell, U.S. EPA Region V
Facility File and L:\Data\Facilities\1318207467\2011-03-24 NOV.docx

encl: OCAPP brochure