



City of Cleveland  
Frank G. Jackson, Mayor

Department of Public Health  
Division of Air Quality  
75 Erieview Plaza, Second Floor  
Cleveland, Ohio 44114-1839  
216/664-2297 • Fax: 216/420-8047  
www.clevelandhealth.org

**SERVING OHIO EPA AS AGENCY 13  
FOR CUYAHOGA COUNTY**

**CERTIFIED MAIL 7011 3500 0000 1759 8324  
RETURN RECEIPT REQUESTED**

March 11, 2013

Edward Sheridan  
Sheridan Millwork & Cabinetry, Inc.  
17801 South Miles Road  
Cleveland, OH 44128

**NON-HPV**

**FACILITY ID: 13-18-00-8440**

**NOTICE OF VIOLATION: Operating an Emission Unit (EU) Without a Permit, Failing to Perform Required Daily and Annual Recordkeeping, Failing to Submit Quarterly and Annual Reports and Failing to Obtain City of Cleveland Permits-to-Operate by Not Submitting City Permit Fees for Calendar Years 2008, 2009 and 2010**

Dear Mr. Sheridan:

On March 6, 2013, the Cleveland Division of Air Quality (CDAQ) inspected Sheridan Millwork & Cabinetry, Inc. located at 17801 South Miles Road in Cleveland. This letter serves as notification that you are operating a source in violation of the following applicable air statutes, air regulations, or air permit conditions.

Sheridan Millwork & Cabinetry, Inc. has operated EU K001: Paint spray booth for coating of miscellaneous wood parts without a permit since October 3, 2012. This is a violation of Ohio Administrative Code (OAC) Rule 3745-31-02(A)(1)(c) and Ohio Revised Code (ORC) Section 3704.05(F).

While operating EU K001, Sheridan Millwork & Cabinetry, Inc. failed to maintain the required daily and annual recordkeeping requirements for Organic Compound (OC) emissions. This is a violation of Permit To Install (PTI) #13-04565 Part II. C. 1. 2. and 3.

Sheridan Millwork & Cabinetry, Inc. also failed to submit the required quarterly deviation reports and annual emissions reports on EU K001 since PTI #13-04565 was issued on November 29, 2005. This is a violation of PTI #13-04565 Part II.D. 1. and 2.



In addition, Sheridan Millwork & Cabinetry, Inc. failed to obtain City of Cleveland Permits-to-Operate by not submitting City of Cleveland permit fees for calendar years 2008, 2009 and 2010. This is a violation of City of Cleveland Codified Ordinances 259.01 and 263.01.

Unless you undertake some type of corrective action with respect to the above noted violations, you will remain in non-compliance.

CDAQ requests that Sheridan Millwork & Cabinetry, Inc. submit the following 2 items:

- A complete Permit To Install and Operate (PTIO) application for EU K001: Spray paint booth for coating of miscellaneous wood parts and
- Either a complete PTIO application for EU P001: Dust collector, or updated emissions calculations demonstrating it is a de minimis EU, along with manufacturer's specifications and an operating plan detailing how to ensure the baghouse is operating at its maximum designed control efficiency of 99%.

The 2 items requested above shall be sent to the following address:

Permit Section  
Cleveland Division of Air Quality  
75 Erieview Plaza 2<sup>nd</sup> Floor  
Cleveland, Ohio 44114-1839

CDAQ also requests that Sheridan Millwork & Cabinetry, Inc. submit the following items:

- A recordkeeping template that meets the requirements specified in PTI #13-04565 Part II. C. with 2 weeks' worth of data for EU K001 and
- A corrective action plan detailing how Sheridan Millworks & Cabinetry, Inc. will submit quarterly deviation reports and annual emissions reports on time in the future for EU K001.

The 2 items requested above shall be sent to the following enforcement representative:

Andrew Marantides  
Cleveland Division of Air Quality  
75 Erieview Plaza 2<sup>nd</sup> Floor  
Cleveland, Ohio 44114-1839

CDAQ also requests that Sheridan Millwork & Cabinetry, Inc. obtain City of Cleveland Permits-to-Operate by submitting City of Cleveland permit fees for calendar years 2008, 2009 and 2010 to the following address:



City Permit Fees  
Cleveland Division of Air Quality  
75 Erieview Plaza 2<sup>nd</sup> Floor  
Cleveland, Ohio 44114-1839

Your written response to this letter must be received by CDAQ within thirty (30) days of your meeting with Adrienne LaFavre of the Office of Compliance Assistance and Pollution Prevention (OCAPP). That meeting is scheduled for March 25, 2013, and your written response is due to CDAQ by April 24, 2013.

If there is insufficient time to correct the alleged violations within this timeframe, your response must include a timeline for correcting the alleged violations.

Violations of Ohio air pollution laws and /or permit terms and conditions are subject to the penalties stipulated in Ohio Revised Code Section 3704.99(A), which allows fines of not more than twenty-five thousand dollars (\$25,000) or imprisonment for not more than one year, or both, for each violation.

CDAQ issues this letter with Ohio EPA's concurrence. The failure to mention any specific violation does not excuse any violations of local, state and federal laws or regulations regarding air pollution control. Violations of air pollution control laws may be pursued in local court or referred to Ohio EPA or U.S. EPA for further enforcement action.

Should you have any questions, please call Andrew Marantides at (216) 420-8049. All correspondence with CDAQ must include the Ohio EPA facility identification number for Sheridan Millwork & Cabinetry, Inc.: 13-18-00-8440.

Sincerely,

Valencia White  
Chief of Enforcement, CDAQ

VW/AMUK

cc: Sarah Buzas, CDAQ  
George P. Baker, CDAQ  
Michael J. Krzywicki, CDAQ  
Adrienne LaFavre, OCAPP  
John Paulian, Ohio EPA Central Office  
Brian Dickens, U.S. EPA Region V  
L:\Data\Facilities\1318008440\2013-3-6 NOV.docx

encl: City of Cleveland permit fees for calendar years 2008, 2009 and 2010