

PUBLIC NOTICE

FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on April 29, 2002, the director of Ohio EPA issued a renewal infectious waste transporter certificate to Weavertown Tran Leasing Inc, 3866 Millers Run Road, McDonald, PA 15057, ID No.: 00-T-00032. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on April 29, 2002, the director of Ohio EPA issued a renewal infectious waste generator certificate to RCG Indiana LLC, 10585 N Meridian St Ste 160, Indianapolis, IN 46290, ID No.: 00-G-01283. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on April 29, 2002, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle Inc, 28161 N Keith Drive, Lake Forest, IL 60045, ID No.: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 26, 2002, the director of Ohio EPA issued five certificates of registration as transporter of scrap tires to Nationwide OTR Recyclers, 203 S. Fourth St., Armington, Illinois 61721. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Former Manor Motel Property

Notice is hereby given that on April 23, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Chapter 3746 of the Ohio Revised Code ("ORC") and Chapter 3745-300 of the Ohio Administrative Code ("OAC"), issued a Covenant Not To Sue/Final Findings and Orders to the City of Toledo for the property identified as the Toledo Prison Facility property (the "Property").

The City of Toledo conducted a voluntary action of the approximately 45 acre-Property located at 2001 E. Central Avenue, Toledo, Lucas County, Ohio. A No Further Action letter was submitted on April 17, 1997 to the Voluntary Action Program of Ohio EPA, Division of Emergency and Remedial Response, on behalf of the City of Toledo by Mr. Herman Kummerle, a Certified Professional (No. CP122), as defined in ORC 3746.01(E) and OAC 3745-300-01 (A) (8). The no further action letter was supplemented by several addenda, dated April 23 and December 18, 1998, June 29, 1999, June 2001 and October 5, 2001.

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal must be filed with the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Former Manor Motel Property

Notice is hereby given that on April 23, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Chapter 3746 of the Ohio Revised Code ("ORC") and Chapter 3745-300 of the Ohio Administrative Code ("OAC"), issued a Covenant Not To Sue/Final Findings and Orders to the City of Fairview Park for the property identified as the Former Manor Motel Property (the "Property").

The City of Fairview Park conducted a voluntary action of the approximately 2 acre-Property located at 20627 Lorain Rd., Fairview Park, Cuyahoga County, Ohio. A No Further Action letter was submitted on December 18, 2001 to the Voluntary Action Program of Ohio EPA, Division of Emergency and Remedial Response, on behalf of the City of Fairview Park by Dr. Bill Rish, a Certified Professional, No. 140, as defined in ORC 3746.01(E) and OAC 3745-300-05.

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE
ISSUANCE OF A CERTIFIED PROFESSIONAL CERTIFICATE**

Notice is hereby given that on April 15, 2002, The Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Section 3746.04 (B)(5) and Ohio Administrative Code Rule 3745-300-05, issued a professional certificate to Julianne M. Schucker - CP258 to perform work as a certified professional under the Voluntary Action Program. .

The issuance of this Certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review the certificate, or any documents related to the certificate, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

DIRECTOR'S INTERIM FINAL FINDINGS AND ORDERS

Notice is hereby given that on April 30, 2002, the director of Ohio EPA issues Interim Final Findings and Orders to Elkem Metals Company - Ashtabula LP (Respondent), 1013 Centre Road, Wilmington, DE 19805 and Elkem Metals, Inc. (Respondent), Airport Office Park Bldg. 2, 400 Rouser Road, Moon Township, PA 15108. Respondents shall conduct the following Waste Material movement and temporary storage activities for only those Waste Materials located on Respondent Elkem - Ashtabula's Ashtabula Plant property subject to the Elkem/Nordic real estate transaction in accordance with the given time frames: Upon the effective date of these Orders, Respondents shall be authorized to engage in Waste Material movement and temporary storage in accordance with the following provisions: Within 30 days after the effective date of the Orders, Respondents shall: Prepare a Cost Estimate that contains an itemized written estimate, in current dollars, of the cost of conducting the work required by these Orders. These Orders will terminate on September 15, 2003, unless otherwise modified and extended by the Director of Ohio EPA in writing prior to the date of termination. These orders are subject to all rules, regulations, and specified conditions. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel:(614) 644-2621.

PUBLIC NOTICE

**OHIO EPA ISSUES DRAFT RENEWAL HAZARDOUS WASTE PERMIT TO
CHEMICAL SOLVENTS, INC.-JENNINGS FACILITY, CLEVELAND, OHIO**

On April 23, 2002, Ohio EPA issued a draft renewal Hazardous Waste Facility Installation and Operation Permit (Permit) to Chemical Solvents, Inc. -Jennings Facility, for its facility at 3751 Jennings Road, Cleveland, Ohio 44109. The EPA Identification Number for this facility is OHD052937885.

Why does Chemical Solvents, Inc. need a Permit for its Jennings Facility?

The Chemical Solvents, Inc.-Jennings Facility is engaged in chemical wholesaling activities. Chemical Solvents, Inc. formerly accepted and stored off-site generated hazardous waste. They no longer accept this waste, and their permitted hazardous waste storage area has been closed. There are no active treatment, storage, or disposal activities at the site. However, Chemical Solvents, Inc. is now involved in corrective action activities and must renew their permit for this purpose. The draft renewal Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws and demonstrates sufficient reliability, expertise and competency to operate a hazardous waste facility under this chapter and Chapters 3704. and 6111. of the Revised Code, all rules and standards adopted under them, and terms and conditions of a hazardous waste facility installation and operation permit, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will require Chemical Solvents, Inc. to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility.

How can I tell Ohio EPA what I think about this draft Permit?

You can attend the public meeting and present your comments in person or submit written comments that are clear, concise, and well documented. Or, you are welcome to do both. Everyone who wants to comment at the public meeting will be allowed to speak. You should limit your presentation to five minutes and, if possible, submit a written copy of your comments to Ohio EPA at the meeting.

When and where will Ohio EPA hold a Public Meeting?

Ohio EPA will hold a public meeting on May 28, 2002, at 6:30 p.m. It will be at the Cleveland Public Library, Brooklyn Branch, 3706 Pearl Road, Cleveland, Ohio 44109.

When and how do I submit written comments?

You can submit written comments anytime between April 24, 2002, and June 7, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn:

Information Technologies and Technical Support Section, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Permit Application and draft renewal Permit?

You can review these at one of the following locations:

Cleveland Public Library, Brooklyn Branch, 3706 Pearl Road, Cleveland, Ohio 44109, (216) 623-6920;

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215
(614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft Permit , making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you a copy of the "response to public comments" and the final permit decision.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a 40 foot long grout bag filled breakwater and fill 0.04 acres of lake. The application was submitted by John Zachary, 17848 Lake Road, Lakewood, Ohio 44107. The project is located at 17848 Lake Road, in the City of Lakewood, Cuyahoga County. The Buffalo District Corps of Engineers Public Notice Number for this project is 2001-02564(0).

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting May 9, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a 78 foot long grout bag filled breakwater and fill 0.12 acres of lake. The application was submitted by Timothy Doane, 17852 Lake Road, Lakewood, Ohio 44107. The project is located at 17852 Lake Road, in the City of Lakewood, Cuyahoga County. The Buffalo District Corps of Engineers Public Notice Number for this project is (B)97-473-0021(1).

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting May 9, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a 85 ft long grout bag filled breakwater and fill 0.2 acres of lake. The application was submitted by John Gallagher, 17850 Lake Road, Lakewood, Ohio 44107. The project is located at 17850 Lake Road, in the City of Lakewood, Cuyahoga County. The Buffalo District Corps of Engineers Public Notice Number for this project is (B)2001-02467(1).

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting May 9, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Delaware County
Logan County
Union County**

Date of Public Notice: May 6, 2002

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
BOKES CREEK TOTAL MAXIMUM DAILY LOAD REPORT**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is providing for public review and comment the Bokes Creek Basin Total Maximum Daily Load Report (TMDL) Document. Ohio EPA developed the Document in fulfillment of Section 303(d) of the Clean Water Act which requires the identification of impaired waterbodies for which technology based effluent limitations are not stringent enough to achieve applicable water quality standards and to develop Total Maximum Daily Loads for such waters. The Document addresses the assessment and recommended measures for six impaired segments within the Bokes Creek Basin that appear on the Ohio 1998 303(d) list. The six impaired segments are located in the counties of Union, Logan, and Delaware.

All interested persons wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA, Central District Office, 3232 Alum Creek Drive, Columbus, Ohio 43207 Attn: Mike Gallaway, or by email to mike.gallaway@epa.state.oh.us by the close of business, June 5, 2002. Comments received after this date may be considered as time and circumstances permit. After consideration of comments, Ohio EPA will submit the Document to the United States Environmental Protection Agency (USEPA) for approval.

To obtain a copy of the Document or other information, or to arrange to inspect Agency files or records pertaining to the Document, or to request notice of when Ohio EPA submits the Document to USEPA, please contact Mike Gallaway at the address above or by calling (614) 728-3843. Also, the Document is posted on Ohio EPA Division of Surface Water Web site <http://www.epa.state.oh.us/dsw/tmdl>.

Hamilton County

**PUBLIC NOTICE
RETURN TO DETECTION MONITORING FOR EXPLOSIVE GAS**

Pursuant to Ohio Administrative Code (OAC) Rule 3745-27-12(K)(4), notice is hereby given on May 2, 2002, that the director of Ohio EPA authorized the City of Harrison to reinstate temporary probe #4 to detection monitoring in accordance with the Explosive Gas Monitoring Plan (EGMP) and OAC Rule 3745-27-12. Upon the effective date of this authorization, the City is no longer required to comply with the contingency plan for the probe. The City of Harrison Landfill is located at 10999 Campbell Road, Harrison, Ohio 45030. This authorization is subject to all rules, regulations, and specified conditions. This final action not preceded by a proposed action and is appealable to Environmental Review Appeals Commission, 236 East Town Street, Room 300, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel:(614) 644-2621.

PUBLIC NOTICE

ALTERNATE PARAMETER MONITORING LIST APPROVAL

Notice is hereby given that, on April 26, 2002, pursuant to OAC 3745-27-10(D)(4), the director of Ohio EPA approved a request from Waste Management, Inc., for the Wellston Sanitary Landfill. The letter requested an alternate parameter list for the low-yielding wells in the significant zone of saturation associated with the Clarion Coal that underlies the facility. The request included a list of proposed parameters to be sampled, and a prioritized list of additional parameters to be tested as waster sample volumes permit. The alternate parameter list are approved for a period of three years. Utilization of the list is subject to all rules, regulations, and specified conditions. This final action not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

Date of Public Notice: May 7, 2002

**Public Notice
Notice of Receipt of Public Application
Antidegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for a Permit to Install (PTI) 90-723 for the construction of a proposed sanitary sewer. The PTI application was submitted by the City of Willoughby, 35405 Chardon Road, Willoughby Hills, Ohio 44094.

The preferred alternative is to construct a sanitary sewer parallel to the East Branch of Euclid Creek in Willoughby Hills, Ohio. The collected wastewater is to be conveyed to the City of Euclid collection system for treatment. Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The construction of this sewer, if approved, would result in degradation to, or lowering of, the water quality of the East Branch of Euclid Creek, Euclid Creek and Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application indicate no exclusion or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending PTI application are available for review at Ohio EPA's Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio, (330) 425-9171. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio, 43216-1049, within thirty days of the date of this public notice.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to fill 2.922 acres of Category 2 isolated forested wetlands for a residential subdivision. The application was submitted by United Property Management, 300 Washington Avenue, Suite 102, Lorain, Ohio 44052. The project is located between Hidden Creek Drive and Squirrel Nest Drive, in the City of Lorain, Lorain County. The Ohio EPA Identification Number for this project is 20703.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting May 9, 2002, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to fill 3.79 acres of Category 1 isolated wetlands for a residential subdivision. The application was submitted by Shorewest Construction Company, 23826, Lorain Road, North Olmstead, Ohio 44070. The project is located north of Krebs Road and east of Lear Road in Avon Lake, Lorain County. The Ohio EPA Identification Number for this project is 120730.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting May 9, 2002, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a 210 foot armor stone breakwater and 65 foot groin along the shoreline of Lake Erie. The application was submitted by Carey M. Klug, 79 Coveland Drive, Avon Lake, Ohio 44012. The project is located at 79 Coveland Drive, in the City of Avon Lake, Lorain County. The Buffalo District Corps of Engineers Public Notice Number for this project is 2001-02430(0).

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting May 9, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMITS

On April 23, 2002, Ohio EPA issued two final modified Hazardous Waste Facility Installation and Operation Permits (Permit) to Envirosafe Services of Ohio, Inc. for its facility at 876 Otter Creek Road, Oregon, Ohio 43616. The EPA Identification Number for this facility is OHD045243706.

Why is Envirosafe Services of Ohio, Inc. modifying its Permit?

Envirosafe Services of Ohio, Inc. (Envirosafe) is permitted to operate a hazardous waste landfill and other related hazardous waste management units at its facility. Envirosafe wants to 1) install a concrete barrier walkway and stanchion bumper guards at the containment building area, and 2) relocate and permanently install two emergency eyewash stations and relocate a telephone from Area B-1 to the Electric Room. Additionally, Envirosafe wants to implement procedures for managing leachate in a secondary leachate collection system when a leachate level reading cannot be obtained, and to continue to monitor commercially available leachate level monitoring equipment in an attempt to equip the sub-cell with a transducer in the future. These final modified permits will allow Envirosafe to make the requested changes. To issue these final modified Permits, Ohio EPA determined that the modification application are complete and meet appropriate standards.

Can I appeal these final modified Permits?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by these modified Permits, you have the right to appeal these Permit decisions to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal these final modified Permits, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than **May 29, 2002**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to ORC § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 236 E. Town Street, Room 300, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE

Notice is hereby given that on April 30, 2002, the Director of the Environmental Protection Agency issued a Isolated Wetlands Permit (Level 2) to Autumn Woods, L.P., 4334 Glendale-Milford Road, Blue Ash, Ohio 45242. The permit was issued for a project to impact 1.823 acres of Category 1 wetlands in conjunction with the construction of Autumn Woods Village. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 236 East Town Street, Room 300, Columbus, Ohio 43215 within 30 days of issuance of this final action.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to place fill in 4.2 acres of wetland and 1,350 linear feet of intermittent streams associated with the construction of roads, building pads, and infrastructure for the Brunswick Town Center. The application was submitted by The City of Brunswick, 4095 Center Road, Brunswick, Ohio 44212 and Zaremba Group, 737 Bolivar Road, Cleveland, Ohio 44115. The project is located on the south side of Center Street across from the intersection of North Carpenter Road, in the City of Brunswick, Medina County. The Buffalo District Corps of Engineers Public Notice Number for this project is 2002-00114(0).

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands and unnamed tributaries to Plum Creek and Lake Brunswick. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting May 9, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a pier extension to the Miller Boat Lines Ferry Dock. The application was submitted by Miller Boat Lines, Inc., P.O. Box 239, Put-In-Bay, Ohio 43456. The project is located on the north end of Catawba Island at the north end of Crogan Street, in Port Clinton, Ottawa County. The Buffalo District Corps of Engineers Public Notice Number for this project is 92-479-18(3).

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting May 9, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Summit County

PUBLIC NOTICE

ALTERNATIVE DAILY COVER APPROVAL

Pursuant to OAC Rule 3745-27-19(F)(3), notice is hereby given that on May 2, 2002, the director of Ohio EPA authorized the use of Geotex 315ST as alternative daily cover material on an ongoing basis at the Hardy Road Sanitary Landfill, located at 1585 Hardy Road, Akron, Summit County. This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

Date of Public Notice: May 9, 2002

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2) AND 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) and a Section 401 water quality certification for a project to fill 1.61 acres of non-forested isolated wetlands, 0.84 acres of jurisdictional wetlands, 785 linear feet of intermittent stream and relocate approximately 250 linear feet of unnamed tributary to Mud Brook. The applications were submitted by Design Construction Services, Inc., 571 Turkeyfoot Road, Akron, Ohio 44319. The project is located at East Bath Rd, bordered by Cochran Rd, State Rd, and Wyoga Rd, Cuyahoga Falls, Summit County. The Ohio EPA Identification Number for this project is 020773. The Buffalo District Corps of Engineers Public Notice Number for this project is 2002-00059(0).

In accordance with Ohio Revised Code (ORC) Section 6111.026 (F), the applicant has requested that the Isolated Wetland Permit (Level 2) public comment period and, if a hearing is requested, the public hearing, coincide with the time periods for the Section 401 water quality certification.

The review of the Isolated Wetland Permit (Level 2) application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with ORC Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

The review of the Section 401 water quality certification application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Administrative Code (OAC) Chapters 3745-1 and 3745-32, and other applicable provisions of state law. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. Other alternatives as proposed by the applicant resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

For the Section 401 water quality certification, no exclusions or waivers, as outlined in Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting May 9, 2002, copies of the applications and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street,

Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the applications should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

**OHIO EPA ISSUES DRAFT ACTION TO TRANSFER MODIFIED HAZARDOUS
WASTE PERMIT
FROM BP AMOCO POLYMERS, INC., TO SOLVAY ADVANCED POLYMERS, LLC,
MARIETTA, OHIO**

On May 2, 2002, Ohio EPA issued a draft modified Hazardous Waste Facility Installation and Operation Permit (Permit) to transfer the Permit for the facility at State Route 7, Marietta, Ohio from BP Amoco Polymers, Inc. (BP Amoco) to Solvay Advanced Polymers, LLC (Solvay). The EPA Identification Number for this facility is OHD981529688.

Why is BP Amoco Polymers, Inc. modifying its Permit?

Solvay Advanced Polymers, LLC (Solvay) is engaged primarily in the manufacture of engineered plastics for use as various types of containers, trays, and computer printer ink cartridges. From this activity, hazardous waste is generated. Once generated, these wastes are treated in a hazardous waste surface impoundment and stored in containers on-site. The Director originally issued the renewal Permit to BP Amoco on August 7, 2001. BP Amoco transferred ownership and operation of the facility to Solvay. BP Amoco wishes to transfer the Permit to Solvay. The Director authorized Solvay to temporarily conduct hazardous waste activities at the facility that otherwise would require a Permit until the Director acts on BP Amoco's request to transfer the Permit to Solvay. The draft modified Permit also includes the following modifications to the Permit as required by the Amended Joint Stipulations and Settlement Agreement, resulting from BP Amoco's appeal of the August 7, 2001, renewal Permit (ERAC Case 844995): correct typographical errors, add post closure care to the list of authorized activities, and clarify the Permittee's responsibilities if the ground water protection standard is exceeded. The draft modification Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft modified Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws and demonstrates sufficient reliability, expertise and competency to operate a hazardous waste facility under this chapter and Chapters 3704. and 6111. of the Revised Code, all rules and standards adopted under them, and terms and conditions of a hazardous waste facility installation and operation permit, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. If issued, the ownership and operation of the facility under the Permit will transfer to Solvay and authorize the other changes to the Permit made by the Director.

How can I tell Ohio EPA what I think about this draft modified Permit?

You can submit written comments anytime between May 3, 2002, and June 16, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Information Technologies and Technical Support Section, P.O. Box 1049, Columbus, Ohio

43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

When and where will Ohio EPA hold a Public Meeting?

You may request Ohio EPA to hold a public meeting for this draft permit modification. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Information Technologies and Technical Support Section, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us If the request is granted, Ohio EPA will announce the time and location of the public meeting.

Where can I review the Permit Application and draft modified Permit?

You can review these at one of the following locations:

Washington County Public Library, Main Branch, 615 Fifth Street, Marietta, Ohio 45750, (740) 373-1057;

Ohio EPA Southeast District Office, 2195 Front Street, Logan, Ohio 43138, (740) 385-8501;

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft modified Permit, making any necessary changes, and issue or deny the final modified Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft modified Permit. If you commented on the draft modified Permit, Ohio EPA will send you a copy of the "response to public comments" and the final permit decision.

PUBLIC NOTICE

EXTENSION OF DEADLINE FOR LANDFILL CLOSURE CONSTRUCTION

Notice is hereby given on May 2, 2002, that the director of Ohio EPA authorizes an extension of the closure deadline for the existing 38-acre unit at the Mt. Eaton Landfill located in Wayne County, Ohio. All closure activities for the landfill's 38-acre existing unit must be completed by December 31, 2002. The request was from URS Corporation, on behalf of Norton Environmental Company, 6200 Rockside Woods Blvd., Independence, Ohio 44131. This authorization is subject to all rules, regulations, and specified conditions. This action of the Director of Environmental Protection is final and may be appealed to the Environmental Review Appeals Commission, 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644- 2621.

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN

On April 16, 2002, Ohio EPA received a new hazardous waste closure plan from the Astro Cosmos Metallurgical Corporation for its tank storage units located at 3225 Old Lincoln Way West, Wooster, Ohio 44691. The EPA Identification Number for this facility is OHD990659435.

Why is Astro Cosmos Metallurgical Corporation Submitting this Closure Plan?

At the request of Ohio EPA, the Astro Cosmos Metallurgical Corporation (ACM Corporation) submitted this closure plan. The closure plan identifies the activities and methodology to clean close a hazardous waste vault, a waste acid storage tank, a waste acid overflow tank and relating piping. The closure plan describes power washing and rinsing of the units, soil sampling and analysis, inorganic and organic contaminants, and identifies the integrity inspection procedure plan.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between May 1 and May 30, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Information Technologies and Technical Support Section, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Wayne County Public Library, Main Branch, 304 North Market Street, Wooster Ohio 44691, tel: (330) 262-0916,

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (216) 963-1200,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.