

Ohio EPA Permit No. OHP000001

National Pollutant Discharge Elimination System (NPDES) Permit Program

PUBLIC NOTICE

NPDES Storm Water General Permit for Small Municipal Separate Storm Sewer Systems (MS4s) to Discharge to State Waters

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P. O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA-02-08-020
Date of Issue of Public Notice: August 9, 2002

This is a NPDES general permit for storm water discharges from municipal separate storm sewer systems (MS4s) to surface water of the state. This permit authorizes all storm water discharges from the MS4. This permit has been drafted in response to U.S. EPA's Phase II Storm Water regulations.

Also to assist in complying with the terms and conditions of the general permit and in accordance with 40 CFR § 123.35(g), Ohio EPA announces the availability of a menu of best management practices (BMPs) which can be found at http://www.epa.gov/npdes/menuofbmpps/BMP_files.htm. Regarding BMPs for construction and post-construction, Ohio EPA recommends the use of *Rainwater and Land Development*, which can be obtained by contacting John Mathews, Ohio Department of Natural Resources, Division of Soil and Water Conservation at (614) 265-6685, fax (614) 262-2064 or e-mail, john.mathews@dnr.state.oh.us.

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the draft NPDES Storm Water General Permit for small MS4s.

The public hearing has been scheduled for September 17, 2002 at 1:00 p.m., at the 31st Floor Conference Rooms South B & C, the Riffe Center, 77 South High Street, Columbus, Ohio. Prior to the public hearing there will be an information session to help answer questions regarding the draft general permit. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding

officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the draft NPDES Storm Water General Permit for small MS4s.

Ohio EPA Permit No. OHP000001

Public Notice No. 02-08-020

On the basis of preliminary staff review and application of standards and regulations, the director of the Ohio Environmental Protection Agency will issue a general permit for the discharges subject to certain effluent conditions and special conditions. The draft permit will be issued as a final action unless the director revises the draft after consideration of the record of a public meeting or written comments, or upon disapproval by the administrator of the U.S. Environmental Protection Agency. Any person may submit written comments on the draft permit and administrative record. Following final action by the director, any aggrieved party has the right to appeal to the Environmental Review Appeals Commission.

Interested persons are invited to submit written comments on the discharge permit. Comments should be submitted in person or by mail no later than 45 days after the date of this public notice. Comments should be delivered or mailed to the following location: 1) Ohio Environmental Protection Agency, Lazarus Government Center, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216-1049. Comments received after this date may not be considered as part of the official record.

The Ohio EPA permit number and public notice numbers should appear next to the above address on the envelope and on each page of any submitted comments. All comments received no later than 45 days after the date of this public notice will be considered.

The fact sheets, permits, special conditions, comments received, and other documents are available for inspection and may be copied at a cost of 5 cents per page at the Ohio Environmental Protection Agency at the address shown on page one of this public notice any time between the hours of 8 a.m. and 4:30 p.m., Monday through Friday. Copies of the public notice are available at no charge at the same address. Also, the public notice, fact sheet and draft permit may be viewed at the following web address: <http://www.epa.state.oh.us/dsw>. Questions may be directed to John Morrison at (614) 644-2259 or via e-mail at john.morrison@epa.state.oh.us.

Mailing lists are maintained for persons or groups who desire to receive public notice for all public notices, fact sheets, and draft permits in the state or for certain geographical areas. Persons or groups may also request copies of fact sheets, applications, or other documents pertaining to specific applications. Persons or groups may have their names put on such a list by making a written request to the agency at the address shown above.

Ohio EPA Permit No. OHP100000

National Pollutant Discharge Elimination System (NPDES) Permit Program

PUBLIC NOTICE

NPDES Storm Water General Permit for Small Municipal Separate Storm Sewer Systems (MS4s) Located Within Rapidly Developing Watersheds to Discharge to state waters

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P. O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA-02-08-019
Date of Issue of Public Notice: August 9, 2002

This is a NPDES general permit for storm water discharges from municipal separate storm sewer systems (MS4s) to surface water of the state. This permit authorizes all storm water discharges from the MS4. This permit has been drafted in response to U.S. EPA's Phase II Storm Water regulations.

This public notice is of Ohio EPA's alternative MS4 storm water NPDES general permit. This permit applies to MS4s where rapid development may degrade streams in the near future; therefore, compliance deadlines for construction and post-construction measures have accelerated compliance deadlines.

Also to assist in complying with the terms and conditions of the general permit and in accordance with 40 CFR § 123.35(g), Ohio EPA announces the availability of a menu of best management practices (BMPs) which can be found at http://www.epa.gov/npdes/menuofbmps/BMP_files.htm. Regarding BMPs for construction and post-construction, Ohio EPA recommends the use of *Rainwater and Land Development*, which can be obtained by contacting John Mathews, Ohio Department of Natural Resources, Division of Soil and Water Conservation at (614) 265-6685, fax (614) 262-2064 or e-mail, john.mathews@dnr.state.oh.us.

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the draft NPDES Storm Water General Permit for small MS4s located within rapidly developing watersheds.

The public hearing has been scheduled for September 18, 2002 at 1:00 p.m. at the Capa Studio 2, 2nd Floor, Riffe Center, 77 South High Street, Columbus, Ohio. Prior to the public hearing there will be an information session to help answer questions regarding the

draft general permit. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

Ohio EPA Permit No. OHP100000

Public Notice No. 02-08-019

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the draft NPDES Storm Water General Permit for small MS4s.

On the basis of preliminary staff review and application of standards and regulations, the director of the Ohio Environmental Protection Agency will issue a general permit for the discharges subject to certain effluent conditions and special conditions. The draft permit will be issued as a final action unless the director revises the draft after consideration of the record of a public meeting or written comments, or upon disapproval by the administrator of the U.S. Environmental Protection Agency. Any person may submit written comments on the draft permit and administrative record. Following final action by the director, any aggrieved party has the right to appeal to the Environmental Review Appeals Commission.

Interested persons are invited to submit written comments on the discharge permit. Comments should be submitted in person or by mail no later than 45 days after the date of this public notice. Comments should be delivered or mailed to the following location: 1) Ohio Environmental Protection Agency, Lazarus Government Center, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216-1049. Comments received after this date may not be considered as part of the official record.

The Ohio EPA permit number and public notice numbers should appear next to the above address on the envelope and on each page of any submitted comments. All comments received no later than 45 days after the date of this public notice will be considered.

The fact sheets, permits, special conditions, comments received, and other documents are available for inspection and may be copied at a cost of 5 cents per page at the Ohio Environmental Protection Agency at the address shown on page one of this public notice any time between the hours of 8 a.m. and 4:30 p.m., Monday through Friday. Copies of the public notice are available at no charge at the same address. Also, the public notice, fact sheet and draft permit may be viewed at the following web address: <http://www.epa.state.oh.us/dsw>. Questions may be directed to John Morrison at (614) 644-2259 or via e-mail at john.morrison@epa.state.oh.us.

Mailing lists are maintained for persons or groups who desire to receive public notice for all public notices, fact sheets, and draft permits in the state or for certain geographical areas. Persons or groups may also request copies of fact sheets, applications, or other documents pertaining to specific applications. Persons or groups may have their names put on such a list by making a written request to the agency at the address shown above.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
United Technologies Corporation / Former Sheller Globe Facility
Property

Notice is hereby given that on August 2, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to United Technologies Corporation on behalf of Lear Corporation Automotive Systems for the property identified as the Former Sheller Globe Facility property (the "Property").

United Technologies Corporation conducted a voluntary action of the approximately 13.586 acre-Property located at 1200 East Kibby Street, Lima, Allen County. A no further action letter was submitted on April 30, 2001 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of United Technologies Corporation by David B. Mustafaga, C.P.G., a Certified Professional (No. CP 183), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Krick Road Realty, LLC (Krick Road Realty, LLC Property)

Notice is hereby given that on July 26, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Krick Road Realty, LLC for the property identified as the Krick Road Realty, LLC Property (the "Property").

Krick Road Realty, LLC conducted a voluntary action of the approximately 56.785 acre-Property located at 7120 and 7130 Krick Road, Walton Hills, Cuyahoga County, Ohio. A No Further Action letter was submitted on November 29, 2001 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Krick Road Realty, LLC by Matthew D. Knecht, a Certified Professional (CP No. 0105), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
REINSTATEMENT OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on July 26, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued laboratory certificates to STL-North Canton ("STL") of 4101 Shuffel Drive NW, North Canton, Ohio, granting the laboratory's request to reinstate certification under Ohio's Voluntary Action Program for analyte, parameter group, and methods that had been suspended. These certificates reflect changes to the previous certificate issued to STL under the Voluntary Action Program, and reinstates certification for Total Phenolics by method 9065 and Chlorinated Herbicides by method 8151A. The certification number assigned to STL remains CL0024.

The issuance of these certificates is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of these certificates, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

Notice is hereby given that on August 9, 2002 the Director of the Environmental Protection Agency issued a modification to an Isolated Wetlands Permit (Level 2) to Summer Hill Homes of Ohio, 20898 Drake Road, Strongsville, Ohio 44149. The purpose of this modification correct the mitigation bank to Three Eagles Mitigation Bank operated by the Ohio Wetlands Foundation. This Modification was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 236 East Town Street, Room 300, Columbus, Ohio 43215 within 30 days of issuance of this final action.

Date of Notice: August 1, 2002

**PUBLIC NOTICE
NOTICE OF PUBLIC HEARING**

Notice is hereby given that Ohio EPA will conduct a public hearing concerning pending solid waste and surface water permit applications for the Gallia County Landfill. The facility is located at 497 Roush Hollow Road near the town of Bidwell, Gallia County, Ohio. The solid waste permit applicant is Gallia County Landfill, Inc. at the same address as the facility and the surface water applicant is Waste Management of Ohio, Inc., 1700 North Broad Street, Fairborn, Ohio 45324. The solid waste permit application proposes vertical and lateral expansion of the landfill's solid waste disposal area. The surface water permit application is for a National Pollutant Discharge Elimination System (NPDES) wastewater discharge permit, which is a renewal of the existing NPDES permit addressing the expansion of the landfill. The disposal system expansion submitted for approval is proposed to treat an annual average of 4,368 gallons per day (29,765 gpd maximum) wastewaters associated with the landfill stormwater runoff. (The sedimentation pond design flow will increase from the existing 75 CFS to 122 CFS). The pond treatment system is located at 497 Roush Hollow Road, Morgan Township, Gallia County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to an unnamed tributary of White Oak Creek and subsequently White Oak Creek and Campaign Creek.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary to White Oak Creek and subsequently White Oak Creek and Campaign Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Ohio EPA will hold a public hearing relative to the landfill expansion and issues of lower water quality on Wednesday, September 18, 2002, at 6:30 p.m. at the Gallia County Courthouse, Commissioners Room, 12 Locust Street, Gallipolis, OH 45631. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Written comments regarding the solid waste permit application should be sent to Ohio EPA, Division of Solid and Infectious Waste Management, Att: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049. Comments regarding the surface water permit application should be sent to Ohio EPA, Division of Surface Water, Permits Processing Unit, at the same address.

Persons wishing to be on Ohio EPA's interested parties list for this project, or who wish to

submit comments for Ohio EPA's consideration in reviewing the applications should do so in writing to the above addresses by the close of business on September 23, 2002. Comments received after this date may not be considered as part of the official record of the hearing. Interested parties may contact the Ohio EPA Southeast District Office, 2195 Front Street, Logan, Ohio 43138, Tel.(740) 385-8501, to review a copy of the pending permit applications.

PUBLIC NOTICE

**NOTICE OF PUBLIC INFORMATION SESSION
PERMIT TO INSTALL APPLICATION #05-11554**

Notice is hereby given on August 6, 2002, that Rumpke Sanitary Landfill, Inc., submitted to Ohio EPA on May 1, 2001, a Permit to Install application (PTI #05-11554), for the Rumpke Sanitary Landfill, Inc. (facility). The facility is located at 10795 Hughes Road, Cincinnati, Ohio 45251. The application is for a south slope horizontal capacity expansion-modification to the landfill. As part of the Ohio EPA public involvement process, a Public Information Session will be held to discuss issues related to Permit to Install Application (PTI #05-11554). The Public Information Session will be held on Tuesday, September 24, 2002, 7:00 p.m., at Northwest High School - Auditorium, 10761 Pippin Road, Cincinnati, OH 45231. The application may be reviewed by contacting Sally Brown at Ohio EPA Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402-2911, (937) 285-6357.

PUBLIC NOTICE

**ISSUANCE OF DRAFT SOLID WASTE PERMIT TO INSTALL
AND NOTICE OF PUBLIC HEARING**

Notice is hereby given on August 5, 2002, that Ohio EPA issued a draft permit approval to Browning-Ferris Industries of Ohio, Inc., Lorain County II Landfill, 43502 Oberlin-Elyria Road, Oberlin, Ohio 44074. The Permit to Install application (PTI #02-15346) proposes a lateral and vertical expansion of the existing municipal solid waste landfill which adds approximately 16.3 million cubic yards of capacity and 5 years of life at the facility's authorized maximum daily waste receipt (AMDWR) of 6,500 tons. BFI Lorain County II Landfill is located in New Russia Township, Lorain County, Ohio which is 2.5 miles northeast of Oberlin Ohio. A Public Hearing will be held in order to receive comments for the director's consideration on Tuesday, September 17, 2002, beginning at 7:00 p.m., at the Oberlin High School, 281 N. Pleasant St., Oberlin, Ohio 44074. The draft permit may be inspected until September 26, 2002 at the Oberlin Public Library, 65 South Main Street, Oberlin, Ohio 44074-1626, and the Ohio EPA Northeast District Office in accordance with Ohio EPA's file review procedures by writing to Ms. Lily Aaron, Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200. Written comments will be accepted until September 26, 2002. Comments should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621.

Date of Notice: August 5, 2002

**REVISED PUBLIC NOTICE
NOTICE OF PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the draft National Pollutant Discharge Elimination System (NPDES) permit (2IN00013) for the discharge from the existing Envirosafe Services of Ohio, Inc. disposal system. The draft NPDES permit was public noticed on June 7, 2002 under Public Notice No. OEPA-02-06-010.

The disposal system is located at 876 Otter Creek Road, Oregon, Lucas County, Ohio. Treated waste waters are proposed to be discharged at the same location. The proposed discharges from outfalls 009, 010, 011, and 012 are to Otter Creek and subsequently to Maumee Bay and Lake Erie. The existing discharges from outfalls 001, 002, 003, 004, 005, and 006 are to Otter Creek, Driftmeyer Ditch, and Joehlin Ditch. The NPDES application was submitted by Envirosafe Services of Ohio, Inc., 876 Otter Creek Road, Oregon, Ohio 43616.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Otter Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The public hearing has been scheduled for Thursday, October 3, 2002 at 7:00 pm at the Oregon City Council Chambers, 5330 Seaman Road, Oregon, Ohio. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on October 10, 2002.

Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES application and technical support information may be reviewed and/or copies made at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio, by first calling (419) 352-8461 to make an appointment.

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN

On August 8, 2002, Ohio EPA received a new hazardous waste closure plan from the Astro Cosmos Metallurgical Corporation for its hazardous waste container and tank storage units, and land application disposal area located at 3225 Old Lincoln Way West, Wooster, Ohio 44691. The EPA Identification Number for this facility is OHD990659435.

Why is Astro Cosmos Metallurgical Corporation Submitting this Closure Plan?

At the request of Ohio EPA, the Astro Cosmos Metallurgical Corporation submitted this closure plan. This closure plan includes a description of the closure areas; a description of the remedial techniques, decontamination procedures, and cleanup goals; a copy of the Sampling & Analysis Plan under which closure and sampling activities will be performed; a copy of the Health & Safety Plan under which the closure will be performed; a schedule for completion of the proposed work; and estimated costs for performance of the proposed closure activities.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between August 14 and September 12, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Wayne County Public Library, Main Branch, 304 North Market Street, Wooster Ohio 44691, tel: (330) 262-0916,

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (216) 963-1200,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.