

PUBLIC NOTICE

Notice of Entry into Ohio EPA's "VAP MOA Track" Resco Products, Inc. (Crescent Brick East Canton Facility)

Notice is hereby given that on August 19, 2002, Resco Products, Inc. submitted to the Ohio Environmental Protection Agency ("Ohio EPA") a Notice of Entry in the Brownfields and Voluntary Action Program Memorandum of Agreement Track (the "VAP MOA Track"). The Resco Products Notice of Entry identifies the Crescent Brick property located at the southwest corner of US Route 30 and State Route 44 as the property to undergo a voluntary action through the VAP MOA Track.

The VAP MOA Track was established by the United States Environmental Protection Agency and Ohio EPA on July 31, 2001 to promote the cleanup and redevelopment of contaminated or potentially contaminated properties ("Brownfields") in Ohio.

The Notice of Entry, along with other documents regarding the voluntary action at the property, will be made available for public inspection at the East Canton Library at 224 North Wood Street, East Canton, Stark County, phone 330-448-1501, in accordance with the MOA.

If you have questions concerning the Notice of Entry or would like to review or obtain a copy of the Notice of Entry, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, 122 S. Front St., P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER
OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on August 26, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to Thomas J. Mignery- CP125, Scott S. Mounts-CP245, Ronald J. Ebelhar-CP165, Craig B. Campbell-CP211, David P. Regalbuto-CP235, Walter Kosinski-CP196, Thomas E. Gillespie-CP234, Oren J. Gottlieb-CP123, Edward McCabe-CP102, Dennis A. Smalley-CP197, Martin L. Schmidt-CP170, Christopher W. Krumm-CP177, Janet H. Dean-CP221, Atul Pandey-CP224, Charles L. Head-CP113, Ihor R. Melnyk-CP147, Jim C. Smith-CP121, Paul L. Freedman-CP107, Craig Kasper-CP103, and Steven M. Gross-CP192 to perform work as certified professionals under the Voluntary Action Program.

The issuance of these renewal certifications are a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Ohio EPA PTI No. 03-15353

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 02-09-005
Date of Issue of Public Notice: September 4, 2002

Name and Address of Applicant; Allen County Board of Commissioners, 301 North Main Street, Lima, Ohio, 45801

Name and Address of Facility Where Discharge Occurs: Oakview Sanitary Sewer System, Zurmehly Road, Shawnee Township, Allen County, Ohio, 45801

Receiving Water: Ottawa River

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of the Ottawa River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH, 43402, by first calling, 419-352-8461 to make an appointment.

PUBLIC NOTICE
OHIO EPA RECEIVES REVISED HAZARDOUS WASTE CLOSURE PLAN

On August 5, 2002, Ohio EPA received a revised hazardous waste closure plan from Reserve Environmental Services, Inc. for Site E concerning the hazardous waste landfill located at 4633 Middle Road, Ashtabula, Ohio 44004. The EPA Identification Number for this facility is OHD980793384.

Why is Reserve Environmental Services, Inc. Submitting this Closure Plan?

At the request of Ohio EPA, Reserve Environmental Services, Inc. submitted this revised closure plan. The plan for Site E includes site grading, and a proposed cap design and construction. The plan also includes an installation proposal of barrier and drainage layers, a protective vegetative layer, and storm water management.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between August 28 and September 26, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Revised Closure Plan at the following locations:

Ashtabula County District Library, Main Branch, 335 West 44th Street, Ashtabula, Ohio 44004, tel: (440) 997-9341,

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (216) 963-1200,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.

Ohio EPA PTI No. 05-11291

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA 02-09-009 PTI
Date of Issue of Public Notice: September 5, 2002

Name and Address of Applicant: Mayor and Council, Village of New Miami, 268 Whitaker Avenue, New Miami, Ohio 45011

Name and Address of Facility Where Discharge Occurs: New Miami Wastewater Plant, Sipps Avenue, New Miami, Butler County, Ohio

Receiving Water: Four Mile Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Four Mile Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director

may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Southwest District Office, 401 East Fifth Street, Dayton, Ohio. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at Ohio EPA Southwest District Office, 401 East Fifth Street, Dayton, Ohio, by first calling (937) 285-6357, to make an appointment.

**PUBLIC NOTICE
APPROVAL OF FACILITIES PLAN
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO THE NORTHEAST OHIO REGIONAL SEWER DISTRICT**

The Director of the Ohio Environmental Protection Agency is providing notice of an action to approve a facilities plan for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Northeast Ohio Regional Sewer District, for the following water quality improvement activity(ies): Tuxedo-Improvement 230 ICRS project.

This approval is based upon the Ohio EPA staff's recommendations following review of the facilities planning materials conducted under applicable requirements and any other information regarding the proposed activities.

This approval is a final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 236 East Town Street, Room 300, Columbus, Ohio 43215.

Copies of the Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Jerry Rouch at the above address or by calling (614) 644-2798.

Date of Notice: August 30, 2002

Defiance County

**PUBLIC NOTICE & HEARING
NOTICE OF RECEIPT OF APPLICATION
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit (2IN00202) for the discharge from the proposed disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) (03-15505) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by General Motors Corporation, Mail Code 483-619-351, 1999 Technology Drive, Troy, Michigan 48043-4243.

General Motors Corporation's preferred wastewater disposal alternative submitted for approval is proposed to treat 100,000 gallons per day of North Perimeter Area wastewaters associated with leachate collection. The disposal system is proposed to be located at 26427 State Route 281 East, City of Defiance, Richland Township, Defiance County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to the Maumee River and subsequently Lake Erie.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Maumee River and Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio, (419) 352-8461 or (800) 686-6930. An Ohio EPA public hearing on the proposed project has been scheduled for October 15, 2002 at 6:30 pm at the Defiance County Commissioners Office, 500 Court Street, Defiance, Ohio. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the application(s).

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project or 2) submit comments for Ohio EPA's consideration in reviewing the application must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 by close of business on October 22, 2002. Comments received after this date may not be considered as part of the official record.

Date of Public Notice: September 3, 2002

Erie County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to fill 0.014 acres of Category 1, non-forested, wetlands and to relocate 1,974 linear feet of stream. Approximately 790 linear feet of the existing stream is currently culverted and would be replaced by an open stream channel. The purpose of this project is to construct a retail shopping center. The application was submitted by Bear Creek Capital, LLC, 9549 Montgomery Road, Cincinnati, Ohio 45242. The project is located at the present location of Sport City, 5205 Milan Road, Sandusky, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is (B)2002-00202(3). The Ohio EPA ID Number for this project is 021881.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Hemming Ditch in the Sandusky River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting September 3, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: September 3, 2002

Franklin County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a multi-use trail system, beginning at Tuttle Park and proceeding south under the Lane Avenue Bridge, along the Olentangy River, under the Woody Hayes Drive Bridge, and connecting into the existing trail system south of the bridge. The filling activity would involve the construction of a 400 foot long retaining wall under and adjacent to the Lane Avenue Bridge and 85 feet of rock channel protection under the Woody Hayes Bridge. The application was submitted by Columbus Recreation and Parks, 200 Greenlawn Avenue, Columbus, Ohio 43223 and Ohio State University, Department of Physical Facilities, 2003 Millikin Road, Columbus, Ohio 43210. The Huntington District Corps of Engineers Public Notice Number for this project is (H)200101224. The Ohio EPA ID Number for this project is 021285.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Olentangy River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting September 3, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: August 30, 2002

Geauga County

**Public Notice
Notice of Receipt of Public Application
Antidegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit 3PU00008 for the discharge from the proposed Parkman WWTP by PIP Development Ltd. disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) 02-13324 for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by Donald Hofstetter, owner of PIP Development Ltd., PO Box 527, Parkman, Ohio 44080.

The preferred wastewater disposal alternative submitted for approval is proposed to treat 214,000 gallons per day of sanitary and process wastewater. The disposal system is proposed to be located at 15561 Main Market Road, Parkman Township, Geauga County, Ohio. Treated wastewaters are to be discharged into the Grand River. Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharge from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Grand River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application(s) indicate no exclusion or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio, (330) 963-1200. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, PO Box 1049, Columbus, Ohio, 43216, within thirty days of the date of this public notice.

Ohio EPA PA No. 05-12203

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 02-09-003
Date of Issue of Public Notice: September 2, 2002

Name and Address of Applicant: Mayor and Council, Village of Bradford, 115 North Miami Avenue, Bradford, Ohio 45308

Name and Address of Facility Where Discharge Occurs: Bradford Wastewater Treatment Plant, 11750 Klinger Road, Bradford, Ohio 45308

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft plan approval for the Bradford Wastewater Treatment Plant for the Village of Bradford.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Southwest District Office, 401 East 5th Street, Dayton, Ohio 45402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Southwest District Office, 401 East 5th Street, Dayton, Ohio 45402, by first calling, 937-285-6357 to make an appointment.

**PUBLIC NOTICE
APPROVAL OF FACILITIES PLAN
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO THE VILLAGE OF SILVER LAKE**

The Director of the Ohio Environmental Protection Agency is providing notice of an action to approve a facilities plan for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Village of Silver Lake, for the following water quality improvement activity(ies): Overlook, Parkwood, Ivanhoe, Circle Drive Sanitary Sewer project.

This approval is based upon the Ohio EPA staff's recommendations following review of the facilities planning materials conducted under applicable requirements and any other information regarding the proposed activities.

This approval is a final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 236 East Town Street, Room 300, Columbus, Ohio 43215.

Copies of the Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Jennifer Hunt at the above address or by calling (614) 644-2798.

PUBLIC NOTICE

OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN

On August 14, 2002, Ohio EPA received a amended hazardous waste closure plan from General Motors Corporation-Lordstown Assembly Plant for its hazardous waste container storage and tank storage units located at 2300 Hallock Young Road, Lordstown, Ohio 44481. The EPA Identification Number for this facility is OHD020632998.

Why is General Motors Corporation-Lordstown Assembly submitting this amended Closure Plan?

At the request of Ohio EPA, General Motors-Lordstown Assembly Plant (GMC, Lordstown) submitted this amended closure plan. The plan addresses the risk-based clean closure of one container storage pad and two above ground tank storage units. The plan also includes a summary of hazardous waste decontamination activities, laboratory results from soil samples and findings, and conclusions of a risk-based closure assessment. Additionally, the amended plan describes the activities GMC, Lordstown has taken to achieve clean closure by documenting removal of waste materials and decontamination of residual materials to clean closure standards.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between August 28 and September 26, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Warren-Trumbull County Public Library, Lordstown Branch, 1455 Salt Springs Road SW, Lordstown, Ohio 44481, tel: (330) 824-2094,

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (330) 963-1200,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.

August 29, 2002

Warren County

**PUBLIC NOTICE
PUBLIC INFORMATION SESSION**

Notice is hereby given that Ohio EPA will conduct a public information session concerning the application for a Permit to Install (PTI #05-9682) received for the proposed Bigfoot Run II Sanitary Landfill. The facility will be located adjacent to the Bigfoot Run I Sanitary Landfill, approximately 1.5 miles northwest of the Village of Morrow, due north of Mason-Morrow-Millgrove Road and due south of Trovillo Road. The application was submitted by Browning-Ferris Industries of Ohio, Inc., 2420 E. Mason-Morrow-Millgrove Road, Morrow, Ohio 45152. The public information session is scheduled for Thursday, October 17, 2002, at 7:00 p.m. at the Community Center (Old South Lebanon Elementary School), 10 North High Street, South Lebanon, Ohio 45065. Interested parties may contact the Ohio EPA Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402-2911, tel.: (937) 285-6357.