

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On September 4, 2002, Ohio EPA issued a final class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Von Roll America, Inc., for its facility at 1250 St. George Street, East Liverpool, Ohio. The EPA Identification Number for this facility is OHD980613541.

**Why is Von Roll America, Inc., modifying its Permit?**

Von Roll America, Inc., is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Von Roll America, Inc., wants to incorporate Section 15: Reception, Unloading and Pretreatment Processing of Containerized and Loose Solid Waste; Section 16: Reception, Unloading and Pretreatment Processing of Liquids and Pumpable Sludges ; Section 17: Organic Waste Treatment Operations - Facility Description; Section 18: Pre-Trial Burn, Trial Burn and Post Trial Burn Operations; Section 19: Inorganic Waste Treatment Operations-Facility Description; Section 20: Summary of Wastewater Discharges and Impacts of the facility's current Part B application into a new "Section D - Process Description". This final modified permit will allow Von Roll America, Inc., to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final modified Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than **October 3, 2002**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 236 E. Town Street, Room 300, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Ohio EPA PTI No. 90-723**

**Ohio Environmental Protection Agency Draft Permit to Install**

**PUBLIC NOTICE**

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. OEPA 90-723 PTI  
Date of Issue of Public Notice: September 12, 2002

Name and Address of Applicant: Mayor and Council, City of Willoughby Hills, 35405  
Chardon Road, Willoughby Hills, Ohio, 44094

Name and Address of Facility Where Discharge Occurs: Euclid Creek Tributary Interceptor  
Sewer, parallel to the East Branch of Euclid Creek in Willoughby Hills, Lake County, Ohio

Receiving Water: East Branch of Euclid Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of East Branch of Euclid Creek and subsequently Euclid Creek and Lake Erie. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit

or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44807. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44807, by first calling (330)425-9171 to make an appointment.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL TEMPORARY AUTHORIZATION**

On August 30, 2002, Ohio EPA issued a final temporary authorization to the Portsmouth Gaseous Diffusion Plant for its facility at 39801 U.S. Route 23 South, Piketon, Ohio 45661. The EPA Identification Number for this facility is OH7890008983.

**Why does the Portsmouth Gaseous Diffusion Plant need this temporary authorization?**

Portsmouth Gaseous Diffusion Plant is permitted to operate a hazardous waste container storage unit at its facility. The facility wants to continue the storage of mixed waste (F001) in eight unpermitted less than 90-day tanks and the on-site treatment of this waste. The hazardous waste was generated from the X-749 Corrective Action Barrier Wall project.

**Can I appeal this temporary authorization?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC) in accordance with Ohio Revised Code §§ 3745.04 or 3745.07.

**If I decide to appeal this final temporary authorization, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than October 10, 2002. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal with ERAC in accordance with Ohio Revised Code §§ 3745.04 or 3745.07 at the following address: ***Environmental Review Appeals Commission***, 236 E. Town Street, Room 300, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE**

**OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN**

On August 26, 2002, Ohio EPA received a new hazardous waste closure plan from the American Colors, Inc. for its hazardous waste container storage unit located at 1110 Edgewater Drive, Sandusky, Ohio 44870. The EPA Identification Number for this facility is OHD986966323.

**Why is American Colors, Inc. Submitting this Closure Plan?**

At the request of Ohio EPA, American Colors, Inc. submitted this closure plan. This closure plan provides a description of the key activities necessary for clean closure including; a closure performance standard, a description of the closure methods, including decontamination management of residues, and confirmation sampling and analysis; health and safety issues, a description of decontamination methods for equipment; a closure schedule and closure cost estimate.

**When and how do I submit written comments about this Closure Plan?**

You can submit written comments anytime between September 9 and October 8, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Closure Plan?**

You can review the Closure Plan at the following locations:

**Sandusky Public Library**, 114 West Adams Street, Sandusky, Ohio 44870 tel: (419) 625-3834,

**Ohio EPA, Northwest District Office**, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.