

## **Public Notice**

### **Preferred Plan Issued and Public Hearing Scheduled for the Rockwell International Site, 444 Hebron Road, Heath, Ohio**

Public Notice is hereby given that on or about September 25, 2002, Ohio EPA will issue the Preferred Plan for the Rockwell International Site, currently owned and operated by ArvinMeritor, Inc., 444 Hebron Road, Heath, Ohio. The Preferred Plan outlines Ohio EPA's preferred alternative for the remediation and clean-up of the Site. The Plan includes ground water clean-up, a soil cover, ground water monitoring, and land-use controls.

Interested persons may review copies of the Preferred Plan, the Remedial Investigation Report, and the Feasibility Study at the Newark Public Library, 101 West Main Street, Newark, Ohio and at Ohio EPA's Central District Office, 3232 Alum Creek Drive in Columbus, Ohio. To schedule a review of these documents at Ohio EPA, contact Sherrie Jenkins at 614-728-3790.

Ohio EPA will hold an information session, followed by a public hearing on October 2, 2002 in the City of Heath Municipal Building, 1287 Hebron Road at 6:30 PM. At the information session, Ohio EPA will present the preferred remediation alternative and answer questions. After a short break, Ohio EPA will accept comments from the audience.

Ohio EPA will consider both the oral comments from the hearing and any written comments before making the final decision on the remedy. Written comments will be accepted from September 25, 2002 through October 25, 2002. Send comments to Ohio EPA, Central District Office, 3232 Alum Creek Drive, Columbus, Ohio 43207. Attn: Fred Myers Site Coordinator, or via e-mail to [fred.myers@epa.state.oh.us](mailto:fred.myers@epa.state.oh.us).

## **PUBLIC NOTICE**

### **FINAL FINDINGS AND ORDERS The Goodyear Tire & Rubber Company - Green I Landfill**

Notice is hereby given that on September 20, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapters 3734, 3745 and 6111, issued Final Findings and Orders ("Orders") to The Goodyear Tire & Rubber Company ("Goodyear") of Akron, Ohio, for the facility known as the Green I Landfill located on Hunters Woods Road, Green Township, Hocking County, Ohio ("Facility").

In response to a request for information from Ohio EPA, Goodyear indicated that it disposed liquid industrial waste and miscellaneous solid waste at the Facility. Ohio EPA conducted preliminary sampling of shallow groundwater at the Facility that revealed elevated levels of Volatile Organic Compounds (VOCs). Ohio EPA sampling of on-site seeps revealed elevated levels of VOCs and heavy metals. Under the Orders, Goodyear has agreed to investigate the nature and extent of contamination at the closed Green I Landfill, and has also agreed to reimburse Ohio EPA's past and future administrative costs incurred in connection with the Facility.

The issuance of the Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission") by any person aggrieved or adversely affected. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with ERAC the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review a copy of the Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Ohio EPA PTI No. 06-6948**

**Ohio Environmental Protection Agency Draft Permit to Install**

**PUBLIC NOTICE**

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 02-10-012  
Date of Issue of Public Notice: October 4, 2002

Name and Address of Applicant; Mayor and Council, 221 East Main Street PO Box 8,  
Byesville, OH, 43723

Name and Address of Facility Where Discharge Occurs: Byesville Water Treatment Plant  
No. 2, Vocational Road, Jackson Township, Guernsey County, Ohio

Receiving Water: unnamed tributary of Wills Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of unnamed tributary of Wills Creek and possibly Wills Creek . After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, Ohio, 43138. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH, 43138, by first calling, 740-385-8501 to make an appointment.

Lawrence County

**Ohio EPA PTI No. 07-00505**  
**Ohio Environmental Protection Agency Draft Permit to Install**

**PUBLIC NOTICE**

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 02-10-022  
Date of Issue of Public Notice: October 3, 2002

Name and Address of Applicant; Lawrence Energy Center LLP, The Pilot House, 2<sup>nd</sup> Floor,  
Lewis Wharf, Boston, MA, 01852

Name and Address of Facility Where Discharge Occurs: Lawrence Energy Center, County  
Road 1 near Hanging Rock, Hamilton Twp., OH, 45638

Receiving Water: Ohio River

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Ohio River . After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, Ohio 45402-2911. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, Ohio 45402-2911, by first calling, (740) 385-8501 to make an appointment.

## PUBLIC NOTICE

Montgomery County

### OHIO EPA ISSUES DRAFT MODIFIED HAZARDOUS WASTE PERMIT TO QUALITY CHEMICALS, DAYTON, OHIO

On September 27, 2002, Ohio EPA issued a draft modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Quality Chemicals, Inc. for its facility at 1515 Nicholas Road, Dayton, Ohio 45418. The EPA Identification Number for this facility is OHD004855292.

#### **Why is Quality Chemicals, Inc. modifying its Permit?**

Quality Chemicals, Inc. is permitted to store hazardous waste at its facility. Quality Chemicals, Inc. wishes to change the owner and operator from Quality Chemicals, Inc. to ChemFirst Electronic Materials, L.P. The draft modification Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft modified Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws and demonstrates sufficient reliability, expertise and competency to operate a hazardous waste facility under this chapter and Chapters 3704. and 6111. of the Revised Code, all rules and standards adopted under them, and terms and conditions of a hazardous waste facility installation and operation permit, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. If issued, the Permit will allow Quality Chemicals, Inc. to make the requested change.

#### **How can I tell Ohio EPA what I think about this draft modified Permit?**

You can submit written comments anytime between September 28, 2002, and October 27, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

#### **When and where will Ohio EPA hold a Public Meeting?**

You may request Ohio EPA to hold a public meeting for this draft permit modification. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us) If the request is granted, Ohio EPA will announce the time and location of the public meeting.

#### **Where can I review the Permit Application and draft modified Permit?**

You can review these at one of the following locations:

***Dayton and Montgomery County Public Library, Main Branch***, 215 East Third Street, Dayton, Ohio 45402-2103 (937) 227-9500,

**Ohio EPA Southwest District Office**, 401 East Fifth Street, Dayton, Ohio 45402 (937) 285-6357,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215  
(614) 644-2917.

**What will Ohio EPA do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft modified Permit, making any necessary changes, and issue or deny the final modified Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft modified Permit. If you commented on the draft modified Permit, Ohio EPA will send you a copy of the "response to public comments" and the final permit decision.

**Ross County**

**Ohio EPA PTI No. 06-6848  
Ohio Environmental Protection Agency Draft Permit to Install**

**PUBLIC NOTICE**

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 02-10-008  
Date of Issue of Public Notice: October 3, 2002

Name and Address of Applicant; Ohio Department of Rehabilitation & Corrections, Ross Correctional Institution, 16149 State Route 104 North, Chillicothe, Ohio 45601

Name and Address of Facility Where Discharge Occurs: Ohio Department of Rehabilitation and Corrections, Ross Correctional Institution, 16149 State Route 104 North, Chillicothe, OH, 45601

Receiving Water: Scioto River

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Scioto River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit

or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, Ohio, 43138. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH, 43138, by first calling, 740-385-8501 to make an appointment.

**Fremont, Ohio**

**Sandusky County**

**PUBLIC NOTICE  
EXTENSION OF PUBLIC COMMENT PERIOD**

Notice is hereby given that the Ohio Environmental Protection Agency has extended the public comment period on a draft NPDES permit 2PD00007\*MD, issued to the Fremont WPC, located at 1019 Sand Road, Fremont, Ohio.

The public comment period for public notice OEPA-02-08-043 issued August 21, 2002 is hereby extended 30 days, and will expire October 21, 2002.

Interested persons are invited to submit written comments on the discharge permit. Comments should be submitted in person or by mail to:

Ohio Environmental Protection Agency  
Permits Section  
P. O. Box 1049  
1800 WaterMark Drive  
Columbus, OH 43266-1049

The OEPA permit number (2PD00007\*MD) and public notice number (OEPA-02-08-043) should appear next to the above address on the envelope and on each page of any submitted comments. All comments received by the close of business, October 21, 2002 will be considered for the final permit. Except for the date by which public comment must be received, all other provisions of the prior notice remain applicable.

**PUBLIC NOTICE**

**Ohio EPA PTI No. 03-15249  
Ohio Environmental Protection Agency Draft Permit to Install**

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 02-10-001  
Date of Issue of Public Notice: October 1, 2002

Name and Address of Applicant; Troy Energy, LLC, 22379 Pemberville Road, Luckey, OH, 43443

Name and Address of Facility Where Discharge Occurs: Troy Energy LLC, 22379 Pemberville Road, Luckey, OH, 43443

Receiving Water: unnamed tributary of Toussaint Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of unnamed tributary of Toussaint Creek and possibly Lake Erie. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 N. Dunbridge Road, Bowling Green, OH, 43402, by first calling 419-352-8461 to make an appointment.