

## **PUBLIC NOTICE**

### **OHIO ENVIRONMENTAL PROTECTION AGENCY ADDITIONAL LABORATORY CERTIFICATION UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on November 14, 2002, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, granted Lancaster Laboratories, Inc., ("Lancaster") of Lancaster, Pennsylvania, application for certification to perform analyses for additional parameter groups and methods. The Director issued Lancaster's certification to perform analyses for the following: Volatile Organic Compounds by method 8021B; Total Petroleum Hydrocarbons by method 418.1 (water only); Total Petroleum Hydrocarbons Only, Gasoline and Diesel Range Organics by 8015B.

The additional certification supplements Lancaster's current certification under Ohio's Voluntary Action Program. The certification number assigned to Lancaster remains CL0070.

The issuance of this certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on November 8, 2002, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle Inc., 28161 N Keith Dr., Lake Forest, IL 60045, ID No.: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on November 8, 2002, the director of Ohio EPA issued an amended infectious waste generator certificate to Integrated Health Services Inc, 910 Ridgebrook Rd, Sparks, MD 21152, ID No.: 00-G-00909. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on November 8, 2002, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle Inc., 28161 N Keith Dr., Lake Forest, IL 60045, ID No.: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on November 8, 2002, the director of Ohio EPA issued an amended infectious waste generator certificate to Integrated Health Services Inc, 910 Ridgebrook Rd, Sparks, MD 21152, ID No.: 00-G-00909. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

**Date of Notice: November 20, 2002**

**PUBLIC NOTICE  
OF PUBLIC HEARING FOR SECTION 401 CERTIFICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is reviewing an application, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to place fill in 4.2 acres of wetland and 1,350 linear feet of intermittent streams associated with the construction of roads, building pads and infrastructure for the Brunswick Town Center. The application was submitted by The City of Brunswick, 4085 Center Road, Brunswick, Ohio 44212 and Zaremba Group, 737 Bolivar Road, Cleveland, Ohio 44115. The project is located on the south side of Center Street across from the intersection of North Carpenter Road in the City of Brunswick, Medina County.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands and unnamed tributaries to Plum Creek and Lake Brunswick. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1-05, 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the Director of Ohio EPA.

Starting November 20, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 7:00 PM on January 6, 2003 at the Brunswick Community Library, 3649 Center Road (Route 303), Brunswick, Ohio 44212. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed projects. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of

business on January 13, 2003. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on January 13, 2003.