

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION OF PORTION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on May 9, 2002 the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to STL-Pittsburgh ("STL"), 450 William Pitt Way, Pittsburgh, Pennsylvania, to suspend its certification under Ohio's Voluntary Action Program to perform analyses for the following analytes and methods only: Chloride by method 325.2 and Mercury by methods 7470A and 7471A. This suspension is limited to the certified laboratory's performance of work under the Voluntary Action Program.

STL has been issued a revised laboratory certificate that reflects the analytes, parameter groups, and methods for which STL remains certified. STL may perform analyses under the Voluntary Action Program only for those parameter groups, analytes and methods identified in its revised certificate.

The issuance of the suspension and revised certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION OF PORTION OF LABORATORY CERTIFICATION & RENEWAL OF
LABORATORY CERTIFICATION
UNDER THE VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 3, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to TestAmerica, Inc. ("TestAmerica"), 3601 South Dixie Drive, Kettering, Ohio, to suspend its certification under Ohio's Voluntary Action Program to perform analyses for the following parameter group and method only: Polychlorinated biphenyls by methods 8080A and 8082. This suspension is limited to TestAmerica's performance of work under the Voluntary Action Program.

Also on that date, pursuant to ORC 3746.04(B)(6) and OAC 3745-300-04, the Director issued a renewal of laboratory certification to TestAmerica. The certification number assigned to TestAmerica remains CL0018. The certificate reflects the suspension and the analytes, parameter groups and methods for which TestAmerica remains certified. TestAmerica may perform analyses under the Voluntary Action Program only for those analytes, parameter groups and methods identified in its certificate.

The issuance of the suspension and renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION OF PORTION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 3, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to Biological & Environmental Control Laboratories, Inc., ("BEC"), 705 Front Street, Toledo, Ohio, to suspend its certification under Ohio's Voluntary Action Program to perform analyses for the following analyte and method only: Vanadium by method 6010B. This suspension is limited to the certified laboratory's performance of work under the Voluntary Action Program.

BEC has been issued a revised laboratory certificate that reflects the analytes, parameter groups and methods for which they remain certified. BEC may perform analyses under the Voluntary Action Program only for those parameter groups, analytes and methods identified in its revised certificate.

The issuance of the suspension and revised certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION OF PORTION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 3, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to American Analytical Laboratories, Inc., ("American"), 840 South Main Street, Akron, Ohio, to suspend its certification under Ohio's Voluntary Action Program to perform analyses for the following analyte and method only: Copper by method 7200. This suspension is limited to the certified laboratory's performance of work under the Voluntary Action Program.

American has been issued a revised laboratory certificate that reflects the analytes, parameter groups and methods for which they remain certified. American may perform analyses under the Voluntary Action Program only for those parameter groups, analytes and methods identified in its revised certificate.

The issuance of the suspension and revised certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION OF PORTION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 3, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to Custom Analytical Services ("CAS"), 11405 Century Blvd., Cincinnati, Ohio, to suspend its certification under Ohio's Voluntary Action Program to perform analyses for the following: Sodium by method 7770; Aluminum by method 7020; Total Petroleum Hydrocarbons (Gasoline Range Organics) by method 8015A-modified; Organochlorinated Pesticides by method 8081, and; Sulfate by method 375.4. This suspension is limited to the certified laboratory's performance of work under the Voluntary Action Program.

CAS has been issued a revised laboratory certificate that reflects the analytes, parameter groups and methods for which they remain certified. CAS may perform analyses under the Voluntary Action Program only for those parameter groups, analytes and methods identified in its revised certificate.

The issuance of the suspension and revised certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
Notice of Entry into Ohio EPA's "VAP MOA Track"
(Board of Cuyahoga County Commissioners)
(Cuyahoga County Youth Intervention Center)

Notice is hereby given that on January 3, 2003, the Board of Cuyahoga County Commissioners submitted to the Director of the Ohio Environmental Protection Agency ("Ohio EPA") a Notice of Entry in the Brownfields and Voluntary Action Program Memorandum of Agreement Track (the "VAP MOA Track"). The Board of Cuyahoga County Commissioner's Notice of Entry identifies the property located at 9300 Quincy Avenue (East 93RD Street & Quincy Avenue), Cleveland, Ohio (Property) also known as the former Schmidt's Brewery, as the property to undergo a voluntary action through the VAP MOA Track.

The VAP MOA Track was established by the United States Environmental Protection Agency and Ohio EPA on July 31, 2001 to promote the cleanup and redevelopment of contaminated or potentially contaminated properties ("Brownfields") in Ohio.

The Notice of Entry, along with other documents regarding the voluntary action at the property will be made available for public inspection at the Cuyahoga County Administration Building, 4th Floor, 1219 Ontario Avenue, Cuyahoga County, Cleveland, OH 44114; Cleveland Public Library, 325 Superior Avenue Northeast, Cuyahoga County, Cleveland, OH 44114; and Councilwoman Pat Britt's Office, Cleveland City Council, Room 220, 601 Lakeside Avenue, Cleveland, OH 44114 in accordance with the MOA.

If you have any questions concerning the Notice of Entry or would like to review or obtain a copy of the Notice of Entry, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on January 6, 2003, the director of Ohio EPA issued an amended infectious waste generator certificate to Integrated Health Services Inc, 910 Ridgebrook Rd, Sparks, MD 21152, ID No.: 00-G-00909. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE UPDATE

**OHIO EPA ISSUES UPDATE TO DRAFT RENEWAL HAZARDOUS WASTE PERMIT
FOR
ROSS INCINERATION SERVICES, GRAFTON, OHIO**

On December 23, 2002, Ohio EPA and US EPA issued a draft renewal Hazardous Waste Facility Installation and Operation Permit (Permit) to Ross Incineration Services (Ross Incineration) for its facility at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665. Ohio EPA has updated its portion of the permit to include additional terms and conditions related to the facility's Waste Analysis Plan (WAP). Page number 18 of the permit has been replaced to reflect additional language previously omitted from Module B, Condition B.3(c). This update is effective January 9, 2003.

The permit package remains available for public review at the **Grafton-Midview Public Library**, 983 Main Street, Grafton, Ohio 44044 (440) 926-3317; at **Ohio EPA's Northeast District Office**, 2110 East Aurora Road, Twinsburg, Ohio 44087 (330) 963-1200; and at **Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2917. The public meeting concerning the draft renewal permit will be held on the same date, February 3, 2003, at 7:00PM, at the Grafton-Midview Public Library 983 Main Street, in Grafton. Public comments to the draft permit will be accepted until February 14, 2003, and will be considered before a final decision is made to issue or deny the final permit.

Ohio EPA PTI No. 03-15381

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 03-01-026
Date of Issue of Public Notice: January 14, 2003

Name and Address of Applicant; Ottawa County Board of Commissioners, 315 Madison Street, Rm. 105, Port Clinton, OH, 43452

Name and Address of Facility Where Discharge Occurs: Danbury WWTP, 5783 Von Glahn Road, Marblehead, OH, 43440

Receiving Water: Sandusky Bay & Lake Erie

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Sandusky Bay and Lake Erie . After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office,. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 N. Dunbridge Road, Bowling Green, OH, 43402, by first calling,419-352-8461 to make an appointment.

Date of Notice: January 15, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit (2PP00048) for the discharge from the proposed US Route 30 Rest Area disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) (03-15640) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by the Ohio Department of Transportation, District 1, 1885 North McCullough Street, Lima, Ohio 45802.

ODOT's preferred wastewater disposal alternative submitted for approval is proposed to treat 20,000 gallons per day of domestic wastewaters associated with the rest area. The disposal system is proposed to be located at US Route 30 East, Antrim Township, Wyandot County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Broken Sword Creek and subsequently the Sandusky River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Broken Sword Creek and subsequently Sandusky River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 by first calling (419) 352-8461 or (800) 686-6930.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request

a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.