

PUBLIC NOTICE

FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on January 21, 2003, the director of Ohio EPA issued an amended infectious waste generator certificate to Marion Health Care Corp, 101 Sun Avenue NE, Albuquerque, NM 87109, ID No.: 00-G-01183. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on January 21, 2003, the director of Ohio EPA issued an amended infectious waste generator certificate to Care Enterprises Inc, 101 Sun Avenue NE, Albuquerque, NM 87109, ID No.: 00-G-01185. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 22, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to STL-Pittsburgh ("STL") of 450 William Pitt Way, Pittsburgh, Pennsylvania. The certification number assigned to STL remains CL0063.

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL AND CORRECTION OF LABORATORY CERTIFICATION
UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 17, 2003 the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to American Analytical Laboratories, Inc. ("American") of 840 South Main Street, Akron, Ohio. In addition, American's certificate was corrected to include Cobalt by method 7200 which was inadvertently suspended in January 3, 2003. The public notice associated with this suspension error incorrectly cited Copper by method 7200, however, the suspension issued along with this public notice was issued in error. The certification number assigned to American remains CL0010.

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 17, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to Kemron Environmental Services ("Kemron") of 109 Starlite Road, Marietta, Ohio. The certification number assigned to Kemron remains CL0012.

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Pursuant to ORC Section 3734.02(G), notice is hereby given that on January 23, 2003 , the director of Ohio EPA issued Final Findings and Orders to Ashland Rubber Mat Company, Inc. (Respondent), 1221 Elm Street, Ashland, Ohio 44805. The Respondent is hereby granted exemptions from the requirements of OAC Rules 3745-27-15, 3745-27-61, 3745-27-62, and 3745-27-65, in accordance with the following Orders, provided that construction and operations at the Facility are conducted in accordance with OAC Chapter 3745-27, the Facility's registration certificate, and all other applicable requirements. These Orders are subject to all rules, regulations and specified exemptions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216- 1049, Tel: (614) 644-2621.

PUBLIC NOTICE

Notice is hereby given that on January 30, 2003 the Director of the Environmental Protection Agency issued a proposed revocation of Brookside Mobile Home Park Mahar Road Sewage Sludge Land Application Site to JGR Properties, Inc., 1962 Mahar Road, South Vienna, Ohio 45369. Pursuant to OAC rule 3745-40-04(0), land application of sewage sludge within a drinking water source protection area for a public water system using ground water, delineated or endorsed by the Ohio EPA is prohibited. This revocation was issued as a proposed action. Written comments and requests for a public meeting regarding the proposed action must be submitted within 30 days of this notice of the proposed action. If significant interest is shown, a public meeting may be held prior to the issuance of any final action. An adjudication hearing may be held on a proposed action if a hearing request or objection is received by the OEPA within 30 days of issuance of the proposed action. Written comments, requests for public meetings, and adjudication hearing requests must be sent to: Hearing Clerk, Ohio Environmental Protection Agency, P.O. Box 1049, Columbus, Ohio 43216-1049. Requests for additional information and to inspect and review Agency files pertaining to this proposed action should be addressed to the Division of Surface Water, Ohio Environmental Protection Agency, P.O. Box 1049, Columbus, Ohio 43216-1049, 614-644-2156. The proposed action shall be final on March 3, 2003 unless (1) an adjudication hearing is requested; or the Director amends or withdraws the proposed action.

COLUMBIANA COUNTY

**OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE OF PUBLIC INFORMATION SESSION AND HEARING
CONCERNING ISSUANCE OF A DRAFT TITLE V PERMIT FOR
VON ROLL AMERICA (VRA), INC DOING BUSINESS AS WASTE TECHNOLOGIES
INDUSTRIES (WTI)
(OEPA FACILITY ID 0215020233)**

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) Division of Air Pollution issued a draft Title V Permit to Von Roll America, Inc. doing business as Waste Technologies Industries, located at 1250 St. George Street, East Liverpool, Ohio 43920-3400. The draft permit was issued on November 29, 2002.

Ohio EPA hereby extends the public comment period until March 24, 2003 for this draft Title V permit and has scheduled a public information session and public meeting concerning the draft Title V Permit at the following place, date, and time:

Place: East Liverpool Middle School Auditorium, 810 West Eighth Street,
East Liverpool, Ohio
Date: Tuesday, February 25, 2002
Time: Public information session begins at 7:00 p.m; Public hearing begins
at 7:30 pm

The public information session is designed to provide information concerning the draft permit. The public hearing is designed to accept comments on the draft permit. A presiding officer will be present and may limit oral testimony to ensure that all parties are heard. All interested persons are entitled to attend or be represented and give written or oral comments on the draft permit at the hearing. Written comments must be received by Ohio EPA by the close of business on March 24, 2003. Comments received after this date will not be considered to be a part of the official record. Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087.

This draft action is for the VRA, WTI facility Title V operating permit. VRA incinerates hazardous waste which is stored and treated on its property.

A copy of the Title V draft permit is available for review at Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087. To view this material or for further information concerning the air permit application and the issued draft air permit please call Darren Machuga at (330) 963-1287 during normal business hours.

PUBLIC NOTICE

**OHIO EPA ISSUES DRAFT RENEWAL HAZARDOUS WASTE PERMIT TO
VON ROLL AMERICA, INC.**

On January 24, 2003, Ohio EPA issued a draft renewal Hazardous Waste Facility Installation and Operation Permit (Permit) to Von Roll America, Inc., for its facility at 1250 St. George Street, East Liverpool, Ohio 43920. The EPA Identification Number for this facility is OHD980613541.

Why Does Von Roll America, Inc., Need a Permit?

Von Roll America, Inc., operates a commercial hazardous waste incinerator with associated waste management activities and needs a Permit to store and treat hazardous waste in containers and tanks, and to incinerate hazardous waste. The draft renewal Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will allow Von Roll America, Inc., to continue to store, treat and incinerate hazardous waste in the designated areas and will require Von Roll America, Inc., to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility.

How can I tell Ohio EPA what I think about this draft renewal Permit?

You can attend the public meeting and present your comments in person or submit written comments that are clear, concise, and well documented. Or, you are welcome to do both. Everyone who wants to comment at the public meeting will be allowed to speak. You should limit your presentation to five minutes and, if possible, submit a written copy of your comments to Ohio EPA at the meeting.

When and where will Ohio EPA hold a public meeting?

Ohio EPA will hold an information session and public meeting on February 25, 2003, at 7:00 p.m. It will be at the East Liverpool Middle School Auditorium, 810 West Eighth Street, East Liverpool, Ohio 43920.

When and how do I submit written comments?

You can submit written comments anytime between January 25, 2003 and March 10, 2003. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Permit Application and draft renewal Permit?

You can review these at one of the following locations:

Carnegie Public Library, 219 East Fourth Street, East Liverpool, Ohio 43920, (330) 385-2048,

Ohio EPA - Northeast District Office, 2110 Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200, and;

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215,
(614) 644-2917

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft renewal Permit, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

PUBLIC NOTICE

REVISION TO FINANCIAL ASSURANCE COST ESTIMATES

Notice is hereby given that on January 17, 2003, the director of Ohio EPA approved a request from URS Corporation (URS), on behalf of the City of Brooklyn, 7619 Memphis Avenue, Brooklyn, Ohio 44144. The City of Brooklyn is hereby authorized to decrease financial assurance cost estimates for the City of Brooklyn Sanitary Landfill in accordance with OAC Rules 3745-27-15 and 3745-27-16. As indicated by the request, the closure cost estimate may be decreased to \$4,047,581.36 and the yearly post-closure care cost estimate reduced to \$58,080.00. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

PUBLIC NOTICE

**Ohio EPA Finalizes Decision Document for
A Portion of the NASA - Glenn Research Center, Cleveland, Ohio**

On January 22, 2003, Ohio EPA finalized a Decision Document identifying the selected alternative to remediate contamination at a portion of the South 40 Area Property, which is part of the NASA - Glenn Research Center located at 21000 Brookpark Road in Cleveland, Ohio (Cuyahoga County).

The NASA - Glenn Research Center conducts research and development activities in the fields of space power generation and advance propulsion, including aeronautical and space propulsion, nuclear and solar energy conversion systems, space power and space communication technology, space station technology, and terrestrial energy technology. The actual site to be addressed is located within the South 40 Area, which is found south of Cedar Point Road, bordered by the airport and the unnamed tributary to Abram Creek.. This Decision Document concerns only the portion of the South 40 Area that will transfer to Cleveland Hopkins Airport as part of the airport expansion.

Contaminants were found in old landfills that are located within the Site. The selected alternative includes: excavation and off-site disposal of contaminated surface oils (0-2 feet) in areas which currently do not meet the cleanup goals for the State; construction of a landfill cap using the Division of Solid and Infectious Waste Management's 1976 cap requirements for solid waste facilities and the geotextile fabric component to capture and passively disperse the methane gas; ground water sampling to confirm the soil-leaching study determination; and an institutional control to restrict the use of the Site to industrial use.

On October 8, 2002, Ohio EPA issued a Preferred Plan that outlined Ohio EPA's preferred alternative to remediate contamination at the Site. A public meeting was held October 17, 2002, during which public comments on the Preferred Plan were accepted. In addition, written comments on the Preferred Plan were accepted through November 15, 2002. The comments received by the Agency during the comment period are addressed in the Responsiveness Summary, which is attached to the Decision Document.

Copies of the Decision Document and related documents are available at the Brook Park Public Library and the Fairview Park Public Library, which are located at 6155 Engle Road, Brook Park and 21255 Lorain Road, Fairview Park, respectively. The Decision Document and related documents are also available for review at Ohio EPA's Northeast District Office, located at 2110 East Aurora Road in Twinsburg, OH, by calling (330) 963-1200 for an appointment.

The effective date of this final action is January 23, 2003. This action of the Director of the Ohio EPA is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in

writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio EPA within three (3) days of filing at the ERAC. The ERAC is located at 236 East Town Street, Room 300, Columbus, Ohio, 43215.

Date of Public Notice: January 30, 2003

**PUBLIC NOTICE
NOTICE OF PROPOSED ACTION
TO SUSPEND THE WASTEWATER OPERATOR II
CERTIFICATE (#2-88-079) OF RALPH GIGANDET, JR.**

Public notice is hereby given that the Director of the Ohio Environmental Protection Agency has issued a proposed action to suspend the Wastewater Operator II Certificate held by Ralph Gigandet, Jr. for a period of six months.

The proposed suspension is due to knowing or negligent submittal of misleading, inaccurate, or false reports to Ohio EPA while performing duties as a Wastewater Operator for the Stillwater Golf Estates wastewater treatment plant in Greenville, Ohio.

Within thirty days of publication of this notice, any person may submit written comments, a statement as to why the proposed action should be changed, a request for a public meeting on the proposed action, and/or request for notice of further actions concerning the action. All communications timely received will be considered in the final formulation of the action. If significant public interest is shown, a public meeting will be held prior to finalization of the action.

All comments or statements on the proposed action and all requests for notice of further actions should be submitted in person or by mail to: Ohio Environmental Protection Agency, Division of Surface Water, Permits Section, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216-0149. Documents are available for inspection and may be copied at the Ohio Environmental Protection Agency at the above address between the hours of 8:00 a.m. and 4:30 p.m., Monday through Friday. Copies of public notices are available at no charge at the same address.

Requests for, and communications concerning adjudication hearings and public meetings should be addressed to: Legal Records Section, Ohio Environmental Protection Agency, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216-0149, (614) 644-2115.

All communications should specify the title of the public notice.

Defiance, Fulton, Paulding, and Williams Counties

PUBLIC NOTICE

**DIRECTOR'S FINAL FINDINGS AND ORDERS
Defiance, Fulton, Paulding, Williams Joint Solid Waste
Management District Plan Approval**

Pursuant to ORC Section 3734.55 (C)(1), notice is hereby given that on January 23, 2003, the director of Ohio EPA issued Final Findings and Orders which approves the ratified, draft, amended plan of the Defiance, Fulton, Paulding, Williams Joint Solid Waste Management District, 500 Court Street, Suite A, Defiance, Ohio 43512. This order is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Notice: January 31, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the renewal, of a National Pollutant Discharge Elimination System (NPDES) permit (2PT00016) for the discharge from the existing Berlin-Milan Middle School disposal system. The NPDES permit application was submitted by the Berlin-Milan Board of Education, 140 South Main Street, Milan, Ohio 44846.

Berlin-Milan Middle School's preferred wastewater disposal alternative submitted for approval is proposed to treat 15,000 gallons per day of domestic wastewaters associated with the school. The disposal system is located at 20 Center Street, Berlin Heights, Berlin Township, Erie County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Old Woman's Creek.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Old Woman's Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application indicates no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 by first calling (419) 352-8461 or (800) 686-6930.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

Date of Notice: January 28, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for Permit to Install (PTI 01-10128) for the construction of a proposed storm water treatment system. The PTI application was submitted by Corna Kokosing Construction, Inc., 6211 Westerville Road, Columbus, Ohio 43081. The disposal system submitted for approval is proposed to treat 187,200 gallons per day of storm water wastewaters associated with fuel storage and dispensing. The system is proposed to be located at 6211 Westerville Road, Columbus, Ohio, Franklin County. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Alum Creek, via storm drain.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Alum Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application indicate an exclusion from various portions of the antidegradation review and information submittal requirements applies as outlined by section 3745-1-05 (D)(1) of the antidegradation rule (effective as of October 1, 1996). The exclusion relates to a de minimis net increase in the discharge of a regulated pollutant.

Copies of the pending PTI application are available for review at Ohio EPA's Central District Office, 3232 Alum Creek Drive, Columbus, Ohio, (614) 728-3778.

Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216, within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

Madison County

Ohio EPA PTI No. 01-10081

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 03-01-056
Date of Issue of Public Notice: January 30, 2003

Name and Address of Applicant; Madison County Board of Commissioners, 1 North Main Street, PO Box 618, London, Ohio, 43140

Name and Address of Facility Where Discharge Occurs: Choctaw Lake WWTP, Old Columbus Road, 0.8 miles east of SR 56, Somerford Twp., Ohio

Receiving Water: Deer Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Deer Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit

or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Central District Office, 3232 Alum Creek Drive, Columbus, Ohio 43207-3417. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Central District Office, 3232 Alum Creek Drive, Columbus, OH, 43207-3461, by first calling (614) 728-3778 to make an appointment.

Madison County

Ohio EPA PTI No. 01-9940

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 03-01-054
Date of Issue of Public Notice: January 30, 2003

Name and Address of Applicant; Mayor and Council, City of South Solon, PO Box 360,
South Solon, Ohio, 43153

Name and Address of Facility Where Discharge Occurs: South Solon WWTP, Intersection
of High and Washington Streets, South Solon, Madison County, Ohio

Receiving Water: Rattlesnake Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Rattlesnake Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit

or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Central District Office, 3232 Alum Creek Drive, Columbus, OH 43207 Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Central District Office, 3232 Alum Creek Drive, Columbus, OH 43207-3461, by first calling (614) 728-3778 to make an appointment.

PUBLIC NOTICE

OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT

On January 21, 2003, Ohio EPA issued a final class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Onyx Environmental Services, L.L.C. for its facility at 4301 Infirmary Road, West Carrollton, Ohio 45449. The EPA Identification Number for this facility is OHD093945293.

Why is Onyx Environmental Services, L.L.C. modifying its Permit?

Onyx Environmental Services, L.L.C. (Onyx) is permitted to store and treat hazardous waste in twenty-three (23) storage tanks for incoming material, and storage of hazardous waste in sixteen (16) tanks for reclaimed materials. Onyx wishes to replace Tanks D-9, D-10, and D-12 located in the facility's dirty tank farm. These tanks will be removed and replaced with updated tanks. The updated tanks will increase Onyx's current permitted tank storage capacity of 418,100 gallons to 446,100 gallons. This final modified permit will allow Onyx to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than **February 20, 2003**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 236 E. Town Street, Room 300, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Notice: January 30, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit (4PU00005) for the discharge from the existing Candlewood Lake WWTP disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) (01-10236) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by Candlewood Lake Association, 7326 State Route 19, Mt. Gilead, Ohio 43338.

Candlewood Lake Association's preferred wastewater disposal alternative submitted for approval is proposed to treat 300,000 gallons per day of domestic wastewaters associated with the Candlewood Lake development. The disposal system is proposed to be located within the Candlewood Lake development, Congress Township, Morrow County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Whetstone Creek.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Whetstone Creek and possibly Delaware Lake. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Central District Office, 3232 Alum Creek Drive, Columbus, Ohio, 43207-3417 (614) 728-3778.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

PUBLIC NOTICE

**Notification of a Need to Amend the Mixed Waste
Site Treatment Plan**

Notice is hereby given that the United States Department of Energy (DOE), Portsmouth Gaseous Diffusion Plant (PORTS), has identified a need to amend its approved Site Treatment Plan (STP) for its facility located in Piketon, Ohio. Notice of the proposed amendment was provided to the Ohio EPA by letter dated December 26, 2002. The STP for DOE-PORTS was originally approved by the Director on October 4, 1995. DOE specifically expresses a desire to amend the STP, as follows: Section 3.1.6 - Change location of mercury processing, the date of initial shipment of wastes for treatment, and date for completion of shipment of waste; Section 3.1.8 - proposed date for completion of waste gas cylinder shipment.

Interested persons are encouraged to review the proposed amendment request in its entirety. A copy of the draft revised plan documents may be requested from or reviewed at the Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio, 43138, telephone (740) 385-8501. Comments concerning the proposed amendments to the STP may be submitted to the Ohio EPA, Division of Hazardous Waste Management, Attention: Regulatory and Information Services Section, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049, within 30 days of the date of this notice.

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

Notice is hereby given that, pursuant to Ohio Revised Code (ORC) section 3734.02(H) and Ohio Administrative Code (OAC) rule 3745-27-13, the Director of the Ohio Environmental Protection Agency (Ohio EPA) has issued, as a final action, an Authorization to McCabe Engineering and Contracting to perform certain excavation activities at First Waterview Ltd. located at 150 East Longview Avenue in Mansfield, Richland County, Ohio. The final action authorizes McCabe Engineering and Contracting to undertake the excavation activities described in the October 4, 2002 authorization request. The effective date of this final action is **Jan 17, 2003**

The action of the Director may be appealed to the Environmental Review Appeals Commission. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the Director's action (See ORC sections 3745.04 and 3745.07). A copy of the appeal must be served upon the Director within three (3) days after the appeal is filed with the Commission. The Commission's address is:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 43215

A copy of the Authorization may be obtained from the Ohio EPA, Division of Emergency and Remedial Response, P.O. Box 1049, Lazarus Government Center, 122 South Front Street, Columbus, Ohio 43216-1049, or Ohio EPA, Division of Emergency and Remedial Response, Northwest District Office, 347 N. Dunbridge Road, Bowling Green, Ohio 43402.