

PUBLIC NOTICE

FINAL ISSUANCE OF A RENEWAL REGISTRATION CERTIFICATE FOR A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on March 7, 2003, the director of Ohio EPA issued a renewal infectious waste generator certificate to BioLife Plasma Services L.P. 1435 Lake cook Rd LCII-2N, BioLife US Headquarters, Deerfield, IL 60015, ID No.: 00-G-00372. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

ISSUANCE OF MOBILE SCRAP TIRE RECOVERY FACILITY LICENSE

Notice is hereby given that on March 12, 2003, the Director of Ohio EPA issued a 2003 Solid Waste Facility License for a Mobile Scrap Tire Recovery Facility to TRI-Rinse, Inc., 5200 Manchester, St. Louis, Missouri 63110. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel: (614)644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF EMERGENCY REGISTRATION CERTIFICATES FOR A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that, on March 13, 2003 the director of Ohio EPA issued (2) two emergency infectious waste transporter certificates to Stericycle, Inc., 28161 N. Keith Drive, Lake Forest, IL 60045, ID No: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

**PUBLIC NOTICE
DIRECTOR'S FINAL FINDINGS AND ORDERS**

Notice is hereby given on March 11, 2003, that the director of Ohio EPA issued Final Findings and Orders to Mr. Charles L. Gray, Jr. ("Respondent"), 56922 Kaptina Way, Armstrong Mills, Ohio 43933. The Respondent is the owner of a parcel of real estate located on T.R. 118, Washington Township, Belmont County. Upon the effective date of these Orders, Respondent shall implement mosquito control measures at the Property in accordance with the provisions of OAC Rule 3745-27-60(B)(8). Respondent shall provide copies of the requisite mosquito control records to Ohio EPA Southeast District Office within ten (10) days after each application of the registered pesticide or larvicide. Not later than ninety (90) days after the effective date, the Respondent shall establish storage piles and fire lanes at the property. Not later than one hundred and twenty (120) days after the effective date, the Respondent shall shred all scrap tires at the Property and then maintain the scrap tires in portable containers in accordance with OAC Rule 3745-27-60(B)(3), until the scrap tires are removed from the property. Not later than September 1, 2003, Respondent shall remove all scrap tires from the Property including, but not limited to, scrap tires dumped onto the ground and/or buried scrap tires, and shall arrange for their transportation, by a registered transporter, to a scrap tire storage, monocell, monofill, or recovery facility licensed under ORC Section 3734.81, to such a facility in another state operating in compliance with the laws of the state in which it is located. Respondent shall obtain receipts from the registered transporter and the facility and forward such documentation to Ohio EPA Southeast District Office. By September 1, 2003, Respondent shall pay Ohio EPA in settlement of Ohio EPA's claims for civil penalties. These orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Date of Public Notice: March 17, 2003

Clermont County

PUBLIC NOTICE

NOTICE OF RECEIPT OF 401 APPLICATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a new Wal-Mart store and parking area north of Withamsville and south of State Route 32 in Clermont County. Approximately 1,155 cubic yards of fill material would be used to fill 1,166 linear feet of an intermittent stream and a 0.58 acre jurisdictional wetland. The application was submitted by Wal-Mart Stores, Inc., 2001 S.E. 10th Street, Bentonville, AR, 72716. The project is located at 4370 Eastgate Square Drive, Union Township, Clermont County, Ohio. The Louisville District Corps of Engineers Public Notice Number for this project is (L)200201458. The Ohio EPA ID Number for this project is 022248.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Salt Run. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 17, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Crawford County

**Ohio EPA PTI No. 03-15514
Ohio Environmental Protection Agency Draft Permit to Install**

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 03-03-057
Date of Issue of Public Notice: March 20, 2003

Name and Address of Applicant; Wagon Wheel Campground, 6787 Baker 47, Shelby, OH, 44875

Name and Address of Facility Where Discharge Occurs: Wagon Wheel Campground, 6787 Baker 47, Shelby, OH, 44875

Receiving Water: unnamed tributary of Honey Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of unnamed tributary of Honey Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH, 43402,. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH, 43402, or by first calling (419) 352-8461 to make an appointment.

PUBLIC NOTICE
Ohio EPA Issues Preferred Plan for
Glidden Resin Facility, Ohio;
Public Meeting to be held

On January 28, 2003, Ohio EPA issued a Preferred Plan concerning the Glidden Resin Facility located at 300 Sprowl Road, immediately south of the City of Huron, Erie County, Ohio. The Preferred Plan summarizes the history of the site and the investigation of contamination at the site, provides an analysis of the feasibility of remedial alternatives, and outlines Ohio EPA's preferred alternative for remediation.

The resin plant was constructed in 1964 by Glidden and has been operated by Glidden since that time. Glidden initially became aware of possible degradation of ground water in 1979. Concern arose when potential contaminants appeared in the discharge from an underdrain system underlying part of the site. The areas of potential concern include: Tank Farm and Railcar Unloading Area; Former Shop Pit Area; Former Incinerator Building and Underground Storage Tank Area; Former Wastewater Storage Pond Area; Former Boiler House Area; and the Aeration Pond.

The Ohio EPA's preferred alternative includes the installation and operation and maintenance of a ground water collection system; treatment of the water using granular activated carbon (GAC) and subsequent discharge to a Publically Owned Treatment Works (POTW); preparation and implementation of a 5-year ground water monitoring plan and excavation and off-site disposal of contaminated soils and sludge.

Ohio EPA will hold a public meeting on Monday April 21, 2003, to answer questions and to accept comments on the Preferred Plan. The public meeting will begin at 6:30 P.M. at the Huron Public Library located at 333 Williams Street in Huron, Ohio 44839. The public meeting will begin with an information session during which Ohio EPA will present a summary of the Preferred Plan and answer questions. After the information session the public can submit oral or written comments for the record regarding the Preferred Plan.

In addition, Ohio EPA will accept written comments through April 28, 2003. Anyone may submit written comments on the Preferred Plan by writing to: Edward Onyia, Site Coordinator, Ohio EPA, Northwest District Office, 347 North Dunbridge, Bowling Green, Ohio 43402. Comments can also be faxed to Edward Onyia, (419) 352-8468 or e-mailed to him at Ed.Onyia@epa.state.oh.us Ohio EPA will consider all comments before taking a final action.

The Preferred Plan is available for review at the Huron Public Library located at 333 Williams Street, Huron. The Preferred Plan and related documents are available for review at Ohio EPA's Northwest District Office by calling the District Office main number for an appointment.

Date of Notice: March 17, 2003

Franklin County

**PUBLIC NOTICE AND PUBLIC HEARING
NOTICE OF RECEIPT OF APPLICATION
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit (4PH00012) for the discharge from the proposed Darbydale Wastewater Treatment Plant disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) (01-10192) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by the Franklin County Sanitary Engineer on behalf of the Franklin County Board of Commissioners, 280 East Broad Street, Columbus, OH 43215.

The Franklin County's Sanitary Engineer's preferred wastewater disposal alternative submitted for approval is proposed to treat 300,000 gallons per day of sanitary wastewaters associated with a small community. The disposal system is proposed to be located on Sandy Lane, north of State Route 665, Pleasant Township, Franklin County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to an unnamed tributary to Big Darby Creek and subsequently the Big Darby Creek.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary to Big Darby Creek and subsequently Big Darby Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and applications are available for review at Ohio EPA's Central District Office, 3232 Alum Creek Drive, Columbus, Ohio 43207-3417 or by first calling (614) 728-3778 or (800) 686-2330. An Ohio EPA public hearing on the proposed project has been scheduled for May 1, 2003 at 7:00 pm at the Pleasant View Middle School Auditorium, 7255 Kropp Road, Grove City, OH 43123. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the applications.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project or 2) submit comments for Ohio EPA's consideration in reviewing the application must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 by close of business on May 8, 2003. Comments received after this date may not be considered as part of the official record.

Date of Notice: March 14, 2003

Hamilton County

**PUBLIC NOTICE
NOTICE OF RESCHEDULED PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the National Pollutant Discharge Elimination System (NPDES) permit No. 11N00180 modification application for the discharge from the existing sedimentation pond from the Rumpke Sanitary Landfill Southern Expansion.

The disposal system is located at 10795 Hughes Road, Colerain Township, Hamilton County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Banklick Creek and subsequently the Great Miami River. The NPDES application was submitted by Rumpke Sanitary Landfill, Inc., 10795 Hughes Road, Cincinnati, Ohio 45251.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Banklick Creek and subsequently the Great Miami River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The public hearing has been rescheduled for April 29, 2003 at 7:00 p.m. at the Colerain Township Trustees' Chambers, 4200 Springdale Road, Colerain Township, Ohio 45251. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application(s). Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on May 6, 2003. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES applications and technical support information may be reviewed and/or copies made at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402-2911, by first calling (937) 285-6025 to make an appointment.

Date of Public Notice: March 20, 2003

Licking County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a proposed project (Preferred Alternative) to modify a segment of Beaver Run Road between Thornwood Drive and State Route (SR) 79, in the southern corporate limit of the City of Heath, Licking, County, Ohio. The project would include the relocation of a railway that crosses Beaver Run Road beginning immediately south of the current road and extending approximately 3, 200 feet north. The proposed project is estimated to impact about 0.71 acres of a jurisdictional Category 2 wetland, and 746 liner feet of jurisdictional streams. The application was submitted by the City of Heath, 1287 Hebron Road, Heath, Ohio 43056. The Huntington District of the Army Corps of Engineers Public Notice Number is 200200073. The Ohio EPA ID Number is 033224.

To compensate for the estimated impact to the Category 2 wetland, the applicant is proposing to purchase 2.0 acres of wetland credits from the Slate Run Wetland Mitigation Bank in the Upper Scioto River watershed, which is adjacent to the Licking River Watershed in which impacts to aquatic resources of the State will occur. The applicant is proposing to compensate for the estimated stream impacts by establishing and managing, in perpetuity, a conservation easement to preserve approximately 1, 500 feet of forested flood plain buffer (riparian stream corridor) along the South Fork Licking River. The forested flood plain is located approximately 2.6 miles to the north and east of the project

The discharges from the activity, if approved, would result in degradation to, or lowering of the water quality of, a Category 2 jurisdictional wetland, one unnamed perennial tributary to the South Fork Licking River, and two unnamed streams, in Licking, County Ohio. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC).

In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 20, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Lucas County

**PUBLIC NOTICE
OHIO EPA ISSUES EXTENSION TO PUBLIC COMMENT PERIOD FOR
ENVIROSAFE SERVICES OF OHIO, INC.**

On January 31, 2003, Ohio EPA issued a draft modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Envirosafe Services of Ohio, Inc. for its facility at 876 Otter Creek Road, Oregon, Ohio 43616. The EPA Identification Number for this facility is OHD045243706. The original comment period was from February 1, 2003 to March 17, 2003. Ohio EPA has extended the comment period to April 16, 2003. Comments will be accepted until that date. The draft modification package can be reviewed at the Toledo-Lucas County Public Library, Oregon Branch, 3340 Dustin Road, Oregon, Ohio 43616. Send comments to Ohio EPA, DHWM, 122 South Front Street, Columbus, Ohio 43215 or via e-mail to: dhwmcomments@epa.state.oh.us. For additional information please refer to the following web address: <http://www.epa.state.oh.us/dhwm/welcome.html>.

Date of Public Notice: March 20, 2003

Stark County

**Public Notice
Notice of Receipt of Public Application
Antidegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit 3PC00100 for the discharge from the proposed expansion of the existing Village of Millersburg disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) 90-755 for the construction of the proposed expansion of the disposal system. The NPDES and PTI applications were submitted by Mayor & Council, Village of Millersburg, 6 Washington Street, Millersburg, OH 44654 on February 12, 2003.

The applications submitted for approval are proposed to treat 1,400,000 gallons per day of sanitary wastewater. The disposal system is located at 1372 South Washington Street, Millersburg, Holmes County, Ohio. Treated wastewaters are to be discharged into Killbuck Creek.

The discharge from this facility, if approved, would result in degradation to, or lowering of, the water quality in Killbuck Creek, Muskingum River Basin. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA=s Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio, (330) 425-9171. Persons wishing to 1) be on Ohio EPA=s interested parties mailing list for this project, or 2) submit comments for Ohio EPA=s consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA=s Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049 Columbus, Ohio, 43216, within thirty days of the date of this public notice.

**PUBLIC NOTICE
OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN**

On March 4, 2003, Ohio EPA received a new hazardous waste closure plan from Advanced P.M.C., Inc. concerning a container storage area located at 715 2nd Street S.E., Canton, Ohio 44707. The EPA Identification Number for this facility is OHD981952047.

Why is Advanced P.M.C. submitting this Closure Plan?

At the request of Ohio EPA, Advanced P.M.C. submitted this closure plan. The plan describes a container area in the basement of the site. The closure plan includes wash and rinsing procedures of the area floors and walls, sampling of wash and rinse water, and disposal of the wash and rinse wasters. A section of the plan is dedicated to quality assurance and control assurance outlining a chain of custody procedures, and laboratory and field documentation procedures. Finally, the closure plan describes the preparation of a site-specific health and safety plan to be kept at the facility for use by staff during closure activities, expected clean closure status, closure certification preparation and a closure cost summary.

When and how do I submit written comments about the Closure Plan?

You can submit written comments anytime between March 14, 2003 and April 12, 2003. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Stark County District Library, DeHoff Memorial Branch, 216 Hartford Avenue SE, Canton, Ohio 44707, tel: (330) 452-9014,

Ohio EPA, Northeast District Office, 2110 Aurora Road, Twinsburg, Ohio 44087, tel: (330) 963-1200,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

Warren County

**PUBLIC NOTICE
OAC Rule 3745-27-10(D)(7)(c) Approval**

Pursuant to OAC Rule 3745-27-10(D)(7)(c), notice is hereby given that on March 12, 2003, the director of Ohio EPA authorized the owner/operator of the Bigfoot Run Sanitary Landfill located in Warren County, to continue the detection monitoring program for monitoring well Z-908C. The owner/operator is Allied Waste Industries, Inc., 865 Wheeler Street, Crown Point, Indiana 46307. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.