

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on May 8, 2003, the director of Ohio EPA issued an amended infectious waste transporter certificate to Michigan Waste Services LLC, 3400 Chief Dr., Grand Blanc, MI 48439., ID No.: 00-T-00237. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

Date of Notice: May 13, 2003

Statewide

PUBLIC NOTICE

Director's Final Findings and Order: Reduction of the Amount of Annual Sludge Fees Levied Under ORC § 3745.11(Y)

Public notice is hereby given that the Director of the Ohio Environmental Protection Agency (EPA) has issued final findings and orders to reduce the per dry ton fee for sewage sludge used or disposed in the state of Ohio so that the \$600,000 cap on annual sewage sludge fee receipts is not exceeded in any fiscal year, pursuant to Ohio Revised code (ORC) § 3745.11(Y)(7). Notwithstanding ORC § 119.06, an order under ORC § 3745.11(Y)(7) may be issued without the necessity to hold an adjudicatory hearing in connection with the order, and such order is not an act or action for purposes of ORC § 3745.04. Pursuant to the authority granted to the Director under ORC § 3745.11(Y)(7), the amount of the annual sludge fees levied under ORC§ 3745.11(Y) for calendar years 2003 and 2004, shall be equal to three dollars and sixteen cents (\$3.16, reduced from \$3.50) per dry ton of sewage sludge.

PUBLIC NOTICE

National Pollutant Discharge Elimination System (NPDES) Permit Program

NPDES Permit Draft Modification to Discharge to State Waters

Ohio Environmental Protection Agency
Lazarus Government Center
122 South Front Street
P. O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

OEPA Permit No.: 4PD00004*KD
Application No.: OH0024911
Public Notice No. OEPA-03-05-052M
Date of Issuance of Draft Modification: May 5, 2003
Date of Public Notice: May 12, 2003

Name and Address of Applicant: Mayor and Council, City of Delaware, One South Sandusky Street, Delaware, OH 43015

Name and Address of Facility where Discharge Occurs: City of Delaware WWTP, 225 Cherry Street, Delaware, OH 43015

Location of Discharge: 001 - 40° 17' 15" N; 83° 03' 30"

Receiving Water: Olentangy River

The purpose of this draft modification is to provide a new final effluent limitation table appropriate for the expansion of the treatment plant to 10 MGD. The existing effluent limitation table will become the interim table, and adjustments will be made throughout the permit to account for changes in compliance dates. The old schedule of compliance will be revised to delete milestones that have already past. Pollutant monitoring and/or effluent limits for outfalls 001, 002, 902, 903, 801, 601 and 581 have been adjusted based on the most current effluent quality data and in accordance with current state rules and regulations. The basic permit was the subject of public notice No. 01-03-042.

OEPA Permit No.: 4PD00004*KD
Public Notice No.: 03-05-052M
Page 2

The following statements apply to the modification:

On the basis of preliminary staff review and application of standards and regulations, the Director of the Ohio Environmental Protection Agency has issued a proposed modification for the aforementioned discharge subject to certain effluent conditions and special conditions. The proposed modification is tentative but shall become final on the effective date unless: 1) an adjudication hearing is requested, 2) the Director withdraws and revises the proposed modification after consideration of the record of a public meeting, written comments, or statements, or 3) upon disapproval by the administrator of the U.S. Environmental Protection Agency.

Within thirty days of publication of this notice, any person may submit written comments, a statement as to why the proposed modification should be changed, a request for a public meeting on the proposed modification, and/or a request for notice of further actions concerning the modification. All communications timely received will be considered in the final formulation of the modification. If significant public interest is shown, a public meeting will be held prior to finalization of the modification.

Within 30 days of the issuance of the proposed modification, any officer or an agency of the state or of a political subdivision, acting in his representative capacity or any person aggrieved or adversely affected by issuance of it may request an adjudication hearing by submitting a written objection in accordance with Ohio Revised Code Section 3745.07. Following the finalization of the modification by the Director, any person who was a party to an adjudication hearing may appeal to the Environmental Review Appeals Commission.

All comments or statements on the proposed modification and all requests for notice of further actions should be submitted in person or by mail to: Ohio Environmental Protection Agency, Division of Surface Water, Lazarus Government Center, Permits Processing Unit, 122 South Front Street, P. O. Box 1049, Columbus, Ohio 43216-1049. Applications, fact sheets, proposed permits including proposed effluent limitations, special conditions, comments received, and other documents are available for inspection and may be copied at a cost of 5 cents per page at the Ohio Environmental Protection Agency at the above address any time between the hours of 8 a.m. and 4:30 p.m., Monday through Friday. Copies of public notices are available at no charge at the same address.

Requests for, and communications concerning, adjudication hearings and public meetings should be addressed to: Legal Records Section, Ohio Environmental Protection Agency, Lazarus Government Center, 122 South Front Street, P. O. Box 1049, Columbus, Ohio 43266-0149, (614) 644-2115. All communications should specify the OEPA permit number and public notice number.

Mailing lists are maintained for persons or groups who desire to receive public notice of proposed and final actions taken on applications for dischargers located in the state or in certain geographical areas. Persons or groups may have their names put on such a list by making a written request to the Permits Processing Unit. Persons or groups may also request copies of fact sheets, applications, or other documents pertaining to a specific application.

PUBLIC NOTICE

**ISSUANCE OF A DRAFT TITLE IV ACID RAIN PERMIT FOR KILLEN STATION
(FACILITY ID 0701000060)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of a Title IV Acid Rain Permit for an affected source at:

KILLEN STATION located at 14869 U.S. Route 52, Manchester, Ohio 45144

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR J.M. STUART STATION
(FACILITY ID 0701000007)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

J.M. STUART STATION located at U.S. Route 52, Aberdeen, Ohio 45101

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

PUBLIC NOTICE

WASTE CHARACTERIZATION STUDY AUTHORIZATION

Notice is hereby given that on May 5, 2003, the director of Ohio EPA grants authorization to Athens-Hocking Reclamation Center, to participate in a waste characterization study being sponsored by the Ohio Department of Natural Resources, to characterize the contents of the solid waste stream from the State of Ohio. The owner is Kilbarger Construction, Inc., P.O. Box 946, Logan, Ohio 43138. This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Butler County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR MADISON
GENERATING (FACILITY ID 1409000896)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

MADISON GENERATING STATION located at 5657 Kennel Road, Trenton, Ohio 45067

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Clermont County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR WALTER C.
BECKJORD**

(FACILITY ID 1413100008)

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

WALTER C. BECKJORD located at 757 U.S. Route 52, New Richmond, Ohio 45157-9709

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Clermont County

PUBLIC NOTICE

**ISSUANCE OF A DRAFT TITLE IV ACID RAIN PERMIT FOR W.H. ZIMMER
(FACILITY ID 1413090154)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of a Title IV Acid Rain Permit for an affected source at:

W. H. ZIMMER located at 1781 U.S. Route 52, Moscow, Ohio 45153-9705

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

PUBLIC NOTICE

**Ohio EPA Finalizes Decision Document for
Zeidrich Dump, Columbiana County, Ohio**

On May 2, 2003, Ohio EPA finalized a Decision Document identifying the selected alternative to remediate contamination at the Zeidrich Dump Site located within West Township, north of East Line Street and east of the Village of Minerva, Ohio (Columbiana County).

The Site received industrial waste materials from the former TRW, Inc. plant in Minerva. The major health and environmental risks of this Site result from potential direct contact and ingestion of on-site soils and ground water, as well as off-site sediments and surface water. The chemicals of concern include solvents such as trichloroethylene, polychlorinated biphenyls (PCBs), pesticides, and metals including mercury and lead. The remedy selected by Ohio EPA includes:

- a. excavation of contaminated sediments and soils and consolidation of these materials onto the surface of the landfill;
- b. installation of a low-permeability cap over the surface of the landfill;
- c. installation of a leachate collection and monitoring well system;
- d. wetland restoration;
- e. long-term monitoring of ground water;
- f. placing deed restrictions on the property;
- g. limiting access and installing warning signs; and
- h. implementation of a public education program.

On July 15, 2002, Ohio EPA issued a Preferred Plan that outlined Ohio EPA's preferred alternative to remediate contamination at the Site. A public meeting was held on August 14, 2002, during which public comments on the Preferred Plan were accepted. In addition,

written comments on the Preferred Plan were accepted through August 30, 2002. The comments received by the Agency during the comment period are addressed in the Responsiveness Summary attached to the Decision Document.

The Decision Document is available for review after May 5, 2003 at the Minerva Public Library located at 677 Lynwood Drive in Minerva, Ohio. The Decision Document and related materials are also available for review at Ohio EPA's Northeast District Office, located at 2110 East Aurora Road in Twinsburg, Ohio, by calling (330) 963-1200 to set up an appointment.

The effective date of this final action is May 2, 2003. This action of the Director of the Ohio EPA is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio EPA within three (3) days of filing at the ERAC. The ERAC is located at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Coshocton County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR CONESVILLE
(FACILITY ID 0616000000)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

CONESVILLE located at 47201 County Road 273, Conesville, Ohio 43811

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Date of Notice: May 14, 2003

Crawford County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit (2PW00013) for the discharge from the proposed Sugar Grove Lake disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) (03-15756) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by the Crawford County Board of Commissioners, 112 East Mansfield Street, Suite 304, Bucyrus, Ohio 44820.

Crawford County's Board of Commissioners' preferred wastewater disposal alternative submitted for approval is proposed to treat 10,000 gallons per day of domestic wastewaters associated with unsewered residential area. The disposal system is proposed to be located off Sugar Grove Lake Road, Whetstone Township, Crawford County, Ohio. Treated wastewaters are proposed to be discharged at the same location off Sugar Grove Road. The proposed discharges are to the Olentangy River and subsequently the Scioto River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Olentangy River and subsequently the Scioto River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 by first calling (419) 352-8461 or (800) 686-6930.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR GREENVILLE
ELECTRIC GENERATING STATION (FACILITY ID 0819070237)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

GREENVILLE ELECTRIC GENERATING STATION located at 5119 Sebring Warner Road, Greenville, Ohio 45331-8786

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Date of Notice: May 15, 2003

Defiance County

**PUBLIC NOTICE & PUBLIC HEARING
NOTICE OF RECEIPT OF APPLICATION
ANTIDEGRADATION**

PTI AND NPDES INFORMATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit (2IF00021) for the discharge from the proposed NWE Development, LLC, Northwest Ethanol Facility. Public notice is also given that Ohio EPA-DSW has received an application for a Permit to Install (PTI) (03-15779) for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by NWE Development, LLC, PO Box 4505, Sherwood, Ohio 43556.

The sewerage system submitted for approval is proposed to discharge 250,000 gallons per day of waste water associated with non-contact process waters, cooling tower blow down, reverse osmosis concentrate, multimedia filter backwash and softener regeneration. The system is proposed to be located at 10133 Rosedale Road, Hicksville, Defiance County, Ohio. Wastewaters are proposed to be discharged approximately 5 miles south. The proposed discharges are to the Maumee River

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Maumee River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate an exclusion from various portions of the antidegradation review and information submittal requirements applies as outlined by section 3745-1-05 (D)(1) of the antidegradation rule (effective as of October 1, 1996). The exclusion relates to a de minimis net increase in the discharge of a regulated pollutant.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 by first calling (419) 352-8461 or (800) 686-6930.

401 CERTIFICATION

Public Notice is also hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for NWE Development, LLC, PO Box 4505, Sherwood, Ohio 43556. The application proposes to impact 185 linear feet of streams for stream crossings and intake and outfall structures as part of a project to build a large-scale ethanol production facility in Defiance County. The Ohio EPA ID Number for this project is #033630.

The discharge from the activity, if approved, would result in degradation to, or lowering of, the water quality of the upper Maumee Watershed (HUC 04100005). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1-05, 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the Director of the Ohio EPA.

Beginning May 15, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 122 South Front Street, Columbus, Ohio 43216 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

HEARING INFORMATION:

An Ohio EPA public hearing on the proposed project has been scheduled for July 2, 2003 at 7:00 pm at the Hicksville Elementary School, 200 West Arthur Street, Hicksville, Ohio. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the applications.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project or 2) submit comments for Ohio EPA's consideration in reviewing the application must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 by close of business on July 9, 2003. Comments received after this date may not be considered as part of the official record.

Date of Notice: May 12, 2003

Delaware County

**PUBLIC NOTICE
NOTICE OF PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the draft National Pollutant Discharge Elimination System (NPDES) permit modification and draft Permit to Install (PTI) for the discharge from and construction of the proposed expansion of the Upper Olentangy Water Reclamation Center disposal system.

The disposal system expansion is proposed to be located at 225 Cherry Street, Delaware Township, Delaware County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to the Olentangy River. The NPDES and PTI applications were submitted by the City of Delaware, 225 Cherry Street, Delaware, Ohio 43015.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Olentangy River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The public hearing has been scheduled for June 12, 2003 at 6:00 P.M. at the Delaware City Council Chambers, 1 South Sandusky Street, Delaware, Ohio 43015. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on June 19, 2003. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES and PTI applications, draft permits and technical support information may be reviewed and/or copies made at Ohio EPA's Central District Office, 3232 Alum Creek Drive, Columbus, Ohio 43207-3417, by first calling (614) 728-3778 to make an appointment.

PUBLIC NOTICE

**Ohio EPA PTI No. 01-10328
Ohio Environmental Protection Agency Draft Permit to Install**

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA 03-05-051- PTI
Date of Issue of Public Notice: May 12, 2003

Name and Address of Applicant: City of Delaware, 225 Cherry Street, Delaware, Ohio 43015

Name and Address of Facility Where Discharge Occurs: Upper Olentangy Water Reclamation Center, 225 Cherry Street, Delaware Township, Delaware County, Ohio

Receiving Water: Olentangy River

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of the Olentangy River and possibly the Scioto River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice.

Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Central District Office, 3232 Alum Creek Drive, Columbus, Ohio 43207-3417. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at Ohio EPA Central District Office, 3232 Alum Creek Drive, Columbus, Ohio, by first calling 614-728-3778, to make an appointment.

Date of Public Notice: May 9, 2003

Franklin County

REVISED PUBLIC NOTICE

**NOTICE OF RECEIPT OF 401 APPLICATION AND
RESCHEDULED PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to develop a riverfront park including a boat dock/pavilion, outlook area and river plaza. The application was submitted by the City of Columbus, 200 Greenlawn Ave, Columbus, OH 43223. The project is located on the Scioto River immediately downstream from the Olentangy Confluence, parallel to Spring and Long Streets. The Huntington District Corps of Engineers Public Notice Number for this application is (H)200300196 . The Ohio EPA Public Notice for this application is 033550

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Scioto River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning May 9, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

The Ohio EPA public information session and public hearing relative to issues of lower water quality scheduled on June 17, 2003 has been cancelled and rescheduled for 6:00 P.M. on June 24, 2003 at Ohio EPA Central Office, 122 South Front Street, 6th Floor Training Room, Columbus, Ohio 43215. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio

EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on July 1, 2003. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on July 1, 2003.

Gallia County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR GENERAL J.M. GAVIN
(FACILITY ID 0627010056)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

GENERAL J.M. GAVIN located at P.O. Box 271, Cheshire, Ohio 43913

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Gallia County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR KYGER CREEK
(FACILITY ID 0627000003)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

KYGER CREEK located at Route 7, Cheshire, Ohio 45620

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Gallia County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR GENERAL J.M. GAVIN
(FACILITY ID 0627010056)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

GENERAL J.M. GAVIN located at P.O. Box 271, Cheshire, Ohio 43913

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01 and 6109.04 of the Ohio Revised Code has issued Final Findings and Orders to ensure that the Village of Byesville public water system is operated in compliance with the State's safe drinking water laws. These Final Findings and Orders provide the Village of Byesville with a schedule for resolving its violations of the surface water treatment rules. This final action of the Director will be effective on March 25, 2003, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 43215

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01 and 6109.04 of the Ohio Revised Code, has issued Final Findings and Orders to ensure the Township Fields and Tavern public water system is operated in compliance with the State's safe drinking water laws. These Final Findings and Orders provide the Township Fields and Tavern public water system with a schedule for resolving its drinking water violations. This final action will be effective on March 25, 2003, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 43215

Hamilton County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR MIAMI FORT
(FACILITY ID 1431350093)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

MIAMI FORT located at Brower Road, North Bend, Ohio 45052-0128

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Jefferson County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR CARDINAL
(FACILITY ID 1741050002)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

CARDINAL located at State Route 7, Brilliant, Ohio 43913

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Lawrence County

**PUBLIC NOTICE
DIRECTOR'S FINAL FINDINGS AND ORDERS**

Notice is hereby given that on May 2, 2003, the director of Ohio EPA issued Final Findings and Consent Orders to Marshall University (Respondent), 400 Hal Greer Boulevard, Huntington, WV 25755. The Respondent shall pay \$15,000.00 to the Lawrence-Scioto Solid Waste Management District for deposit in the "B95 Special Environmental Fund" for open dump cleanups. These orders are subject to all rules, regulations, and specified conditions. Person's wishing to be on Ohio EPA's mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Public Notice Date: April 30, 2003

Lorain County

**PUBLIC NOTICE
APPROVAL OF FACILITIES PLAN
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO CITY OF LORAIN**

The Director of the Ohio Environmental Protection Agency is providing notice of an action to approve a facilities plan for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Lorain in Lorain County for the following water quality improvement activity. The project entails providing financial assistance to the City of Lorain for constructing interceptor and collector sewers under and along Cooper-Foster Park Road, North Ridge Road, and Clearview Drive. The city has requested about \$1,603,649 in WPCLF financial assistance to cover the costs of approximately 2,047 lineal feet of six-inch laterals from the main sanitary sewer to the edge of the public right-of-way, 6,820 lineal feet of eight-inch sanitary sewer pipe, 2,050 lineal feet of eighteen-inch sanitary sewer pipe, and 31 manholes. In addition, the project involves the elimination of home sewage systems and installation of privately owned laterals from the house foundation to the edge of the right-of-way. Finally, about 1,770 lineal feet of storm sewer will be installed during this project.

This approval is based upon the Ohio EPA staff's recommendations following review of the facilities planning materials under applicable requirements and any other information regarding the proposed activities.

This approval is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the environmental review documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P.O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Kevin Hinkle at the above address or by calling (614) 644-2798.

Date of Notice: May 15, 2003

Lucas County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for a Permit to Install (PTI) (03-15781) for the construction of a proposed wastewater treatment plant. The PTI application was submitted by the Lucas County Sanitary Engineer, 1111 South McCord Road, Holland, Ohio 43528.

Lucas County Sanitary Engineer's preferred wastewater disposal alternative submitted for approval is proposed to treat 7.5 million gallons per day of municipal wastewaters. The disposal system is located at 5758 North River Road, Monclova Township, Lucas County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to the Maumee River and possibly Maumee Bay and Lake Erie.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Maumee River and subsequently Maumee Bay and Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicates no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending PTI application are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 by first calling (419) 352-8461 or (800) 686-6930. An Ohio EPA public hearing on the proposed project has been scheduled for July 1, 2003 at 7:00 pm at the Maumee Municipal Building Council Chambers, 400 Conant Street, Maumee, Ohio. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the application.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project or 2) submit comments for Ohio EPA's consideration in reviewing the application must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 by close of business on July 8, 2003. Comments received after this date may not be considered as part of the official record.

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01 and 6109.04 of the Ohio Revised Code, has issued Final Findings and Orders to ensure that the City of Celina's public water system is operated in compliance with the State's safe drinking water laws. These Final Findings and Orders provide the City of Celina with a schedule for resolving its drinking water violations. This final action will be effective on May 5, 2003, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

Date of Notice: May 15, 2003

Montgomery County

**PUBLIC NOTICE
OF PUBLIC HEARING FOR SECTION 401 CERTIFICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is reviewing an application, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct the Hoke Road Wal-Mart Supercenter. The application was submitted by RG Properties, Inc., 8163 Old Yankee Road, Suite B, Dayton, Ohio 45458. The project is located at the northwest corner of Hoke Road and Interstate 70 in Montgomery County. The Louisville District Corps of Engineers Public Notice Number for this project is 200300022. The Ohio EPA ID Number is 032960.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the watershed of North Branch Wolf Creek, in the Great Miami River Basin (0500002). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1-05, 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the Director of Ohio EPA.

Starting May 15, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 7:00 PM on July 10, 2003 at Englewood Government Center, Council Chambers, 333 West National Road, Englewood, Ohio 45322. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed projects. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on July 17, 2003. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on July 17, 2003.

Montgomery County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR O.H. HUTCHINGS
(FACILITY ID 0857780013)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

O.H. HUTCHINGS located at 9200 Chautauqua Road, Miamisburg, Ohio 45432-4103

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Montgomery County

PUBLIC NOTICE

**ISSUANCE OF A DRAFT TITLE IV ACID RAIN PERMIT FOR F.M. TAIT
(FACILITY ID 0857042072)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of a Title IV Acid Rain Permit for an affected source at:

F.M. TAIT located at East River and Dryden Roads, Dayton, Ohio

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Montgomery County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR TAIT ELECTRIC
GENERATING STATION (FACILITY ID 0857042072)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

TAIT ELECTRIC GENERATING STATION located at East River and Dryden Roads, Dayton, Ohio

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Pickaway County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR
DARBY ELECTRIC GENERATING STATION
(FACILITY ID 0165000132)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

DARBY ELECTRIC GENERATING STATION located at 12509 Adkins Road, Darby, Ohio 43143

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Pickaway County

PUBLIC NOTICE

**ISSUANCE OF A DRAFT TITLE IV ACID RAIN PERMIT FOR PICWAY
(FACILITY ID 0165000006)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of a Title IV Acid Rain Permit for an affected source at:

PICWAY located at 9301 U.S. Route 23, Lockbourne, Ohio 43117

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Notice is hereby given that on May 1, 2003, the director of Ohio EPA issued Final Findings and Orders to CR/PL, LLC, dba Crane Plumbing (Respondent), Cairns Road, Mansfield, Ohio 44903. The Respondent is the owner/operator of Property (the vitreous china plant) located at 1723 West Fourth Street, Mansfield, Richland County, Ohio, which contains at least two solid waste disposal areas that are referred to collectively as the Facility. Within 90 days after the effective date of these Orders, Respondent shall record a notation on the deed to the Property, or on some other instrument which is normally examined during title search, that will in perpetuity notify any potential purchaser of the Property that the land has been used as a solid waste disposal facility. The notation shall include information describing the acreage, exact location, depth, volume, and nature of solid waste placed in the two disposal areas of the Facility. Upon the effective date of these Orders, Respondent shall not dispose of solid waste at its Facility. Respondent shall conduct post-closure monitoring of the Facility upon completing closure of the Facility. These orders are subject to all to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, 309 South Fourth Street, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Richland County

PUBLIC NOTICE

WASTE CHARACTERIZATION STUDY AUTHORIZATION

Notice is hereby given that on May 5, 2003, the director of Ohio EPA grants authorization to BFI- Mansfield Recycling and Transfer Station, to participate in a waste characterization study being sponsored by the Ohio Department of Natural Resources, to characterize the contents of the solid waste stream from the State of Ohio. The owner is Browning-Ferris Industries of Ohio Inc, 392 Laird Avenue, Mansfield, Ohio 44905. This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT TO
SUNOCO CHEMICALS-HAVERHILL, HAVERHILL, OHIO**

On May 6, 2003, Ohio EPA issued a final modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Sunoco Chemicals-Haverhill for its facility at 1019 Haverhill-Ohio Furnace Road, Haverhill, Ohio 45636. The EPA Identification Number for this facility is OHD005108477.

Why is Sunoco Chemicals-Haverhill modifying its Permit?

Sunoco Chemicals-Haverhill (Sunoco) is a chemical production facility that produces phenol and acetone from cumene. Wastes from the production of these chemicals are stored in three permitted tanks prior to being used as a fuel in Sunoco's boilers. Sunoco wishes to change the facility's contingency plan to reflect updated emergency procedures and spill or release response equipment. This final modified permit will allow Sunoco to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than June 5, 2003. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

Van Wert County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR ROBERT P. MONE
(FACILITY ID 0381000043)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

ROBERT P. MONE located at 4406 Mentzer Road, Convoy, Ohio 45832-9581

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.

Washington County

PUBLIC NOTICE

**ISSUANCE OF DRAFT TITLE IV ACID RAIN PERMITS FOR MUSKINGUM RIVER
(FACILITY ID 0684000000)**

On 5/7/03 the Director of the Ohio Environmental Protection Agency issued a draft action of Title IV Acid Rain Permits for affected sources at:

MUSKINGUM RIVER located at P.O. Box 158, Beverly, Ohio 45715-0158

Comments concerning this draft action, or a request for public hearing must be sent in writing to the following address no later than thirty (30) days from the date this notice is published:

Dana Thompson, Ohio EPA, 122 South Front Street, Columbus, Ohio 43215

All inquiries concerning this draft action may be directed to Dana Thompson (614)644-3701.