

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on June 6, 2003, the director of Ohio EPA issued an amended infectious waste transporter certificate to Anson Trucking Inc., 208 Dove St, Dunkirk, NY 14048, ID No.: 00-T-00232. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on June 6, 2003, the director of Ohio EPA issued an amended infectious waste transporter certificate to Bio Medical Waste Services Inc., #26 Commercial Ln Upper, Parkersburg WV 26101, ID No.: 00-T-00254. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF A CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on June 12, 2003, the director of Ohio EPA issued an infectious waste generator certificate to Surgery Centers of America II LLC, 30 Burton Hills Blvd, Ste 450, Nashville, TN 37215, ID No.: 00-G-01203. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF EMERGENCY REGISTRATION CERTIFICATES FOR A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that, on June 12, 2003 the director of Ohio EPA issued (1) one emergency infectious waste transporter certificates to Stericycle, Inc., 28161 N. Keith Drive, Lake Forest, IL 60045, ID No: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

PUBLIC NOTICE FOR FINAL ACTION OF DIRECTOR

Pursuant to Ohio Administrative Code (OAC) rule 3745-77-01(GG)(1)(b), the Director of the Ohio Environmental Protection Agency approved the request to delegate the authority of Mr. James Wainright, Senior Vice President, to Mr. Russell Dunmire, Plant Manager, to act as the responsible official for the Title V facility, AO Smith Electrical Products Company, located at 750 W. Spring Street, Upper Sandusky, Ohio 43351. According to the request for delegation of authority, Mr. Dunmire is responsible for the overall operation of this facility, thereby meeting the criteria in OAC rule 3745-77-01(GG). The delegation is effective as of June 10, 2003.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. It is also requested by the Director that a copy of the appeal be served upon the Environment Enforcement Section of the Office of the Attorney General. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 43215

Ohio Environmental Protection Agency

PUBLIC NOTICE

Organizations Affected by Drinking Water Rules, Final Procedure

June 9, 2003

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) has amended its "Organizations Affected by Drinking Water Rules" procedure. Ohio Revised Code 121.39 paragraph (D) requires the Ohio EPA to consult with parties affected by a proposed rule or amendment concerning environmental protection. Through its "Organizations Affected by Drinking Water Rules" procedure, originally established in June 1998, DDAGW maintains a list of parties affected by our rules and their contact information so that they can be consulted on our proposed rules and amendments. The procedure has been amended in order to update our list of interested parties and their contact information. Copies of the amended procedure are available from the division's web site at <http://www.epa.state.oh.us/ddagw/dwguid.html> or by writing to:

Ohio EPA
Lazarus Government Center
Attention: Kelly Butler, DDAGW
P.O. Box 1049
Columbus, Ohio 43216

**PUBLIC NOTICE
PROPOSED CONSENT ORDER**

The Ohio Environmental Protection Agency (EPA) and the Lawrence Family Trust and the Sunny Family Trust II d.b.a. Happy Valley Mobile Home Park have entered into a proposed Consent Order to resolve Happy Valley Mobile Home Park's noncompliance with Ohio's Water Pollution Control Regulations. The proposed Order addresses wastewater effluent violations at the Happy Valley Mobile Home Park, located at 6800 Baker Road, Athens, Athens County. The proposed Consent Order would require that these Defendants not regain operation or ownership of the Happy Valley Mobile Home Park at any future time.

To resolve Ohio EPA's claims for violations cited in the complaint, the proposed Consent Order requires these Defendants to pay a civil penalty settlement in the amount of \$10,000 for violations of 6111. The Consent Order requires the payment of the civil penalty within 45 days of its final entry date.

Copies of the Consent Order can be obtained from the Ohio EPA, Southeast District Office, by calling the Division of Surface Water Compliance and Enforcement Unit Supervisor at (740) 385-8501 or by writing to:

Compliance and Enforcement Unit Supervisor, DSW
Ohio EPA, Southeast District Office
2195 Front Street
Logan, Ohio 43138

Written comments should be submitted to Ohio EPA, Southeast District Office at the above address. Written comments should be submitted on or before July 21, 2003.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty-day period commences on June 20, 2003. The State of Ohio and the Lawrence Family Trust and the Sunny Family Trust II reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.

**PUBLIC NOTICE
PROPOSED CONSENT ORDER**

The Ohio Environmental Protection Agency (EPA) and the Lawrence Family Trust d.b.a. Edgewood Terrace Mobile Home Park have entered into a proposed Consent Order to resolve Edgewood Terrace Mobile Home Park's noncompliance with Ohio's Water Pollution Control Regulations. The proposed Order addresses wastewater effluent violations at the Edgewood Terrace Mobile Home Park, located at 46115 U.S. Route 36, Coshocton, Coshocton County. The proposed Consent Order would require that this Defendant not regain operation or ownership of the Edgewood Terrace Mobile Home Park at any future time.

To resolve Ohio EPA's claims for violations cited in the complaint, the proposed Consent Order requires this Defendant to pay a civil penalty settlement in the amount of \$10,000 for violations of 6111. The Consent Order requires the payment of the civil penalty within 45 days of its final entry date.

Copies of the Consent Order can be obtained from the Ohio EPA, Southeast District Office, by calling the Division of Surface Water Compliance and Enforcement Unit Supervisor at (740) 385-8501 or by writing to:

Compliance and Enforcement Unit Supervisor, DSW
Ohio EPA, Southeast District Office
2195 Front Street
Logan, Ohio 43138

Written comments should be submitted to Ohio EPA, Southeast District Office at the above address. Written comments should be submitted on or before July 21, 2003.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty day period commences on June 20, 2003. Both the State of Ohio and the Lawrence Family Trust reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.

**PUBLIC NOTICE
PROPOSED CONSENT ORDER**

The Ohio Environmental Protection Agency (EPA) and Lawrence Family Trust d.b.a. Ranchwood Mobile Home Park (Ranchwood) have entered into a proposed Consent Order to resolve Ranchwood's noncompliance with Ohio's Water Pollution Control Regulations. The proposed Order addresses claims or conditions alleged in the Complaint at the Ranchwood wastewater treatment plant located at U.S. Route 30, east of Bucyrus, Bucyrus, Crawford County. The proposed Consent Order would require that this Defendant not regain operation or ownership of the Ranchwood Mobile Home Park at any future time.

To resolve Ohio EPA's claims for violations cited in the complaint, the proposed Consent Order requires this Defendant to pay a civil penalty settlement in the amount of \$10,000. The Consent Order requires the payment of the civil penalty within 45 days of its final entry date.

Copies of the Consent Order can be obtained from the Ohio EPA, Northwest District Office, by calling the Division of Surface Water Compliance and Enforcement Unit Supervisor at (419) 352-8461 or by writing to:

Compliance and Enforcement Unit Supervisor, DSW
Ohio EPA, Northwest District Office
347 N. Dunbridge Road
Bowling Green, Ohio 43402

Written comments should be submitted to Ohio EPA, Northwest District Office at the above address. Written comments should be submitted on or before July 21, 2003.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty day period commences on June 20, 2003. Both the State of Ohio and Lawrence Family Trust reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.

Date of Public Notice: June 16, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to fill 0.77 acres of wetland, 243 feet of intermittent stream, and 298 feet of ephemeral stream to construct 3 additional office buildings to create a business campus. The application was submitted by the Bracebridge Corporation, 110 North King Street, Wilmington, Delaware, 19884-2002. The project is located east of Richmond Road and south of South Woodland Road, in the City of Beachwood, Cuyahoga County. The Buffalo District Corps of Engineers Public Notice Number for this project is 2003-01077(0). The Ohio EPA ID Number for this project is 033470.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands and tributaries to the Chagrin River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting June 16, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: June 18, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project (Minimal Degradation Alternative) that is estimated to impact 0.304 acres of a Category 3 jurisdictional wetland. The project will primarily involve replacement of a structurally deficient bridge on US Route 62 over the Killbuck Creek overflow in Killbuck Township, Holmes County. The application was submitted by the Ohio Department of Transportation (ODOT), 1980 West Broad Street, Columbus, Ohio 43223. The Ohio EPA ID Number for this project is 033754. The ODOT ID Number is HOL- 62-12.16, PID 20054.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of a jurisdictional Category 3 wetland in the Walhonding River Watershed, Holmes County, Ohio. The review of the application will be conducted in accordance with Chapters 3745-1, 3745-32, and other applicable provisions of the Ohio Administrative Code (OAC) and the Ohio Revised Code (ORC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

A public hearing is required because the project is estimated to impact a Category 3 jurisdictional wetland. Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on August 7, 2003 at 7:00 P.M. at the Killbuck Township Community Room (Fire Hall), 310 North Main Street, Killbuck, Ohio 44637. All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on August 14, 2003. Comments received after this date may not be considered as part of the official record of the hearing.

Beginning June 18, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on August 14, 2003.

Date of Public Notice: June 20, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider, whether to issue or deny, 401 Certification for a project (Preferred Alternative) that is estimated to impact the Grand River and a Category 2 jurisdictional wetland in the project area in the City of Painesville, Lake County, Ohio. The project primarily involves the replacement of a deficient bridge on State Route 84 (Walnut Avenue) over the Grand River between Valley View Drive and the Norfolk Southern Railroad Track, with a new seven-span bridge constructed approximately 75 feet north of the existing bridge. The application was submitted by the Ohio Department of Transportation (ODOT), 1980 West Broad Street, Columbus, Ohio 43223. The Ohio EPA Identification Number for this project is 033896. The U.S. Army Corps of Engineers, Buffalo District, Public Notice Number is 2000-01741(2). ODOT's ID Number is LAK-84-18.88, PID 19686.

The impacts from the activity, if approved, would result in degradation to, or lowering of, water quality of the Grand River and a Category 2 jurisdictional wetland in the project area.

The review of the application shall be conducted in accordance with Chapters 3745-1 and 3745-32, and other applicable provisions of the Ohio Administrative Code (OAC), including OAC 3745-1-05, before deciding whether to allow a lowering of water quality. Ohio EPA shall consider other alternatives during the review process that result in lesser or no degradation or lowering of water quality.

Starting June 20, 2003, copies of the 401 certification and associated information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Information on the 401 certification can be made available at Ohio EPA Central District Office by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: June 16, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to hydraulically dredge approximately 3,389 cubic yards of sediment from the navigation channels near Governor's Island, Indian Lake State Park. The dredged spoil material would be proposed to be discharged to an open-water Dredged Material Relocation Area. The application was submitted by the Ohio Department of Natural Resources, Division of Park and Recreation, 1952 Belcher Drive, C-3, Columbus, Ohio 43224-1386. The project is located East of Governor's Island and south of State Route 368 in Indian Lake State Park. The Louisville District Corps of Engineers Public Notice Number for this project is (L)200201419. The Ohio EPA ID Number for this project is 022302.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Indian Lake in the Upper Great Miami River watershed (HUC 05080001). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting June 16, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.