

309 PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Kadee Metalfab, Inc.

Notice is hereby given that on October 30, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Kadee Metalfab, Inc. for the property identified as the Kadee Metalfab, Inc. property (the "Property").

Kadee Metalfab, Inc. conducted a voluntary action of the approximately 15.51 acre-Property located at 6225 Cochran Road, Solon, Cuyahoga County, Ohio. A no further action letter was submitted on October 4, 2002 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Kadee Metalfab, Inc. by Thomas P. Shalala, a Certified Professional (No. CP188), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Front Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
REINSTATEMENT OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on November 4, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a modified laboratory certificate to STL-Pittsburgh ("STL") of 450 Williams Pitt Way, Pittsburgh, Pennsylvania, granting the laboratory's request to reinstate certification under Ohio's Voluntary Action Program for a parameter group and method that had been suspended. The modified certificate reflects changes to the previous certificate issued to STL under the Voluntary Action Program, and reinstates certification for Semi-Volatile Organic Compounds by method 8270C. The certification number assigned to STL remains CL0063.

The issuance of this certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
The City of Springfield (Former Bayley Property)

Notice is hereby given that on November 6, 2003, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to the City of Springfield for the property identified as the Former Bayley property (the "Property").

The City of Springfield conducted a voluntary action of the approximately 2.884-acre Property located at 148 West North Street, Springfield, Clark County, Ohio. A no further action letter was submitted on October 8, 2003 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of the City of Springfield by Craig A. Kasper, a Certified Professional (No. CP103), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Ohio EPA PTI No. 06-7093

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 03-11-009
Date of Issue of Public Notice: November 6, 2003

Name and Address of Applicant; Gould Electronics, Inc., 34929 Curtis Boulevard, Eastlake, OH, 44095-4001

Name and Address of Facility Where Discharge Occurs: Gould Electronics Bridgeport Manufacturing Site, 1700 Coupling Road, Colerain Twp., Belmont County, Ohio

Receiving Water: Wheeling Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Wheeling Creek and subsequently the Ohio River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director

may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, OH, 43138. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH, 43138, by first calling (740) 385-8501 to make an appointment.

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01 and 6109.04 of the Ohio Revised Code, has issued Final Findings and Orders to dismiss Ohio EPA Case No. 02-CT-001. These Final Findings and Orders revoke the Class III water and Class III wastewater certificates of Mr. Joseph L. Chaffin for a period of five years. This final action will be effective on November 6, 2003, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 43215

PUBLIC NOTICE

OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT

On October 28, 2003, Ohio EPA issued a final class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Von Roll America, Inc., d.b.a. Waste Technologies Industries, Inc.(WTI) for its facility at 1250 St. George Street, East Liverpool, Ohio. The EPA Identification Number for this facility is OHD980613541.

Why is Von Roll America, Inc., modifying its Permit?

Von Roll America, Inc., is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Von Roll America, Inc., wants to modify a section of the Waste Characteristics and Waste Analysis Plan to include language that pertains to loose pack shipments such as a description of loose packs and the procedures for accepting, handling, and processing loose pack shipments. This final modified permit will allow Von Roll America, Inc., to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than November 26, 2003. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE

OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN

On October 3, 2003, Ohio EPA received an amended hazardous waste closure plan from the Cleveland Municipal Center (f.k.a. Warner and Swasey Company) concerning tank storage units located at 5800 and 6000 Carnegie Avenue, Cleveland, Ohio 44103. The EPA Identification Numbers for this facility are, respectively, OHR000005546 and OHR000005538.

Why is Cleveland Municipal Center submitting this Closure Plan?

At the request of Ohio EPA, the Cleveland Municipal Center submitted this closure plan. This closure plan recommends discontinuing operation of the current remediation system, pilot testing enhanced bioremediation using Hydrogen Release Compound (HRC) and designing a full-scale remedial approach using HRC in combination with groundwater monitoring. It was determined that the original system was no longer effectively remediating the site. Sections of the plan are dedicated to the removal of a small mass of hazardous waste contaminants; pilot testing of the source area where the greatest contaminate concentrations are present; a full-scale remediation of groundwater including closure certification, a closure schedule, and related cost estimates.

When and how do I submit written comments about the Closure Plan?

You can submit written comments anytime between October 27, 2003 and November 25, 2003. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Cleveland Public Library, Addison Branch, 6901 Superior Avenue, Cleveland, Ohio 44103, (216) 623-6906;

Ohio EPA, Northeast District Office, 2110 Aurora Road, Twinsburg, Ohio 44087, tel: (330) 963-1200;

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

PUBLIC NOTICE

Notice is hereby given that on November 5, 2003, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit (Level 2) to Amistad Development Corporation, 17300 Miles Avenue, Cleveland, Ohio 44128. The permit was issued for a project to construct a 45 lot residential subdivision. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

Date of Public Notice: November 12, 2003

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the maintenance dredging of 325,000 cubic yards from the Cuyahoga River federal navigation channel and for the disposal of the material in Confined Disposal Facility 10B. The application was submitted by the United States Army Corps of Engineers, Buffalo District, 1776 Niagara Street, Buffalo, New York 14207. The project is located in the outer harbor and Cuyahoga River Channels. The Buffalo Corps of Engineers' Public Notice Number for this application is 04-03. The Ohio EPA ID number for this project is 037521.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Cuyahoga River and Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning November 12, 2003, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on January 15, 2004 at 5:30 p.m. at the Cleveland Public Library (Carnegie West Branch), 1900 Fulton Road, Cleveland, Ohio 44113. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any

further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on January 22, 2004. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on January 22, 2004.

PUBLIC NOTICE
OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT

On October 29, 2003, Ohio EPA issued a final class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to PPG Industries Ohio, Inc. and PPG Industries, Inc. (PPG) for its facility at 559 Pittsburgh Drive, Circleville, Ohio 43113. The EPA Identification Number for this facility is OHD004304689.

Why is PPG modifying its Permit?

PPG is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. PPG wants a conditional approval of the major revision of the facility's waste sampling and analysis methods as described in the Waste Analysis. This revision is necessary to address deficiencies noted during the review of the facility's renewal permit application. To issue this final modified Permit, Ohio EPA has determined that the modification application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than November 27, 2003. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal with ERAC at the following address:

Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

Ohio EPA PTI No. 02-18562

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 03-11-013
Date of Issue of Public Notice: November 7, 2003

Name and Address of Applicant; Heritage Hill Enterprises, PO Box 389, Kinsman, OH, 44428

Name and Address of Facility Where Discharge Occurs: Colonial Tea Room, 8231 State Route 5, Kinsman Twp, OH, 44428, Trumbull County

Receiving Water: Pymatuning Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Pymatuning Creek and subsequently the Ohio River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director

may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northeast District Office, 2110 E. Aurora Road, Twinsburg, OH, 44087. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, OH, 44087, by first calling (330) 425-9171 to make an appointment.