

## **PUBLIC NOTICE FOR FINAL ACTION OF DIRECTOR**

Pursuant to Ohio Administrative Code (OAC) rule 3745-77-01(GG)(1)(b), the Director of the Ohio Environmental Protection Agency approved the request to delegate the authority of Mr. David Pastrich, Vice President and General Manager, Labels, to Mr. Anthony Oakes, Acting Plant Manager, or his successor, to act as the responsible official for the Title V facility, Pechiney Plastic Packaging, located at 1972 Akron Peninsula Road, Akron, OH 44313. According to the request for delegation of authority, Mr. Oakes is responsible for the overall operation of this facility, thereby meeting the criteria in OAC rule 3745-77-01(GG). The delegation is effective as of April 6, 2004.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. It is also requested by the Director that a copy of the appeal be served upon the Environment Enforcement Section of the Office of the Attorney General. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street  
Room 300  
Columbus, Ohio 43215

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF LABORATORY CERTIFICATION  
AND ADDITIONAL CERTIFICATION  
UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on April 6, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to American Analytical Laboratories, Inc. ("AAL"), of 5085 Reed Road, Columbus, Ohio.

Also, on that date, the Director granted AAL's application for certification to perform analyses for Volatile Organic Compounds by method 8260B, and their request to update the method for Semi-Volatile Organic Compounds from method 8270B to 8270C on their certificate. The certification number assigned to AAL remains CL0042.

The issuance of the renewal certification and additional certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE  
FINAL ISSUANCE OF AN AMENDED CERTIFICATE  
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on April 6, 2004, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle Inc, 28161 N Keith Dr, Lake Forest, IL 60045, 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE  
FINAL ISSUANCE OF A RENEWAL CERTIFICATE  
AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on April 6, 2004, the director of Ohio EPA issued an infectious waste generator certificate to Marshfield Clinic, 1000 N Oak Ave, Marshfield, WI 54449, ID No.: 00-G-01050. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE**  
**ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 5, 2004, the director of Ohio EPA issued nineteen certificates of registration as transporter of scrap tires to Casings Inc., Rte 9W & Maple Ave., Catskill, NY 12414. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE**  
**ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 5, 2004, the director of Ohio EPA issued two certificates of registration as transporter of scrap tires to Friendly Tire, 812 Providence Blvd., Clarksville, TN 37042. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE**  
**ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 5, 2004, the director of Ohio EPA issued thirteen certificates of registration as transporter of scrap tires to BFI Waste Systems of North America, 6749 Dixie Hwy, Erie, MI 48133. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE**  
**ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 5, 2004, the director of Ohio EPA issued twelve certificates of registration as transporter of scrap tires to Dillon Tire Recycling Inc., 66820 State Rte 23, North Liberty, IN 46554. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE**  
**ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 5, 2004, the director of Ohio EPA issued eight certificates of registration as transporter of scrap tires to Cooksey Brothers Disposal Co Inc., 101 W North Big Run Rd., Ashland, KY 41102. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE**  
**ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 5, 2004, the director of Ohio EPA issued twenty-six certificates of registration as transporter of scrap tires to Rumpke of Kentucky Inc., 10795 Hughes Rd., Cincinnati, OH 45251. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE  
OHIO EPA ISSUES TEMPORARY AUTHORIZATION**

On April 2, 2004, Ohio EPA issued a temporary authorization under its hazardous waste facility installation and operation permit (Hazardous Waste Permit) to BP Chemicals, Inc. for its facility at 1900 Fort Amanda Road, Lima, Ohio 45804. The EPA Identification Number for this facility is OHD042157644.

**Why does BP Chemicals, Inc. need this temporary authorization?**

BP Chemicals, Inc., is permitted to store hazardous waste in containers and tanks and also treat hazardous waste in tanks, via a filter press, and incineration at its facility located in Lima, Ohio. On February 17, 2004, Ohio EPA received BP Chemical Inc.'s request for an ownership and facility name change to the facility's current hazardous waste permit. Prior to issuance of a Class 3 permit modification, the temporary authorization allows BP Chemicals, Inc. to make the requested ownership and facility name change to BP Amoco Chemical Company.

**Can I appeal this temporary authorization?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final temporary authorization, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than May 4, 2004. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code §3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE  
APPROVAL OF APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE  
TO THE VILLAGE OF NORTH LEWISBURG**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Village of North Lewisburg for the following water quality improvement activity: to plan, study, and evaluate the Village of North Lewisburg's current wastewater treatment system to prepare for expansion of their wastewater treatment system.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Village of North Lewisburg from the WPCLF is conditioned upon successful completion of the planning activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Brian Enck at the above address or by calling (614) 644-3651.

**PUBLIC NOTICE  
APPROVAL OF APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE  
TO THE CITY OF RICHMOND HEIGHTS**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to City of Richmond Heights, for the following water quality improvement activity: the construction of sanitary sewers to existing homes located on Cary-Jay and Dumbarton Boulevards. Flows collected from these areas will be conveyed to the Northeast Ohio Regional Sewer District's Southerly Facility for treatment.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of Richmond Heights from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Sharon Williamson at the above address or by calling (614) 644-2798.

**Date of Public Notice: April 12, 2004**

**Cuyahoga County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to perform maintenance dredging of the authorized Federal navigation channels of Rocky River Harbor. The application proposes an estimated 30,000 cubic yards of material to be dredged from the Rocky River Harbor and to be disposed of at an existing open-lake site in Lake Erie. The application was submitted by the U.S. Army Corps of Engineers, 1776 Niagara St, Buffalo, NY 14207-3199 The project in Rocky River Harbor at the mouth of the Rocky River on Lake Erie in Cuyahoga County. The Buffalo District Corps of Engineers Public Notice Number for this project is 04-08. The Ohio EPA ID Number for this project is 049550.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Rocky River (HUC 04110001) and Lake Erie (HUC 04120200). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the Director of Ohio EPA.

Starting April 12, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 7:00 PM on May 27, 2004, at Rocky River City Hall's Council Chambers, 21012 Hilliard Blvd, Rocky River, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on June 3, 2004. Comments received after this date may not be

considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE  
APPROVAL OF APPLICATION  
FOR SUPPLEMENTAL ASSISTANCE FROM  
THE WATER POLLUTION CONTROL LOAN FUND  
TO CITY OF COLUMBUS**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) supplemental financial assistance to the City of Columbus, for the following water quality improvement activity: a supplemental loan to the City of Columbus for construction of the Rhoads Avenue sanitary and storm system improvements.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of Columbus from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Kevin G. Spurbeck at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE  
APPROVAL OF FACILITIES PLAN AND APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE  
TO THE METROPOLITAN SEWER DISTRICT OF GREATER CINCINNATI**

The Director of the Ohio Environmental Protection Agency is providing notice of actions to approve a facilities plan and to approve an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Metropolitan Sewer District of Greater Cincinnati (MSD), for the following water quality improvement activity(ies): installation of approximately 7,750 feet of sewers ranging from 30" to 36" diameter along State Route 128 and local streets in the Village of Miamitown (Whitewater Township).

These approvals are based upon the Ohio EPA staff's recommendations following reviews conducted under applicable requirements of the facilities planning materials and of the assistance application materials and any other information regarding the proposed activities. The approval of the application and all financial assistance provided to MSD from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

Each of these approvals is a distinct final action of the Director may be appealed as a separate action to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Amy Walkenspaw at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE  
OHIO EPA ISSUES TEMPORARY AUTHORIZATION**

On April 6, 2004, Ohio EPA issued a temporary authorization under its hazardous waste facility installation and operation permit (Hazardous Waste Permit) to Ross Incineration Services, Inc., (Ross) for its facility at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665.

**Why does Ross need this temporary authorization?**

Ross is a commercial incineration facility that treats hazardous waste received from off-site. The facility also stores hazardous waste in containers and tanks; treats waste in tanks, a filter press and in an incinerator. Ross is requesting a temporary authorization to begin removal of water from surface impoundments SWI-2, SWI-6 and SWI-7 and to conduct air drying of the sludges in these impoundments for up to 180 days. Prior to issuance of a Class 2 permit modification, the temporary authorization allows Ross to make the requested changes.

**Can I appeal this temporary authorization?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final temporary authorization, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than May 7, 2004. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code §3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE  
APPROVAL OF APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE  
TO THE CITY OF TOLEDO**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Toledo for the following water quality improvement activity: construction of improvements to the Edgewater drive Pump Station and force main, known as Phase 2B of the Sanitary Sewer Overflow (SSO) Elimination Project.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of Toledo from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator, at the above address or by calling (614) 644-3650.

**PUBLIC NOTICE  
APPROVAL OF FACILITIES PLAN AND APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE  
TO THE CITY OF TOLEDO**

The Director of the Ohio Environmental Protection Agency is providing notice of actions to approve a facilities plan and to approve an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Toledo, for the following water quality improvement activity: purchase of backup power and blower equipment for the Bayview Wastewater Treatment Plant.

These approvals are based upon the Ohio EPA staff's recommendations following reviews conducted under applicable requirements of the facilities planning materials and of the assistance application materials and any other information regarding the proposed activities. The approval of the application and all financial assistance provided to the City of Toledo from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

Each of these approvals is a distinct final action of the Director may be appealed as a separate action to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator, at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE  
APPROVAL OF FACILITIES PLAN AND APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE  
TO THE VILLAGE OF CHICKASAW**

The Director of the Ohio Environmental Protection Agency is providing notice of actions to approve a facilities plan and to approve an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Village of Chickasaw, for the following water quality improvement activity: construction of a central gravity sewer system and a wastewater treatment plant consisting of three aerated lagoons.

These approvals are based upon the Ohio EPA staff's recommendations following reviews conducted under applicable requirements of the facilities planning materials and of the assistance application materials and any other information regarding the proposed activities. The approval of the application and all financial assistance provided to the Village of Chickasaw from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

Each of these approvals is a distinct final action of the Director may be appealed as a separate action to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator, at the above address or by calling (614) 644-3650.

**Date of Public Notice: April 12, 2004**

**Ottawa County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, Clean Water Act Section 401 certification for a project to dredge an access channel and to construct a stone dock between 3022 and 3036 Memorial Shoreway, in Marblehead, Ottawa County, Ohio. The application was submitted by Robert Thoman of 3022 Memorial Shoreway and Gregory Linder of 3036 Memorial Shoreway, Marblehead, Ohio, 43440. The U.S. Army Corps of Engineers Buffalo District Public Notice Number for this project is 2003-01151(1). The Ohio EPA ID Number for this project is 038004.

The applicant submitted three alternatives for this project (Preferred, Minimal, and Non-degradation alternative). The preferred alternative proposes to construct a 30 foot by 130 foot limestone dock and dredge a 45 foot by 250 foot access channel to Sandusky Bay. The minimal degradation alternative proposes to construct a 15 foot by 100 foot limestone dock and dredge a 30 foot by 200 foot access channel. The non-degradation alternative is a no-build alternative.

The discharges from these activities, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule, apply or may be granted by the director of Ohio EPA.

Beginning April 12, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. The application can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 7:00 pm on June 2, 2004, at the Marblehead Fire Department, 517 W. Main Street, Marblehead, Ohio, 43440. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral

comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on June 9, 2004. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to : Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE**  
**OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN**

On April 5, 2004, Ohio EPA received an amended hazardous waste closure plan from the Revlis Corporation for its tank storage unit located at 2845 Newpark Drive in Norton, Ohio 44203. The EPA Identification Number for this facility is OHD987001211.

**Why is Revlis Corporation Submitting this Closure Plan?**

At the request of Ohio EPA, the Revlis Corporation submitted this closure plan. It is intended to amend the original closure plan to change the soil clean-up levels from background generic remediation standards to the generic risk-based clean-up numbers adjusted for multiple constituents and to encompass eight quarters of groundwater monitoring. The original closure plan did not provide the groundwater monitoring. As with the original plan, the amended closure plan presents general findings of previous investigations, sampling and decontamination procedures, health and safety concerns, remedial action procedures and cost estimates to perform the work. This closure plan also addresses the elevated concentrations of metals in soils at the former concrete vault area.

**When and how do I submit written comments about this Closure Plan?**

You can submit written comments anytime between April 12 and May 11, 2004. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwcomments@epa.state.oh.us](mailto:dhwcomments@epa.state.oh.us)

**Where can I review the Closure Plan?**

You can review the Closure Plan at the following locations:

**Akron-Summit County Public Library**, Norton Branch, 3930 South Cleveland-Massillon Road, Norton, Ohio 44203, tel: (330) 825-7800,

**Ohio EPA, Northeast District Office**, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (216) 963-1200,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.