

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 12, 2004, the director of Ohio EPA issued two certificates of registration as transporter of scrap tires to Tire Recyclers of America, LLC., 7050 Madison Ave., Indianapolis, IN 46227. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 12, 2004, the director of Ohio EPA issued sixteen certificates of registration as transporter of scrap tires to Entech Inc., 69676 M-103, White Pigeon, MI 49099. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
LABORATORY CERTIFICATION UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on April 14, 2004, the Director of the Ohio Environmental Protection Agency (Ohio EPA), pursuant to Ohio Revised Code 3746.04(B)(6) and Ohio Administrative Code 3745-300-04, issued a laboratory certification to CompuChem, a division of Liberty Analytical Corp. ("CompuChem"), of 501 Madison Ave., Cary, North Carolina. The certification number assigned to CompuChem is CL0060.

The issuance of this certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Public Notice Date:

**PUBLIC NOTICE
AMENDMENTS TO THE PROJECT PRIORITY LIST
OF THE WATER POLLUTION CONTROL LOAN FUND**

The Director of the Ohio Environmental Protection Agency is providing notice of the addition of assistance proposals as amendments to the Water Pollution Control Loan Fund (WPCLF) priority list. The following applicants have indicated their intent to apply for financial assistance for their respective water quality improvement activities:

1. Wadsworth (Medina County) - WWTP Upgrade and Expansion - CS392657-01. The project is for the construction of upgrades to the WWTP and expansion from 3.6 MGD to 5.0 MGD. Estimated award date is October, 2004; estimated cost is \$17,000,000.
2. Plain City (Madison County) - WWTP Upgrade and Expansion - CS392658-01. The project includes the construction of upgrades to the WWTP and a 50% increase in capacity. Estimated award date is October, 2004; estimated cost is \$3,450,000..

The addition of these activities to the priority list will not affect the potential for the WPCLF to provide assistance to other activities currently designated as Fundable on the WPCLF Intended Projects list during the current program year.

Each of these additions is a distinct final action of the Director and may be appealed as a separate action to the Environmental Review Appeals Commission pursuant to Sections 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

Additional information regarding these proposals can be obtained at <http://www.epa.state.oh.us/defa/defamain/newprojects>, or by contacting David Reiff at (614) 644-2798 or at this address: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

PUBLIC NOTICE

**SOLID AND INFECTIOUS WASTE PROGRAM
AND
CONSTRUCTION AND DEMOLITION DEBRIS PROGRAM**

In accordance with Ohio Revised Code (ORC) Sections 3734.08(B) and 3714.09, notice is hereby given that on April 15, 2004, the director of Ohio EPA certify that the Columbiana County Health District (CCHD) is no longer eligible to remain on the approved list, and that, as of April 15, 2004, Ohio EPA will administer the solid and infectious waste program and the construction and demolition debris program in Columbiana County. This action of the Director of Environmental Protection is final and may be appealed to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215. The appeal must be made in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Commission within 30 days after notice of the director's action. A copy of the appeal must be served on the director within three days of filing with the Commission. This action is subject to all rules, regulations, and specified conditions. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE / PUBLIC HEARING
OHIO ENVIRONMENTAL PROTECTION AGENCY
ISSUANCE OF DRAFT ACTION PERMIT
OF PERMIT TO INSTALL TO
JOHNS MANVILLE

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) Division of Air Pollution Control has issued, on April 13, 2004, a preliminary staff determination of air Permit to Install (PTI) application No. 04-01345 to Johns Manville, Plant 1. Johns Manville is requesting to modify one of their two existing furnaces by replacing the electric power supply unit associated with the electric boost system. The change will allow the furnace to increase production. Johns Manville also has applied for a production increase (change to the synthetic minor production rate restriction) on the second existing furnace, without modification to the unit. These changes will result in Prevention of Significant Deterioration (PSD) review requirements triggered by significant emissions increases for PM10 and fluorides.

Johns Manville is an existing textile fiber glass manufacturing facility located near Waterville, Ohio on the west side of the Maumee River. This plant is located north of Waterville at 6050 River Road, Waterville, OH 43566.

Comparing the net emission increases associated with the proposed project against the PSD significant net emission increase criteria, only PM10 and fluorides exceed the significant levels, with an increase of 41.45 tons of PM10, having a PSD threshold of 15 tons/year and 7.52 tons of fluorides with a PSD threshold of 3 tons per year. The facility is therefore subject to the applicable provisions of the Prevention of Significant Deterioration (PSD) regulations as promulgated by U.S. EPA (40 CFR 52.21), and regulated under the Ohio EPA PSD rules and permit to install requirements found in Chapter 31 of the Ohio Administrative Code.

The U.S. EPA allows new sources to consume no more than the PSD increment(s) for each PSD pollutant. The Ohio EPA allows PSD sources to consume no more than one half the available increment, with some exceptions. If more than 50% of the available increment is consumed, it should be demonstrated that the only potential constraint on future growth in the region would be on the applicant. The PM10 impacts did not exceed one half the available increment. The peak PM10 impacts were less than 5 ug/m³, demonstrating that the project had insignificant impact. Ohio EPA believes that the existing impacts allows for additional growth in the region.

Within 30 days from the date of this notice, any interested party may submit comments or request a public hearing. Comments are to be sent to Robert Kossow of the Toledo Division of Environmental Services, 348 South Erie Street, Toledo, Ohio 43602.

Further information concerning this application, which is available for public inspection, may be secured from Robert Kossow of the Toledo Division of Environmental Services at the above address during normal business hours. Telephone number: (419) 936-3959.

Date of Public Notice: April 20, 2004

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to create the Hobart Urban Nature Preserve on an approximately 80 acre site by restoring historic streamflow patterns and wetlands. The proposal would result in the filling or excavation of 0.67 acres of non-forested category 2 wetlands and 275 linear feet of an isolated stream. The project would restore approximately 4,000 linear feet of headwater streams, 2 acres of higher quality wetlands, and a 2.8 acre lake. The application was submitted by the Miami County Park District, 2535 Ross Road, Tipp City, Ohio 45371. The project is located at 1600 Stoneycreek Road, Troy, Ohio 45373. The Ohio EPA Number for this project is 049813.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting April 20, 2004, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

Montgomery County

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01 and 6109.04 of the Ohio Revised Code, has issued Final Findings and Orders dismissing Case No. 02-CT-035. These Final Findings and Orders dismiss the adjudication of the Director's proposed action revoking Ronald E. Jennings Class III drinking water certification. This final action will be effective on April 15, 2004, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Notice is hereby given that on April 15, 2004, the director of Ohio EPA issued Final Findings and Orders to Mr. Lawrence Rader ("Respondent"), 4959 County Road 25 (the "Property"), Marengo, Ohio 43334. The Orders address violations of Ohio Revised Code (ORC) Chapter 3734 that are occurring at the property. The Orders require the Respondent to properly manage, store, and cause removal of the scrap tires that have been open dumped on his property. Pursuant to ORC Section 3734.85(A), the director may take actions necessary to remove and manage the scrap tires if Respondent fail to comply with the Orders. These orders are subject to all rules, regulations, and specified conditions. You are hereby notified that this action of the Director of Ohio EPA is final and may be appealed to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. The appeal must be in writing and set forth the action complained of and the ground upon which the appeal is based. It must be filed with the Appeals Commission within thirty (30) days after notice of the Director's action. Person's wishing to be on Ohio EPA's mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Date of Public Notice: April 20, 2004

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATIONS AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certifications for the following projects:

West Harbor Dredging Project:

U.S. Army Corps of Engineers Public Notice Number is (B)04-10. The Ohio EPA ID Number is 049855. The application was submitted by the Buffalo District, U.S. Army Corps of Engineers, 1776 Niagara Street, Buffalo, New York 14207. The project is located in West Harbor, Ottawa County. The project entails maintenance dredging of the authorized Federal navigation channels within West Harbor, with the discharge of the dredged material into the existing open-lake and nearshore disposal areas. Approximately 45,000 cubic yards of material will be dredged and discharged. The purpose of the project is to maintain sufficient water depths for commercial navigation.

Hildebrandt Beach and Breakwater Project:

U.S. Army Corps of Engineers Public Notice Number is (B)2004-00460(0). The Ohio EPA ID Number is 049771. The application was submitted by James Hildebrandt, 17 Country Club Road, Darien, Connecticut 06820. The project is at a vacant lot located at 983 West Shore Boulevard, Put-In-Bay, Ohio 43456. The Preferred Alternative is the construction of an armor stone breakwater about 98 feet long by 27 feet wide, a cobblestone beach area about 60 feet long by 22 feet wide, and a couple of concrete access stairways above the ordinary high water mark. The Minimal Degradation Alternative is the construction of an armor stone breakwater about 60 feet long by 22 feet wide, a cobblestone beach area about 60 feet long by 22 feet wide, and a couple of concrete access stairways above the ordinary high water mark. The Non-Degradation Alternative is to not construct the project.

Put-In-Bay Yacht Club:

The U.S. Army Corps of Engineers has not yet issued a Public Notice for this project. The Ohio EPA ID Number is 049772. The application was submitted by Bob Bahney, Put-In-Bay Yacht Club, PO Box 51, Put-In-Bay, Ohio 43456. The project is located at 543 W. Bayview Avenue, Put-In-Bay, Ohio 43456. The Preferred Alternative is to demolish an existing deteriorated timber crib approximately 75 feet in length and replace it with a new steel, T-shaped, crib extending just over 134 feet into Lake Erie. The T-shaped crib will be have 6 cribs approximately 20 feet in length by 10 feet in width, with the 'T' being 34 feet long by 10 feet wide. The plan also proposes to dredge approximately 200 cubic yards of material from the existing marina. The Minimal Degradation Alternative has the same dimensions but will replace three of the steel cribs with bridges which will allow for the flow through of water. The Non-Degradation Alternative is to not construct the project.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie (HUC 04120200). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning April 20, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA, Northwest District Office, by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on June 10, 2004, at 7:00 p.m. at the Port Clinton City Hall, 1868 East Perry Street, Port Clinton. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on June 17, 2004. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on June 17, 2004.

PUBLIC NOTICE

Notice is hereby given that on April 13, 2004, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit (Level 2) to Green Land Trust, Ltd., 821 South Main Street, North Canton, Ohio 44720. The permit was issued for a project to construct Spring Hill single family residential subdivision. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

PUBLIC NOTICE

OHIO EPA ISSUES DRAFT RENEWAL HAZARDOUS WASTE PERMIT

On April 15, 2004, Ohio EPA issued a draft renewal hazardous waste facility installation and operation permit (Permit) to Cytec Industries, Inc. for its facility at 1405 Greene Street, Marietta, Ohio 45750. The EPA Identification Number for this facility is OHD004341509.

Why does Cytec Industries, Inc. need a Permit?

Cytec Industries, Inc. is a former speciality chemical manufacturing plant. Operations at the facility have ceased and Cytec is currently performing investigation and cleanup of waste areas at the site. To investigate and clean the site, Cytec Industries, Inc. needs a Permit. The draft renewal Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will allow Cytec Industries, Inc. to continue to investigate and cleanup any contamination of hazardous waste in the designated areas, or constituents that may be at the facility. Details about this draft action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://www.web.epa.state.oh.us/dhwm/>

How can I tell Ohio EPA what I think about this draft renewal Permit?

You can attend the public meeting and present your comments in person or submit written comments that are clear, concise, and well documented. Or, you are welcome to do both. Everyone who wants to comment at the public meeting will be allowed to speak. You should limit your presentation to five minutes and, if possible, submit a written copy of your comments to Ohio EPA at the meeting.

When and where will Ohio EPA hold a public meeting?

Ohio EPA will hold a public meeting on May 20, 2004, at 6:30 p.m. It will be at the Washington County Public Library, 615 Fifth Street, Marietta, Ohio 45750.

When and how do I submit written comments?

You can submit written comments anytime between April 16, 2004 and June 1, 2004. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Permit Application and draft renewal Permit?

You can review these at one of the following locations:

Washington County Public Library, 615 Fifth Street, Marietta, Ohio 45750, (740) 373-1057;

Ohio EPA - Southeast District Office, 2195 Front Street, Logan, Ohio 43138, (740) 385-8501; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft renewal Permit, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.