

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 29, 2004, the director of Ohio EPA issued twenty certificates of registration as transporter of scrap tires to Elk Distributing Inc., 57858 charlotte Ave., Elkhart, IN 46517. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 29, 2004, the director of Ohio EPA issued fifty-four certificates of registration as transporter of scrap tires to Lakin Environmental Industries LLC, 2044 N Dominick St., Chicago, IL 60614. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
MODIFICATION OF LABORATORY CERTIFICATION
UNDER THE VOLUNTARY ACTION PROGRAM

Notice is hereby given that on April 26, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a modified laboratory certificate to EA Group of 7118 Industrial Park Blvd., Mentor, Ohio, granting modification of the laboratory's certification to perform analysis of Asbestos on soil medium. The certification number assigned to EA Group remains CL0015.

The issuance of this certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Halliburton Energy Services
(Halliburton Energy Services Property)

Notice is hereby given that on April 26, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Halliburton Energy Services for the property identified as the Halliburton Energy Services property (the "Property").

Halliburton Energy Services conducted a voluntary action of the approximately 7.906 acre-Property located at 5210 State Route 46 North, Cortland, Trumbull County, Ohio. A no further action letter was submitted on July 29, 1998 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Halliburton Energy Services by Mr. Ron Clark, a Certified Professional (No. CP101), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South 4th St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Statewide

**Ohio Environmental Protection Agency
P U B L I C N O T I C E
DRAFT Intended Use Plan and Management Plan
For The Drinking Water Assistance Fund
For Program Year 2004**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) has issued the DRAFT Intended Use Plan and Management Plan for the Drinking Water Assistance Fund, which has been authorized by Ohio Revised Code section 6109.22 and Section 1452 of the Safe Drinking Water Act.

Copies of the DRAFT Intended Use Plan and Management Plan are available from the Division of Drinking and Ground Waters upon request, through the Internet at <http://www.epa.state.oh.us/ddagw/dwaf.html> or by writing to:

Ohio EPA
Lazarus Government Center
Attention: Flo Sellu, DDAGW
P. O. Box 1049
Columbus, Ohio 43216-1049

Written comments should be submitted to:

Ohio EPA
Lazarus Government Center
Attention: Monica Hogan, DDAGW
P. O. Box 1049
Columbus, Ohio 43216-1049
E-mail address: monica.hogan@epa.state.oh.us

Written comments must be received on or before June 2, 2004.

To allow interested persons to present their comments and suggestions, and for Ohio EPA to provide a response to questions on Ohio's DRAFT 2005 Program Management and Intended Use Plan, two public meetings will be held at the following times and location:

1:00 p.m. and 5:00 p.m., Wednesday, June 2, 2004
Ohio EPA
Lazarus Government Center
122 South Front Street, Conference Room 5A
Columbus, Ohio

Statewide

**Ohio EPA Permit No. OHT000001
National Pollutant Discharge Elimination System (NPDES) Permit Program**

**PUBLIC NOTICE
OF
PUBLIC HEARING ON AND ISSUANCE OF THE
DRAFT GENERAL NPDES PERMIT
FOR
SATELLITE COLLECTION SYSTEMS**

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA-04-05-010
Date of Issue of Public Notice: May 10, 2004

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)–Division of Surface Water (DSW) has issued and scheduled a public hearing on the draft general National Pollutant Discharge Elimination System (NPDES) permit that may potentially provide coverage to satellite collection systems in the state of Ohio. A satellite collection system is a sewerage system that is utilized to collect and transport municipal sewage or industrial waste to a wastewater treatment facility that is owned or operated by an entity other than the satellite collection system owner and/or operator.

A public hearing on the draft general NPDES permit has been scheduled for Thursday, June 24, 2004 in conference room 5A at the Ohio Environmental Protection Agency, 122 South Front Street, Columbus, Ohio. The public hearing is scheduled to begin at 10:00 a.m. and will end at approximately 12:30 p.m. All interested persons are entitled to attend or be represented and give written and/or oral comments on the draft permit, and all persons who do so may, in the discretion of the providing officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permit.

Copies of the draft general NPDES permit and the associated fact sheet and documentation can be obtained on the Ohio EPA-DSW web page at www.epa.state.oh.us/dsw/permits/gpfact.html or by contacting one of the following Ohio EPA district offices:

Southeast District Office (740) 385-8501
Southwest District Office (937) 285-6357

Northwest District Office (419) 352-8461
Northeast District Office (330) 963-1200
Central District Office (614) 728-3778

Persons wishing to be on the Ohio EPA's interested parties mailing list for this project or wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA's Division of Surface Water, Attention: Mark Stump, Permits and Compliance Section, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Notice is hereby given on April 28, 2004, that the director of Ohio EPA issued Final Findings and Orders to Mr. Dave E. Moore ("Respondent"), 47849 Rural Lane Lot #2, East Liverpool, Ohio 43920. Respondent is the owner of two parcels of land located at the end of Oak Ridge Church Road, Columbiana County, Ohio (the "Property"). Upon the effective date of these Orders, Respondent is required to immediately implement mosquito control measures at the Property and document the effectiveness of such measures. Not later than one hundred twenty (120) days after the effective date of these Orders, Respondent shall remove or cause removal of all scrap tires that have been open dumped, buried and/or submerged in water, and shall arrange for their transportation, by a registered scrap tire transporter: to a scrap tire storage, monofill, monocell, or recovery facility or to a location authorized by the Director to beneficially use scrap tires, in accordance with OAC Rule 3745-27-78 (effective March 29, 2002). This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid & Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel:(614)644-2621. These orders are subject to all rules, regulations, and specified conditions.

Ohio EPA PA No. 05-12933

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No.: 04-05-008
Date of Issue of Public Notice: May 6, 2004

Name and Address of Applicant: Mayor and Council, Village of Ansonia, PO Box 607,
Ansonia, OH 45303

Name and Address of Facility Where Discharge Occurs: Ansonia WWTP, State Route 18
at Stillwater River, Ansonia, Ohio, Darke County, Ohio

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-
Division of Surface Water (DSW) has issued a draft plan approval for the Long-Term
Control Plan for CSO Abatement for the Village of Ansonia WWTP.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public
comment concerning this project. Comments received shall be considered by the Director
before the plan is issued as final. Any person may submit written comments on the draft
plan and administrative record and may request a public hearing. A request for public
hearing shall be in writing and shall state the nature of the issues to be raised. In
appropriate cases, including cases where there is significant public interest, the director
may hold a public hearing on a draft plan or plans prior to final issuance of the plan or
plans. Written comments and/or public hearing requests must be received by the Ohio
EPA, Division of Surface Water no later than 30 days from the date of this public notice.
Comments and/or public hearing requests should be delivered or mailed to both of the
following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water,
Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216
and 2) Ohio Environmental Protection Agency, Southwest District Office, 401 East Fifth
Street, Dayton, Ohio 45402-2911. Comments received after this date may not be
considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA District Office, address by first calling, (614) 644-4823 to make an appointment.

PUBLIC NOTICE

OAC 3745-27-10(D)(7)(c) Approval

Notice is hereby given that on April 27, 2004, the director of Ohio EPA approves the demonstration conducted at the Pine Grove Regional Facility (PGRF) on December 18, 2003 and received by Ohio EPA on February 20, 2004, for a ground water sampling event at wells MW-325R and MW-368C. Republic Services, Incorporated, 5131 Drinkle Road, Amanda, Ohio 43102, may continue the detection monitoring program in accordance with OAC Rule 3745-27-10(D)(7)(c) at the PGRF for the next ground water sampling event. This approval is subject to all rules, regulations, and specified conditions. This action of the Director of Environmental Protection is final and may be appealed to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

PUBLIC NOTICE

OAC Rule 3745-27-10(D)(4) Approval

Pursuant to OAC Rule 3745-27-10(D)(4), notice is hereby given that on April 26, 2004, the director of Ohio EPA authorize Waste Management of Ohio, Inc. (WMO), 851 Robison Road East, Erie, PA 16509, to limit the sample parameter list of monitoring wells LCD-7, LCD-9, and LCD-15R to the Appendix 1 volatile organic compound (VOC) parameters, at its Lake County Recycling and Disposal Facility . This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Date of Public Notice: May 5, 2004

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATIONS AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, Clean Water Act Section 401 certifications for the following projects located in the waters of Lake Erie:

- 1) Applicant: Mark A. Conron
Applicant Address: 5301 Willow Lane, Sheffield Lake, Ohio 44054
Project Location: Along the Lake Erie shoreline at 5301 Willow Lane, Sheffield Lake, Lorain County, Ohio
Project Description: Construct a concrete block seawall resulting in 123 cubic yards of fill being placed below Ordinary High Water
Corps of Engineers' Public Notice Number: (B)2004-00306(0)
Ohio EPA ID Number: 038204

- 2) Applicant: Richard T. Hydo
Applicant Address: 5263 Willow Lane, Sheffield Lake, Ohio 44054
Project Location: Along the Lake Erie shoreline at 5263 Willow Lane, Sheffield Lake, Lorain County, Ohio
Project Description: Construct a concrete block seawall, armor stone revetment, and a timber crib pier resulting in 456 cubic yards of fill being placed below Ordinary High Water
Corps of Engineers' Public Notice Number: (B)2004-00289(0)
Ohio EPA ID Number: 038205

The discharges from these activities, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie (HUC 04120200). The review of the applications will be conducted, and a decision whether to grant or deny the applications will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of July 1, 2003), apply or may be granted by the Director of Ohio EPA.

Beginning May 5, 2004, copies of the applications for the certifications and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio

43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA Northeast District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on July 1, 2004 at 6:30 p.m. at Avon Lake Public Library (McMahon Room), 32649 Electric Blvd., Avon Lake, Ohio 44012. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on July 8, 2004. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wishing to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on July 8, 2004.

Ohio EPA PA No. 03-15643

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No.: 04-05-014
Date of Issue of Public Notice: May 7, 2004

Name and Address of Applicant: Mayor and Council, Village of Oak Harbor, PO Box 232,
Oak Harbor, OH 43449

Name and Address of Facility Where Discharge Occurs: Oak Harbor WWTP, 355 East
Water Street, Oak Harbor, Ottawa County, Ohio

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-
Division of Surface Water (DSW) has issued a draft plan approval for the Long-Term
Control Plan for CSO Abatement for the Village of Oak Harbor WWTP.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public
comment concerning this project. Comments received shall be considered by the Director
before the plan is issued as final. Any person may submit written comments on the draft
plan and administrative record and may request a public hearing. A request for public
hearing shall be in writing and shall state the nature of the issues to be raised. In
appropriate cases, including cases where there is significant public interest, the director
may hold a public hearing on a draft plan or plans prior to final issuance of the plan or
plans. Written comments and/or public hearing requests must be received by the Ohio
EPA, Division of Surface Water no later than 30 days from the date of this public notice.
Comments and/or public hearing requests should be delivered or mailed to both of the
following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water,
Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216
and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North
Dunbridge Road, Bowling Green, Ohio 43402. Comments received after this date may not
be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA District Office, address by first calling, (614) 644-4823 to make an appointment.