

**NOTICE OF ADOPTION OF RULES
OHIO ENVIRONMENTAL PROTECTION AGENCY
RULES GOVERNING
LANDFILLS, COMPOSTING FACILITIES, AND SCRAP TIRE FACILITIES**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has amended the following rules of the Ohio Administrative Code:

- Rule #: Title:
3745-27-01 Definitions.
3745-27-06 Sanitary landfill facility permit to install application.
3745-27-07 Additional criteria for approval of sanitary landfill facility permit to install applications.
3745-27-09 Sanitary landfill operating record.
3745-27-19 Operational criteria for a sanitary landfill facility.
3745-27-21 Solid waste transfer facility permit to install application.
3745-27-22 Additional criteria for approval of solid waste transfer facility permit to install applications.
3745-27-23 Operation of solid waste transfer facilities.
3745-27-24 Final closure of solid waste transfer facilities.
3745-27-42 Permit to install for class I solid waste composting facilities.
3745-27-45 Composting facility operations.
3745-27-46 Standards for compost products.
3745-27-50 Solid waste incinerator or solid waste energy recovery facility permit to install application.
3745-27-52 Operation of solid waste incinerator or solid waste energy recovery facilities.
3745-27-63 Class I scrap tire storage facility or class I scrap tire recovery facility permit to install.
3745-27-67 Mobile scrap tire recovery facilities.
3745-27-70 Scrap tire monofill facility permit to install application.
3745-27-71 Additional criteria for approval of scrap tire monofill facility permit to install applications.
3745-27-75 Operational criteria for a scrap tire monofill facility.
3745-29-06 Industrial solid waste landfill permit to install application.
3745-29-07 Additional criteria for approval of industrial solid waste landfill facility permit to install applications.
3745-29-19 Operational criteria for an industrial solid waste landfill facility.
3745-30-05 Residual waste landfill facility permit to install application.
3745-30-06 Additional criteria for approval of residual waste landfill facility permit to install applications.
3745-30-14 Operation of residual waste landfill facilities.

The Director's order of amendment was issued on June 18, 2004.

These amended rules will become effective on July 1, 2004.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted by Ohio EPA on March 25, 2004, and comments received during the public comment period.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. This appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action. ERAC is located at 309 South Fourth Street, Suite 222 Columbus, Ohio 43215. Copies of the appeal must be served on the Director of the Ohio EPA within three (3) days of filing with ERAC.

Public Notice: June 25, 2004

**OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE
UPPER AUGLAIZE RIVER WATERSHED TOTAL MAXIMUM DAILY LOAD REPORT**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is providing for public review and comment the Upper Auglaize River Watershed Total Maximum Daily Load Report (TMDL) Document. Ohio EPA developed the Document in fulfillment of Section 303(d) of the Clean Water Act which requires the identification of impaired waterbodies for which technology based effluent limitations are not stringent enough to achieve applicable water quality standards and to develop Total Maximum Daily Loads for such waters. The Document addresses impairments in three subwatersheds within the upper Auglaize River watershed that appear on the Ohio 2004 303(d) list. The impaired waters are located in the counties of **Auglaize, Allen, Van Wert, Putnam, and Paulding.**

All interested persons wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402, Attn: Janet Hageman, or by email to janet.hageman@epa.state.oh.us by the close of business, July 26, 2004. Comments received after this date may be considered as time and circumstances permit. After consideration of comments, Ohio EPA will submit the Document to the United States Environmental Protection Agency (USEPA) for approval.

To obtain a copy of the Document or other information, or to arrange to inspect Agency files or records pertaining to the Document, or to request notice of when Ohio EPA submits the Document to USEPA, please contact Janet Hageman at the address above or by calling (419) 373-3024. The Document will be posted (on or before June 25, 2004) to the Ohio EPA Division of Surface Water Web site <http://www.epa.state.oh.us/dsw/index.html>.

Public Notice: June 25, 2004

**OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE
MILL CREEK WATERSHED TOTAL MAXIMUM DAILY LOAD REPORT**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is providing for public review and comment the Mill Creek Watershed Total Maximum Daily Load Report (TMDL) Document. Ohio EPA developed the Document in fulfillment of Section 303(d) of the Clean Water Act which requires the identification of impaired waterbodies for which technology based effluent limitations are not stringent enough to achieve applicable water quality standards and to develop Total Maximum Daily Loads for such waters. The Document addresses impairments within the Mill Creek watershed that appear on the Ohio 2004 303(d) list. The impaired waters are located in the counties of **Hamilton and Butler**.

All interested persons wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA, Southwest District Office, 401 East 5th Street, Dayton, Ohio 45402, Attn: Diana Zimmerman, or by email at diana.zimmerman@epa.state.oh.us by the close of business, July 26, 2004. Comments received after this date may be considered as time and circumstances permit. After consideration of comments, Ohio EPA will submit the Document to the United States Environmental Protection Agency (USEPA) for approval.

To obtain a copy of the Document or other information, or to arrange to inspect Agency files or records pertaining to the Document, or to request notice of when Ohio EPA submits the Document to USEPA, please contact Diana Zimmerman at the address above or by calling (937) 285-6440. The Document will be posted (on or before June 25, 2004) to the Ohio EPA Division of Surface Water Web site <http://www.epa.state.oh.us/dsw/index.html>.

PUBLIC NOTICE
DIRECTOR'S FINAL FINDINGS AND ORDERS
Coshocton, Fairfield, Licking, Perry
Joint Solid Waste Management District Plan Approval

Pursuant to ORC Section 3734.55 (C)(1), notice is hereby given that on June 21, 2004, the director of Ohio EPA issued Final Findings and Orders which approves the ratified, draft, amended solid waste management plan (Plan) for the Coshocton, Fairfield, Licking, Perry Joint Solid Waste Management District, c/o Licking County Commissioners' Office, 20 S. Second Street, Newark, Ohio 43055. These Findings and Orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Teleflex Inc. Sermatech-Lehr Plants 2 & 3

Notice is hereby given that on June 21, 2004 the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Teleflex, Incorporated, for the property identified as the Sermatech-Lehr Plants 2 & 3 property (the "Property").

Teleflex, Inc., conducted a voluntary action at the approximately 11 acre Property located at 11495 Deerfield Road, Blue Ash, Hamilton County, Ohio. A no further action letter was submitted on May 3, 2001, to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Teleflex, Inc., by Michael Weinstein, a Certified Professional (No. CP 126), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER
OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on Jun 21, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued renewal certifications to William R. Rish CP-140, Regina Cik CP-114, and Craig B. Campbell CP-211 to perform work as certified professionals under the Voluntary Action Program.

The issuance of these renewal certificates are a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

OHIO ENVIRONMENTAL PROTECTION AGENCY

National Pollutant Discharge Elimination System (NPDES) Permit Program

FACT SHEET

Regarding an Municipal Separate Storm Sewer System (MS4) NPDES Permit
for the City of Akron

Public Notice Date: July 2, 2004
Comment Period Ends: August 1, 2004
Ohio EPA Permit No.: **3PI00002*BD**
Application No.: **OH0111635**

1. INTRODUCTION. Development of a fact sheet is mandated by Title 40 of the Code of Federal Regulations, Section 124.8 and 124.56. This document fulfills the requirements established by those regulations by providing the information necessary to inform the public of actions by the Ohio Environmental Protection Agency, as well as the methods by which the public can participate in the process of finalizing those actions. The fact sheet is prepared in order to document the summary of the permit conditions, the monitoring requirements, and the regulatory basis that were considered in the development of these conditions. This fact sheet details the discretionary decision making process empowered to the director by the Clean Water Act (CWA) and Ohio Water Pollution Control Law (ORC 6111).

The Ohio EPA permit number and public notice numbers should appear on each page of any submitted comments. All comments received no later than 30 days after the date of the Public Notice will be considered.

The Fact Sheet, Public Notice, draft permit, comments received and other documents are available for inspection and may be copied at the Ohio Environmental Protection Agency, DSW-Permits Processing Section, 122 South Front Street, Columbus, Ohio 43215, any time between 8:00 a.m. and 5 p.m., Monday through Friday, at no charge. Copies of Public Notice are also available on the Ohio EPA website at <http://www.epa.state.oh.us/legal/pubnots.html>

2. APPLICANT. City of Akron
201 Municipal Building
166 South High Street
Akron, Ohio 44308

3. DESCRIPTION OF THE MUNICIPAL SEPARATE STORM SEWER SYSTEM. As authorized by Section 402 (p) of the CWA, this permit authorizes discharges on a system wide basis. This permit is a renewal. This permit when finalized, will cover all areas within

the corporate boundary of the City of Akron contributing to discharges from the municipal separate storm sewer system.

4. RECEIVING WATER. The MS4 discharges into the following surface waters and their tributaries within the corporate boundary of the City of Akron:

- | | | | | | |
|----|------------------|----|-----------------------|----|----------------------|
| a. | Tuscarawas River | b. | Ohio Canal | c. | Brice Ditch |
| d. | Lake Nesmith | e. | Mud Run | f. | Brewster Run |
| g. | Kohler Ditch | h. | Pontius Ditch | i. | Springfield L Outlet |
| j. | Falor Creek | k. | Haleys Ditch | l. | Sweitzer Ditch |
| m. | Summit Lake | n. | Little Cuyahoga River | o. | Blue Pond |
| p. | Frederick Ditch | q. | Roosevelt Ditch | r. | Roush Lateral |
| s. | Camp Brook | t. | Sheffield Ditch | u. | Hands Lateral |
| v. | Cuyahoga River | w. | Frank Ditch | x. | Sand Run |
| y. | Alder Creek | z. | Colonial Park Ditch | | |

5. DISCHARGES AUTHORIZED BY THIS PERMIT. This permit authorizes all existing or new storm water point source discharges to surface waters of the State from those portions of the MS4 owned or operated by the applicant.

Section 402(p)(3)(B)(ii) of the CWA requires an effective prohibition of non-storm water discharges to an MS4. Section 402 (p) (3) (B) (iii) requires controls or best management practices (BMPs) to reduce discharges of pollutants from the MS4 to the maximum extent practicable (MEP). However, Section 402(p)(3)(A) places a different performance compliance standard, with treatment technology and water quality requirements at CWA Section 301, on discharges of wastewater or storm water associated with industrial activity. Therefore, process wastewater, non-process wastewater, and storm water associated with industrial activity are not authorized by the MS4 permit. Such discharges would require a separate NPDES permit. The municipality is responsible for the quality of the combined discharge, so would have a vested interest in locating and correcting illicit discharges to their MS4.

6. TOTAL MAXIMUM DAILY LOADS FOR THE LOWER CUYAHOGA RIVER. The Clean Water Act (CWA) Section 303(d) requires States, Territories, and authorized Tribes to list and prioritize waters for which technology-based limits alone do not ensure attainment of water quality standards.

The Ohio Environmental Protection Agency (Ohio EPA) identified the Lower Cuyahoga River watershed as a priority impaired water on the 1998 and 2002 303(d) lists. The 1998 list was based on data collected through 1994. A new survey of the Cuyahoga River was completed in 2000, and this assessment was available for the 2002 list.

The Clean Water Act and USEPA regulations require that Total Maximum Daily Loads (TMDLs) be developed for all waters on the section 303(d) lists. The goal of Ohio's TMDL

process is full attainment of biological and chemical Water Quality Standards (WQS) and, subsequently, removal of water bodies from the 303(d) list. The Ohio EPA believes that developing TMDLs on a watershed basis (as opposed to solely focusing on impaired segments within a watershed) is an effective approach towards this goal.

Urbanization in some areas of the watershed has resulted in altered stream hydrology, stream banks denuded of riparian vegetation has exacerbated nutrient enrichment as well as impacted aquatic life. Therefore in response to the Lower Cuyahoga TMDL the permit requires the City of Akron to adopt and implement Summit County's riparian corridor ordinance within a year of the permit becoming effective.

7. PROCEDURES FOR THE FORMULATION OF FINAL DETERMINATIONS. The determination shall be issued as a final action unless the Director revises the draft permit after consideration of the record of a public meeting or written comments, or upon disapproval by the Administrator of the U.S. Environmental Protection Agency.

Within 30 days of the of the Public Notice, any person may request or petition for a public meeting for presentation of evidence, statements or opinions. The purpose of the public meeting is to obtain additional evidence. Statements concerning the issues raised by the party requesting the hearing are invited. Evidence may be presented by the applicant, the State, and/or other parties, and following the presentation of such evidence, other interested persons may present testimony of facts or statements of opinion.

Request for public meetings and or written comments on the permits should be submitted in person or by mail no later than 30 days after the date of this Public Notice. Deliver or mail all comments to:

**Ohio Environmental Protection Agency
DSW-Permits Processing Unit
P.O. Box 1049
122 South Front Street
Columbus, Ohio 43216-1049**

The NPDES permit number and Public Notice number should appear next to the above address on the envelope and on each page of any submitted comments. All comments received no later than 30 days after the date of Public Notice will be considered.

8. PERMIT CONDITIONS.

a. Storm Water Management Program.

The applicant is required to implement a comprehensive storm water management program (SWMP) as required by the CWA Section 402 (p) (3) (B). SWMP components must include controls necessary to reduce the discharge of pollutants to and from the MS4 to the MEP. Controls implemented under the SWMP consist of a combination of BMPs, control techniques, system design and engineering methods, and such other provisions as the

Permittee, U.S. EPA Administrator or the Director of Ohio EPA determines appropriate. The various components of the SWMP as a whole (rather than individually), are expected to be sufficient to meet this standard. The Permittee may implement SWMP elements in cooperative efforts through participation with other public agencies or private entities. The conditions in Part III. A, B, C, D, E, F, G, and H of the permit were developed by considering the SWMP program proposed by the applicant in Part II of its MS4 application. The SWMP in Part III and all approved updates shall be implemented in a manner consistent with the objectives and requirements in Part II of the permit.

b. Reports Required: The Permittee is required to prepare an annual system-wide report which includes the following: a narrative summary of the program evaluation; status of implementing BMPs; proposed changes to the SWMP; revisions if necessary to the assessments of controls and fiscal analysis reported in the permit application; summary and analysis of all data generated; annual expenditures and budget; and a summary of enforcement actions, inspections, and public education programs. The annual report must be submitted twelve months after the effective date of the permit and annually thereafter. Copies of these reports will be available to the public.

c. Monitoring:

Three types of monitoring are required:

1. Representative seasonal monitoring for outfalls to characterize the quality of storm water discharges from the MS4 and estimate seasonal pollutant load for each major outfall identified under 40 CFR 122.26 d(2)(ii) and 40 CFR 122.26 d(1)(iii)B(1).
2. Wet weather monitoring to characterize discharges from the MS4, estimate annual pollutant load, identify sources of pollutants, assess effectiveness of BMPs, and identify water quality improvements or degradation.
3. Dry weather screening to locate illicit connections and non-storm water discharges - This is a continuation of the efforts started under the first generation of the permit and is intended to support the permit requirement to effectively prohibit non-storm water discharges to the MS4.

Riparian Setback Ordinance

Urbanization of the watershed has resulted in altered stream hydrology, stream banks denuded of riparian vegetation has exacerbated nutrient enrichment as well as impacted aquatic life. Summit County passed an ordinance Number 2002-154, April 29, 2002 establishing riparian setbacks. Protection of riparian zones plays an important role in stream integrity. Small stream are able to maintain thermal regimes with riparian protection. Open stream lacking riparian protection are influenced by sunlight which in addition to temperature increases, can stimulate algae and macrophyte growth. Additionally, protection and restoration of riparian zones along streams can help to exacerbate some of the effects caused by increasing impervious area. Streambank protection afforded by riparian zones

helps to reduce sediment and nutrient loading.

Public Education Program:

The Permittee shall educate City residents on the causes/prevention of storm water pollution; educate City residents on proper use, storage, and/or recycling of household hazardous materials; publicize a telephone number for public reporting of illicit connections/improper disposal to the MS4.

Public Involvement Program:

The Permittee shall comply with State and local public notice requirements when implementing a public involvement/participating program.

Illicit Discharge program:

The Permittee shall prohibit non-storm water discharges to the MS4 with the exception of those identified in Part III.D.2. of the permit or those authorized by a different NPDES permit; establish dry weather screening methodology for detecting the presence of illicit connections and discharges and advise the discharger to eliminate the illicit connection.

Construction Program:

The Permittee shall develop, implement and enforce a program to reduce pollutants in any storm water runoff from construction activities that disturbs one or more acres, including disturbances less than one-acre that are part of a larger common plan of development or sale that in its entirety disturb greater than one or more acres. Offer entities education in measures for construction site runoff.

Post Construction Program:

The Permittee shall develop, implement and enforce a program to address storm water runoff from new development and redevelopment projects that disturb one or more acres, including projects that disturb less than one-acre if they are part of a larger common plan of development or sale. The program must ensure that controls are in place that would prevent or minimize water quality impacts.

Pollution Prevention/Good Housekeeping:

The Permittee shall develop and implement an operation and maintenance program that includes a training component which has the ultimate goal of preventing or reducing pollutant runoff from municipal operations. In particular, the SWMP must include training on park and open space maintenance, fleet and building maintenance, new construction and land disturbance, and storm sewer maintenance.

Industrial and Related Facilities Program:

The Permittee shall develop an program inventory list of industries for inspection for illicit connections, rectifying them; and notify Ohio EPA of those industries that have not obtained proper NPDES permits for discharges to the MS4.

9. BASIS FOR PERMIT CONDITIONS. The conditions established by this permit are based on Section 402(p)(3)(B) of the CWA (33 U.S.C. 1251 et seq., as modified by the Water Quality Act of 1987, P.L. 100-4) which requires Ohio EPA to: a) effectively prohibit the discharge of non-storm water to the separate storm sewer system and b) require the Permittee to reduce pollutants in discharges from the MS4 to the maximum extent practicable. As authorized by 40 CFR 122.44 (k), the Permittee will utilize BMPs in the form of a comprehensive SWMP as the mechanism to implement the statutory requirements. While Section 402 (p) (3) (B) (iii) of the CWA clearly includes structural controls as a component of MEP, Ohio EPA encourages municipalities to first explore opportunities for pollution prevention measures, reserving more costly structural controls for higher-priority watersheds or where source controls are unfeasible or ineffective.

In Section 2(b) of the Pollution Prevention Act of 1990, Congress established a national policy that "pollution should be prevented or reduced at the source wherever feasible"; pollution that cannot be prevented should be recycled in an environmentally safe manner; pollution that cannot be prevented or recycled should be treated in an environmentally safe manner; and disposal or other release into the environment should be employed only as a last resort and should be conducted in an environmentally safe manner."

As part of the renewal application process of 40 CFR 122.26 (d) (2) (iv), the applicant has to further develop a comprehensive SWMP designed to reduce, to the MEP, the discharge of pollutants from its MS4, and the permitting authority has to consider the proposed program for the development of permit conditions. Continuation of the SWMP is expected to result in protection of water quality standards, and the discharges from the Permittee's MS4 must meet the ambient water quality dictated by the State water quality standard narratives.

PUBLIC NOTICE
FINAL ISSUANCE OF AMENDED CERTIFICATE OF
REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on June 22, 2004, the director of Ohio EPA issued an amended infectious waste generator certificate to Abbott Laboratories, One Abbott Park Rd, Abbott Park, IL 60064, ID No.: 00-G-01244. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE
FINAL ISSUANCE OF A RENEWAL CERTIFICATE
AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on June 22, 2004, the director of Ohio EPA issued an infectious waste generator certificate to RCG Indiana LLC, 10585 N Meridian St Ste 160, Indianapolis, IN 46290, No.: 00-G-01283. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

Statewide

**Ohio Environmental Protection Agency
PUBLIC NOTICE
Final Intended Use Plan and Management Plan
For the Drinking Water Assistance Fund
For Program Year 2005**

Public notice is hereby given that the Director of the Ohio Environmental Protection Agency issued a final action effective June 23, 2004, adopting the Intended Use Plan and the Management Plan for the Drinking Water Assistance Fund which has been authorized by Ohio Revised Code section 6109.22 and Section 1452 of the Safe Drinking Water Act. This action may be appealed, in writing, within thirty (30) days of this notice, to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Notice of any appeal shall be filed with the Director within three (3) days. This notice of appeal shall be sent to: Division of Drinking and Ground Waters, Ohio Environmental Protection Agency, P.O. Box 1049, Columbus, Ohio 43216, Phone (614) 644-2752. Consult ORC Chapter 3745 and OAC Chapters 3745-47 and 3746-05 for requirements.

Copies of the Final Intended Use Plan and Management Plan are available from the Division of Drinking and Ground Waters, upon request, and also through the Internet at <http://www.epa.state.oh.us/ddagw/dwaf.html>

Clark County

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
TRUTEC INDUSTRIES, INC.**

On June 23, 2004, Ohio EPA issued final Findings and Orders to Trutec Industries, Inc. for its facility located at 4700 Gateway Boulevard, Springfield, Ohio 45502. This facility operated an unpermitted hazardous waste container storage unit. The EPA I.D. number for this facility is OHD982071896.

Trutec Industries, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE
ISSUANCE OF OAC 3745-27-13 AUTHORIZATION**

Notice is hereby given that on June 21, 2004, pursuant to OAC 3745-27-13, the director of Ohio EPA authorized Cuyahoga Landfill, Inc., P.O. Box 13680, Akron, OH 44334, to install improvements to the leachate management system, explosive gas management system, and cover system at the closed Cuyahoga Regional Sanitary Landfill (Facility) located in Cuyahoga County. This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Defiance County

**PUBLIC NOTICE
ALTERNATIVE DAILY COVER (ADC) TEMPORARY APPROVAL**

Pursuant to OAC Rule 3745-27-19(F)(3)(a), notice is hereby given that on June 24, 2004, the director of Ohio EPA authorize the Defiance County Landfill (Facility), 13207 Canal Road, Defiance, Ohio 43512, to use foundry sand as an alternative to six (6) inches of soil for daily cover at the Facility for a trial period of one hundred eighty (180) days from the effective date of this authorization. This temporary approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE
ALTERNATIVE DAILY COVER (ADC) APPROVAL**

Pursuant to OAC Rule 3745-27-19(F)(3)(a), notice is hereby given that on June 24, 2004, the director of Ohio EPA authorize the Board of Erie County Commissioners, 2900 South Columbus Avenue, Sandusky, Ohio 44870, to use contaminated soil as alternative daily cover material at the Erie County Landfill (Facility) located in Erie County. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE
Revocation Permit To Install 01-812
St. Ann's/Mount Carmel Hospital**

Public Notice is hereby given that the Director of the Ohio Environmental Protection Agency (EPA) hereby revokes the July 18, 1984 Permit To Install 01-812 for the subject operations located at 500 South Cleveland Avenue, Westerville, Ohio. The permittee requested revocation of the permit pursuant to Ohio Administrative Code (OAC) rule 3745-31-07 because emergency generator B003 is eligible for PTI exemption pursuant to OAC rule 3745-31-03(A)(4).

This revocation is effective pursuant to Ohio administrative Code rule 3745-31-07 and will not result in the violation of any applicable laws.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Questions concerning this revocation may be directed to Michael Ahern, Ohio EPA Division of Air Pollution Control (614) 644-3631.

**PUBLIC NOTICE
Revocation Permit To Install 01-4515
St. Ann's/Mount Carmel Hospital**

Public Notice is hereby given that the Director of the Ohio Environmental Protection Agency (EPA) hereby revokes the October 20, 1993 Permit To Install 01-4515 for the subject operations located at 500 South Cleveland Avenue, Westerville, Ohio. The permittee requested revocation of the permit pursuant to Ohio Administrative Code (OAC) rule 3745-31-07 because emergency generator B004 is eligible for PTI exemption pursuant to OAC rule 3745-31-03(A)(4).

This revocation is effective pursuant to Ohio administrative Code rule 3745-31-07 and will not result in the violation of any applicable laws.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Questions concerning this revocation may be directed to Michael Ahern, Ohio EPA Division of Air Pollution Control (614) 644-3631.

Guernsey County

**PUBLIC NOTICE
OHIO EPA APPROVES CLOSURE PERIOD EXTENSION REQUEST
FROM AK STEEL ASSET MANAGEMENT COMPANY**

On May 4, 2004, Ohio EPA approved a closure period extension request from the AK Steel Asset Management Company, located at 530 North Second Street, Cambridge, Ohio. The EPA I.D. number for this facility is OHD058842501.

The facility's April 12, 2004 extension request, pursuant to Ohio Administrative Code rule 3745-66-13(B), is for additional time to review the amended closure plan regarding the in-situ bioremediation and to determine the nature and extent of ground water contamination. This extension request is being granted for the above referenced closure plan and expires on July 1, 2004. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

PUBLIC NOTICE
OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE POST-CLOSURE
PLAN AND GROUNDWATER SAMPLING & ANALYSIS PLAN

On June 10, 2004, Ohio EPA received an amended hazardous waste post-closure plan and a groundwater sampling & analysis plan for the Harrison County Garage Storage Yard located on Route 9, Cadiz, Ohio 43907. The EPA Identification Number for this facility is OHD987021177.

Why is Harrison County submitting this Post-Closure Plan?

In response to the U.S. Environmental Protection Agency Consent Agreement and Final Order, Harrison County Garage Storage Yard submitted this amended post-closure plan. This amended plan concerns a portion of a construction yard that contained buried drums at the site. It outlines the removal of waste activities including drum removal, soil excavation and soil sampling, and post closure monitoring activities performed to date. Harrison County Garage Storage Yard is also providing a summary of subsurface soil and groundwater investigations; and also a review of the installation of monitoring wells; and ground water monitoring and analysis.

When and how do I submit written comments about this Post-Closure Plan?

You can submit written comments anytime between June 28 and July 27, 2004. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Post-Closure Plan?

You can review the post-closure plan at the following locations:

Puskarich Public Library, 200 East Market Street, Cadiz, Ohio 43907-1185, tel: (740) 942-2623,

Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.

Henry County

**PUBLIC NOTICE
ALTERNATIVE DAILY COVER (ADC) TEMPORARY APPROVAL**

Pursuant to OAC Rule 3745-27-19(F)(3)(a), notice is hereby given that on June 24, 2004, the director of Ohio EPA authorize the Henry County Landfill (Facility), L-622 Township Road 11, Malinta, Ohio 43535, to use sewage sludge and industrial wastewater sludge as an alternative to six (6) inches of soil for daily cover at the Facility for a trial period of one hundred eighty (180) days from the effective date of this authorization. This temporary approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

Logan County

**PUBLIC NOTICE
PERMIT TO INSTALL APPLICATION (PTI #05-13269)
AUTHORIZED MAXIMUM DAILY WASTE RECEIPT INCREASE (AMDWR)**

Notice is hereby given, that on June 21, 2004, Ohio EPA issued a permit (PTI Number 05-13269) to Cherokee Run Landfill (Applicant/Facility), to increase the Authorized Maximum Daily Waste Receipt (AMDWR) from 3,000 tons to 4,500 tons. The facility is located approximately two miles north of U.S. Route 33, on the east side of U.S. Route 68, in Rushcreek and Lake Townships. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.:(614)644-2621. This authorization is subject to all rules, regulations, and specified conditions. This final action not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Date of Public Notice: July 2, 2004

Lorain County

**PUBLIC NOTICE
PROPOSED CONSENT ORDER**

The Ohio Environmental Protection Agency (EPA) and Defendant the City of Amherst have entered into a proposed Consent Order to resolve the City of Amherst's noncompliance with Ohio's Water Pollution Control Regulations. The proposed Order addresses wastewater effluent and loading violations at the City of Amherst's wastewater treatment plant (WWTP), located at 931 North Lake Street, Amherst, Lorain County. The proposed Consent Order would require that Defendant comply with interim WWTP effluent and loading limits until December 31, 2004, comply with a construction schedule for upgrading the WWTP, and comply with O.R.C. Chapter 6111 and the rules adopted thereunder.

To resolve Ohio EPA's claims for violations cited in the Complaint, the proposed Consent Order requires Defendant to pay a civil penalty settlement in the amount of \$15,000 for violations of 6111. The Consent Order requires the payment of the civil penalty within 30 days of its final entry date. In lieu of an additional \$130,000 civil penalty, Defendant is required to pay \$130,000 towards an approved supplemental environmental project. The Consent Order requires the payment of the supplemental environmental project by February 1, 2005.

Copies of the Consent Order can be obtained from the Ohio EPA, Northeast District Office, by calling the Division of Surface Water Compliance and Enforcement Unit Supervisor at (330) 963-1200 or by writing to:

Compliance and Enforcement Unit Supervisor, DSW
Ohio EPA, Northeast District Office
2110 East Aurora Road
Twinsburg, Ohio 44087

Written comments should be submitted to Ohio EPA, Northeast District Office at the above address. Written comments should be submitted on or before August 1, 2004.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty-day period commences on July 2, 2004. The State of Ohio and the City of Amherst reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.

Date of Public Notice: July 2, 2004

Lucas County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to place a pre-cast, articulated concrete block revetment along both sides of the Ottawa River on the site of the former North Cove Landfill. The application was submitted by Daimler-Chrysler Corporation, 800 Chrysler Drive, Auburn Hill, Michigan 48326 in accordance with a Consent Order with Ohio EPA. The revetment and phytoremediation project proposes to impact approximately 1,038 linear feet of bank on the north side of the Ottawa River and approximately 545 linear feet of bank on the south side of the Ottawa River. The project is located along the Ottawa River near 3721 Lockwood Avenue, Toledo, Ohio. The Buffalo District, U.S. Army Corps of Engineers issued a Nationwide Permit # 38 for this project. Their Permit ID Number is 2003-01824(1). The Ohio EPA ID Number for this project is 042032.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ottawa River (HUC 04100001). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting July 2, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA Northwest District Office by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Mahoning County

**PUBLIC NOTICE
EXPLOSIVE GAS MONITORING PLAN APPROVAL**

Pursuant to OAC Rule 3745-27-12, notice is hereby given that on June 22, 2004, the director of Ohio EPA approved the explosive gas monitoring plan, including revisions through March 2004, for the closed Central Waste Landfill, Pre-1982 Disposal Areas. The closed landfill is owned by Central Waste, Inc., 12003 Oyster Road, Alliance, Ohio 44601. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Miami County

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01 and 6111.03 of the Ohio Revised Code, has issued Final Findings and Orders to Robert Reck d.b.a. Reck Mobile Home Park to ensure that the Reck Mobile Home Park is operated in compliance with the State's surface water and underground injection control laws. This final action of the Director will be effective on June 15, 2004, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
309 South Front Street
Room 222
Columbus, Ohio 43215

Date of Public Notice: July 2, 2004

Miami County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the proposed Northern Area Water Authority Water Treatment Plant disposal system. The disposal system is designed to treat 885,000 gallons per day of wastewaters associated with the production of potable water. The disposal system is proposed to be located at 5255 South First Street, Monroe Township, Miami County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to the Great Miami River. Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Great Miami River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES application are available for review at Ohio EPA's Southwest District Office, 401 East 5th Street, Dayton, Ohio, (937) 285-6357. An Ohio EPA public hearing on the proposed project has been scheduled for 7:00 P.M. on August 26, 2004 at the Tipp City City Building, Council Chambers, 260 Garber Drive, Tipp City, Ohio 45371. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project and all persons who do so may, in the discretion of the presiding officer, be questioned by other persons present. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application.

Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on September 2, 2004. Comments received after this date may not be considered as part of the official record.

PUBLIC NOTICE

Notice is hereby given that on June 23, 2004, the Director of the Environmental Protection Agency issued a 401 Water Quality Certification and Isolated Wetlands Permit (Level 2) to BFI Ottawa County Landfill, 530 North Camp Road, Port Clinton, Ohio 43452. The permits were issued for a project to expand the current solid waste landfill limits of waste. These permits were issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

Pickaway County

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01, 6109.04 and 6111.03 of the Ohio Revised Code, has issued Final Findings and Orders to the Estate of Connie Rife d.b.a. Dot-Mar Mobile Home Park to resolve past violations of the State's safe drinking water and surface water laws. The Findings and Orders require the Estate of Connie Rife d.b.a. Dot-Mar Mobile Home Park to pay a civil penalty in settlement of these violations. This final action will be effective on June 15, 2004, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

PUBLIC NOTICE

Notice is hereby given that on June 25, 2004, the Director of the Environmental Protection Agency issued an after-the fact Isolated Wetlands Permit (Level 2) to Minerva Local Schools, 303 Latzer Avenue, Minerva, Ohio 44657. The after-the fact permit was issued for an project to fill 1.1 acres of wetland to construct Minerva Local Schools athletic fields. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

Stark County

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
UNITED STATES CERAMIC TILE COMPANY**

On June 23, 2004, Ohio EPA issued final Findings and Orders to the United States Ceramic Tile Company located at 10233 Sandyville Road, East Sparta, Ohio 44626. This facility was exempted, under Ohio Revised Code 3734.02 (G), from the requirements of having a permit to treat, store, or dispose of hazardous waste in its surface impoundment, waste pile or landfill. The EPA I.D. number for this facility is OHD000722991.

This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Trumbull County

**PUBLIC NOTICE
OHIO EPA APPROVES AMENDED CLOSURE PLAN FOR
G.M. CORPORATION - LORDSTOWN FACILITY**

On June 22, 2004, Ohio EPA approved an amended closure plan for the General Motors Corporation - Lordstown Facility, located at 2300 Hallock-Young Road, Lordstown, Ohio. The EPA I.D. number for this facility is OHD020632998.

Pursuant to Ohio Revised Code rule 3745-66-12, the facility's amended closure plan submitted on August 14, 2002 and revised on November 21, 2003 and April 2, 2004 was approved as outlined in the Director's June 22, 2004 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE
ISSUANCE OF A DRAFT PERMIT TO INSTALL (PTI #02-15841)
AND
NOTICE OF PUBLIC INFORMATION SESSION AND PUBLIC HEARING**

Notice is hereby given that on June 22, 2004, Ohio EPA issued a draft Permit to Install (PTI-#02-15841) for the Norton Environmental Company, 6200 Rockside Woods Blvd., Suite 105, Independence, Ohio 44131. The draft PTI, if issued as a final action, would authorize the vertical and lateral expansion of the Mt. Eaton Landfill (facility), located at 8544 West Lebanon Road, near Mount Eaton, Ohio. The proposed expansion would add about 1.4 million cubic yards of capacity to the landfill. A Public Information Session and Public Hearing will be held on Wednesday, August 4, 2004, at The Inn at Amish Door (3rd floor conference room), 1210 Winesburg Street, Wilmot, OH 44689. The meeting will start at 7:00 p.m. The draft PTI can be reviewed in accordance with Ohio EPA's file review procedures by writing to Ms. Lily Aaron, Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio 44087, Tel: (330) 963-1200. Written comments will be accepted for the director's consideration until August 16, 2004 and should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614)644-2621.

**PUBLIC NOTICE
OHIO EPA APPROVES CLOSURE PERIOD EXTENSION REQUEST
FROM ASTROCOSMOS METALLURGICAL**

On June 15, 2004, Ohio EPA approved a closure period extension request from the AstroCosmos Metallurgical Company, located at 3225 West Old Lincoln Way, Wooster, Ohio. The EPA I.D. number for this facility is OHD990659435.

The facility's May 21, 2004 extension request, pursuant to Ohio Administrative Code rule 3745-66-13(B), is for additional time to develop a method to achieve closure at four units at the property where oil samples exceed site-specific background concentrations.. This extension request is being granted for the above referenced closure plan and expires on October 23, 2004. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.