

**PUBLIC NOTICE  
FINAL ACTIONS OF THE DIRECTOR  
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER  
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 11/1/2004.

For information regarding these final actions, contact Glenn Luksik, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
BUTLER	FIEHRER MOTORS, INC	HAMILTON	OH
CUYAHOGA	CENTRAL CADILLAC LIMITED	CLEVELAND	OH
CUYAHOGA	DICK BIGELOW CHEVROLET	PARMA	OH
CUYAHOGA	JAN'S SUNOCO	PARMA	OH
CUYAHOGA	JOHN KING TIRE & AUTOMOTIVE	CLEVELAND	OH
CUYAHOGA	PROCARE 1137	SHAKER HTS	OH
CUYAHOGA	PROCARE 1144	MAPLE HTS	OH
CUYAHOGA	PROCARE 4956	SOUTH EUCLID	OH
CUYAHOGA	SPITZER BUICK MITSUBISHI	PARMA	OH
LAKE	ESS AUTOMOTIVE	MENTOR	OH
LAKE	NORTH COAST LINCOLN/MERCURY	WILLOUGHBY	OH
MEDINA	BRUNSWICK AUTO MART	BRUNSWICK	OH
MEDINA	GRIZZLY AUTO & TIRE	MEDINA	OH
SUMMIT	H & W AUTOMOTIVE	BARBERTON	OH
SUMMIT	ZIM'S CARBURETOR & TUNEUP	AKRON	OH

**PUBLIC NOTICE  
FINAL ACTIONS OF THE DIRECTOR  
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER  
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 11/1/2004.

For information regarding these final actions, contact Glenn Luksik, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

<u>FIRST</u>	LAST	CITY	STATE
MARC	HOEFLER	BEAVERCREEK	OH
ANDREW	MEYER	CINCINNATI	OH
GREG	WILLIAMS	FRANKLIN	OH
JEFFRY	ADELSPERGER	LAWRENCEBURY	IN
TONY	POHL	MENTOR	OH
DAVID	TURNER	PAINESVILLE	OH
DAVID	JOHNSON	VALLEY CITY	OH
STEPHAN	MOHR	WADSWORTH	OH

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL, ADDITIONAL, AND REINSTATEMENT  
OF LABORATORY CERTIFICATION  
UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on November 3, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued renewal of laboratory certification to Merit Laboratories, Inc. ("Merit") of 2680 East Lansing Drive, East Lansing, Michigan.

Also, on that date, the Director granted Merit's application for additional certification to perform analyses for Calcium, Potassium, and Sodium by method 6020, and reinstatement of its certification for Semi-Volatile Organic Compounds by method 8270C. The certification number assigned to Merit remains CL0002.

The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE  
DIRECTOR'S INTERIM FINAL FINDINGS & ORDERS**

Pursuant to Ohio Revised Code (ORC) Section 3734.13(A), notice is hereby given that on October 29, 2004, the director of Ohio EPA issued Interim Final Findings and Orders to McGill Property Group, LLC, Garfield Land Development, LLC, and GHLFP, LLC ("Respondents"), 30575 Bainbridge Road, Suite 100, Solon, Ohio 44139. Respondents are the owners and operators of a portion of the R & B Development Landfill, a closed municipal solid waste landfill located south of the intersection of Antenucci Blvd., and Transportation Blvd., Garfield Heights, Cuyahoga County, Ohio. The Interim Final Findings and Orders address the first four steps necessary to achieve long-term stabilization of a slope failure that occurred at the landfill. This action may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE**  
**OHIO EPA ISSUES DRAFT RENEWAL HAZARDOUS WASTE PERMIT**  
**TO CHEMICAL SOLVENTS, INC. - DENISON FACILITY**

On November 1, 2004, Ohio EPA issued a draft renewal Hazardous Waste Facility Installation and Operation Permit (Permit) to Chemical Solvents, Inc. - Denison facility, for its facility at 1010 Old Denison Avenue, Cleveland, Ohio 44109. The EPA Identification Number for this facility is OHD980897656.

**Why does Chemical Solvents, Inc. need a Permit for its Denison Facility?**

The Chemical Solvents, Inc.-Denison facility produces blends for both virgin solvents and refined solvents for the paint, metal, electronics, chemical and other allied industries using organic solvents. They also recycle and refine dirty or spent hazardous waste solvents; and blends hazardous waste for fuels. Chemical Solvents, Inc. wishes to continue to store hazardous waste in tanks and containers, and treat such waste in tanks. The draft renewal Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws and demonstrates sufficient reliability, expertise and competency to operate a hazardous waste facility under this chapter and Chapters 3704. and 6111. of the Revised Code, all rules and standards adopted under them, and terms and conditions of a hazardous waste facility installation and operation permit, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will require Chemical Solvents, Inc. to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility. Details about this draft action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://www.epa.state.oh.us/dhwm/>

**How can I tell Ohio EPA what I think about this draft Permit?**

You can attend the public meeting and present your comments in person or submit written comments that are clear, concise, and well documented. Or, you are welcome to do both. Everyone who wants to comment at the public meeting will be allowed to speak. You should limit your presentation to five minutes and, if possible, submit a written copy of your comments to Ohio EPA at the meeting.

**When and where will Ohio EPA hold a Public Meeting?**

Ohio EPA will hold a public meeting on December 2, 2004, at 6:30 p.m. It will be at the Cleveland Public Library, Brooklyn Branch, 3706 Pearl Road, Cleveland, Ohio 44109, tel: (216) 623-6920.

**When and how do I submit written comments?**

You can submit written comments anytime between November 2, 2004, and December 16, 2004. Send your comments to Ohio EPA, Division of Hazardous Waste Management,

Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Permit Application and draft renewal Permit?**

You can review these at one of the following locations:

***Cleveland Public Library, Brooklyn Branch***, 3706 Pearl Road, Cleveland, Ohio 44109, (216) 623-6920;

***Ohio EPA, Northeast District Office***, 2110 East Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200; and,

***Ohio EPA, Division of Hazardous Waste Management***, 122 South Front Street, Columbus, Ohio 43215  
(614) 644-2917.

**What will Ohio EPA do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft Permit , making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you a copy of the "response to public comments" and the final permit decision.

**PUBLIC NOTICE**  
**OAC Rule 3745-27-10(D)(7)(c)(ii) Approval**

Notice is hereby given on November 2, 2004, pursuant to OAC 3745-27-10(D)(7)(c)(ii), Ohio EPA grants approval to Republic Services, Inc., Pine Grove Regional Facility, 5131 Drinkle Road, Amanda, Ohio 43102 on the continuation of the detection monitoring program for monitoring well MW325R. This approval is subject to all rules, regulations, and specified conditions. This action of the director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**Fairfield County**

**PUBLIC NOTICE  
OAC Rule 3745-27-10(D)(7)(c)(ii) Approval**

Notice is hereby given on November 4, 2004, pursuant to OAC 3745-27-10(D)(7)(c)(ii), Ohio EPA grants approval to Republic Services, Inc., Fairfield Sanitary Landfill (FSL), 5131 Drinkle Road, Amanda, Ohio 43102, on the continuation of the detection monitoring program for monitoring well MW325R for cis-1, 2-dichloroethene at the FSL. This approval is subject to all rules, regulations, and specified conditions. This action of the director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE  
OAC Rule 3745-27-10(D)(7)(c)(ii) Approval**

Notice is hereby given on November 4, 2004, pursuant to OAC 3745-27-10(D)(7)(c)(ii), Ohio EPA grants approval to Solid Waste Authority of Central Ohio (SWACO), 6220 Young Road, Grove City, Ohio 43123, on the continuation of the detection monitoring program for monitoring wells MW-6a, MW-8a and MW-9a for chloride and MW-9a for ammonia, at the Franklin County Landfill (Facility). The facility is located at 3851 London-Groveport Rd., Grove City, OH 43123. This approval is subject to all rules, regulations, and specified conditions. This action of the director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**Franklin County**

**PUBLIC NOTICE  
ALTERNATE PARAMETERS LIST APPROVAL**

Notice is hereby given that on November 4, 2004, the director of Ohio EPA approves a request to modify an alternate parameter list for Franklin County Sanitary Landfill's ground water monitoring program. The landfill is located at 6220 Young Road, Grove City, Ohio 43123-9518. The proposed changes include dropping chemical oxygen demand from the list and adding benzene, chloroethane, 1, 1-dichloroethane and vinyl chloride to the semiannual monitoring for the significant zone of saturation. These proposed changes meet the requirements of the Ohio Administrative Code 3745-27-10(D)(3) and as such are approved. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**Knox County**

**PUBLIC NOTICE  
OAC Rule 3745-27-10(D)(7)(c) Approval**

Notice is hereby given on November 5, 2004, pursuant to OAC 3745-27-10(D)(7)(c), Ohio EPA grants approval to Knox County Commissioners, 117 East High Street, Mt. Vernon, OH 43050, to continue ground water detection monitoring for well CW15, at the Knox County Landfill (Facility). The facility is located at 7739 Thayer Road, Mt. Vernon, OH 43050. However, Ohio EPA do not concur with the demonstration for Chloride in CW8A and CW6 and the demonstration for cis-1,2-dichlorethane in well CW2. Based on Ohio EPA's review, Knox County LF is required to enter into assessment for wells CW8A, CW6 and CW2, following OAC 3745-27-10(E). This approval is subject to all rules, regulations, and specified conditions. This action of the director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, Clean Water Act Section 401 certifications for the following projects:

1. Applicant: Daniel Maslowski and Victoria Kunkel  
Applicant's Address: 37895 Lakeshore Boulevard, Eastlake, Ohio 44094  
Project Location: 37895 Lakeshore Boulevard, Eastlake, Ohio 44094  
Project Description: To construct a revetment along the Lake Erie shoreline of the property. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct 140 linear feet of breakwater with the toe of the revetment 10 feet lakeward from the existing concrete breakwater. The applicant's proposed minimal degradation alternative, if approved, would construct 140 linear feet of breakwater with the toe of the revetment 8 feet lakeward from the existing concrete breakwater. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on Lake Erie. Please note that this project has already been completed utilizing the preferred alternative.  
Corps of Engineers' Number: 2003-00800(0)  
Ohio EPA Number: 033936.
  
2. Applicant: Patricia L. Donner  
Applicant's Address: 360 Rexford Street, Akron, Ohio 44314  
Project Location: 38397 North Beachview Road, Willoughby, Ohio 44094  
Project Description: To construct a concrete block seawall and a timber crib pier at the Lake Erie shoreline of the property. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct the concrete block seawall along 40 linear feet of shoreline and a 600 square foot L-shaped pier. The applicant's proposed minimal degradation alternative, if approved, would construct the concrete block seawall along 40 linear feet of shoreline and a 200 square foot rectangular pier. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on Lake Erie.  
Corps of Engineers' Number: 2004-01576(0)  
Ohio EPA Number: 042095.

The discharges from these activities, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the applications will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the applications will be

conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning November 15, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA Northeast District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on January 13, 2005 at 6:30 p.m. at the Willoughby Public Library, 30 Public Square, Willoughby, Ohio 44094. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. All interested persons are entitled to attend or be represented and give oral or written comments on the proposed projects.

Ohio EPA will continue to accept written comments on the application through the close of business on January 20, 2005. Comments received after this date may not be considered as part of the official record. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049.

**Madison County**

**PUBLIC NOTICE  
OHIO EPA DISAPPROVES CLOSURE PERIOD EXTENSION REQUEST  
G.E. COMPANY - JEFFERSON WELDS**

On October 5, 2004, the G.E. Company's, located at 82 West Ashtabula Street, West Jefferson, Ohio, request to extend the closure period for an additional 365 days, until September 7, 2005, to prepare a risk-based closure scenario was disapproved by the Director. The facility's circumstances did not meet the requirements of OAC rule 3745-66-13(B). The EPA I.D. number for this facility is OHD048111090.

This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**Mercer County**

**PUBLIC NOTICE  
RECEIPT OF PERMIT TO INSTALL APPLICATION**

Notice is hereby given on November 1, 2004, of the receipt of a Permit to Install application (PTI #03-16520) from Celina Sanitary Landfill, Inc., 6141 Depweg Road, Celina, Ohio 45822. The PTI application addresses the vertical expansion of the existing Celina Sanitary Landfill. The application was received by Ohio EPA on October 20, 2004, and may be reviewed in accordance with Ohio EPA's file review procedures by writing to, Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461.