

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Guidance Pertaining to Solid Waste Siting Criteria:
Minimum Distance From a Public Water Supply Well [OAC Rules 3745-27-07(B)(4)]

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final guidance document GD0202.105 issued by the Division of Drinking and Ground Waters on 6/30/96 to interpret OAC Rule 3745-27-07(B)(4) and to provide information required to assess the applicability of this rule. Siting criteria addressed by this document is to be included in a combined siting guidance document under development by the Division of Solid and Infectious Waste Management.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Guidance on Solid, Industrial, and Residual Waste Siting Criteria: Minimum Separation Distance of the Liner From the Aquifer System [OAC Rules 3745-27-07(H)(2)(e); 3745-29-07(H)(2)(e); and 3745-30-06(B)(15)]

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final guidance document GD0202.104 issued by the Division of Drinking and Ground Waters on 6/30/96 to provide clarification on the requirements of OAC Rules 3745-27-07(H)(2)(e), 3745-29-07(H)(2)(e), and 3745-30-06(B)(15) that specify the minimum separation distance required at municipal, industrial, and residual sanitary landfills between the bottom of the re-compacted clay liner and the top of the uppermost aquifer system. Siting criteria addressed by this document is to be included in a combined siting guidance document under development by the Division of Solid and Infectious Waste Management.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Solid Waste Guidance: Qualified Ground Water Scientist

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final guidance document GD0303.001 issued by the Division of Drinking and Ground Waters on 8/30/94 to describe how a solid waste landfill facility regulated under OAC Section 3745-27 demonstrates that the ground water scientist certifying the ground water monitoring program as provided by OAC Rule 3745-27-10(A) meets the qualifications described in OAC Rule 3745-27-01(B)(29). The professional standards for a qualified ground water scientist, and how a municipal solid waste landfill demonstrates compliance with the rule will be addressed in revisions to OAC Rules 3745-27-01(Q)(1) and 3745-27-10(A)(5).

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Policy Pertaining to Solid Waste Siting Criteria:
Limestone and Sandstone Quarry Prohibition [OAC Rule 3745-27-07(H)(2)(b)]

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final policy document DDAGW-02-02-101 issued by the Division of Drinking and Ground Waters on 6/30/96 providing clarification on the reasons for and exceptions to the prohibition of placing a sanitary landfill facility in a limestone or sandstone quarry. Siting criteria addressed by this document is to be included in a combined siting guidance document under development by the Division of Solid and Infectious Waste Management.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Policy Pertaining to Solid Waste Siting Criteria:
Sand/Gravel Pit Prohibition [OAC Rule 3745-27-07(H)(2)(d)]

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final policy document DDAGW-02-02-102 issued by the Division of Drinking and Ground Waters on 6/30/96 providing clarification on the reasons for and exceptions to the prohibition of placing a sanitary landfill facility in a sand/gravel pit. Siting criteria addressed by this document is to be included in a combined siting guidance document under development by the Division of Solid and Infectious Waste Management.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Guidance Pertaining to Solid Waste Siting Criteria:
Sole Source Aquifer [OAC Rule 3745-27-07(H)(27)(c)]

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final guidance document GD0202.101 issued by the Division of Drinking and Ground Waters on 7/29/97 addressing areas identified within the state as designated sole source aquifers pursuant to the Federal Safe Drinking Water Act. Siting criteria addressed by this document is to be included in a combined siting guidance document under development by the Division of Solid and Infectious Waste Management.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Guidance Pertaining to Solid Waste Siting Criteria:
100 gpm Aquifer [OAC Rule 3745-27-07(H)(2)(d)]

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final guidance document GD0202.102 issued by the Division of Drinking and Ground Waters on 7/29/97 to interpret OAC Rule 3745-27-07(H)(2)(d) and to provide information required to assess the applicability of this rule. Siting criteria addressed by this document is to be included in a combined siting guidance document under development by the Division of Solid and Infectious Waste Management.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
DIVISION OF DRINKING AND GROUND WATERS

Notice of Rescission of Guidance Pertaining to Solid Waste Siting Criteria:
Minimum Isolation Distances To Wells and Developed Springs
[OAC Rule 3745-27-07(H)(3)(c)]

Notice is hereby given that the Ohio Environmental Protection Agency has rescinded final guidance document GD0202.103 issued by the Division of Drinking and Ground Waters on 6/30/96 to provide reasons for and exceptions to the 1000 foot isolation distance from water supply wells or developed springs. Siting criteria addressed by this document is to be included in a combined siting guidance document under development by the Division of Solid and Infectious Waste Management.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 12/1/2004.

For information regarding these final actions, contact Glenn Luksik, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

<u>FIRST</u>	LAST	CITY	STATE
DAVID	DOMENICK	BROOK PARK	OH
GARY	COOPER	CINCINNATI	OH
ROBERT	LIPPERT	CINCINNATI	OH
NEAL	SIMMONS	CINCINNATI	OH
MATT	TRIMBLE	DAYTON	OH
GERALD	SUTTON	HUBER HEIGHTS	OH
RANDY	WELLS	MILFORD	OH
DANIEL	PATTON	MORAINE	OH
JOSEPH	HAUSFELD	RIVERSIDE	OH
JOSEPH	BORGERT	SPRINGBORO	OH
MARK	WRIGHT	SPRINGFIELD	OH
ALAN	MILLER	TROTWOOD	OH
MERLE	BYRD	WEST CARROLLTON	OH

Notice of Availability
Ohio Environmental Protection Agency
Model General Air Permits Available for Application

Notice is hereby given that the Director of Environmental Protection ("Ohio EPA") is making available for application through the Division of Air Pollution Control ("DAPC") two model general permits to install ("MGPTI") and model general permits to operate ("MGPTO") for large perchloroethylene dry cleaning facilities that use between 140 and 2099 gallons perchloroethylene per rolling, 12-month period and small perchloroethylene dry cleaning facilities that use less than 140 gallons perchloroethylene per rolling, 12-month period. Ohio EPA provided a 30-day comment period on the draft MGPTI and MGPTO terms and conditions beginning on August 13, 2004. After considering all comments received, Ohio EPA developed the final MGPTIs and MGPTOs and will begin accepting applications on December 6, 2004.

The Ohio EPA, DAPC general permit program is regulated under Ohio Administrative Code ("OAC") 3745-31-29, General Permit to Install, and 3745-35-08, General Permit to Operate. This notice is being issued in order to fulfill the requirements of OAC Rule 3745-31-29(A)(3) and OAC Rule 3745-35-08(A)(3). Additional information regarding the general permit program, copies of available MGPTIs, MGPTOs terms and conditions, and instructions for applying for the MGPTIs and MGPTOs can be found on the Ohio EPA Web page at <http://www.epa.state.oh.us/dapc/genpermit/genpermits.html>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these general permits can be directed to Jennifer Nichols at Ohio EPA, (614) 644-3696, jennifer.nichols@epa.state.oh.us, or mailed to Jennifer Nichols, Attn: General Permits, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049.

Public Notice Date: December 10, 2004

Statewide

**PUBLIC NOTICE
DRAFT WATER POLLUTION CONTROL LOAN FUND PROGRAM
MANAGEMENT PLAN AND
DRAFT WATER POLLUTION CONTROL LOAN FUND PROJECT PRIORITY LIST
FOR PROGRAM YEAR 2005**

Notice is hereby given that the Ohio Environmental Protection Agency will conduct a public meeting concerning the December 13, 2004 issuance of a draft action by the Director, that when finalized will adopt the Program Management Plan for the Water Pollution Control Loan Fund for program year 2005. The WPCLF Program Plan includes the Water Pollution Control Loan Fund Project Priority List and information regarding the intended uses for the Water Pollution Control Loan Fund, under authority of Ohio Revised Code 6111.036.

The meeting will be held on January 11, 2005, at 10:30 a.m. in the Ohio EPA's Offices in Room 5A on the 5th Floor of the Lazarus Government Center Located at 122 South Front Street, Columbus, Ohio. This site meets the requirements of the Americans with Disabilities Act. An interpreter or other necessary accommodations may be provided if requested at least (7) days in advance of the meeting.

A copy of the full text will be available for public viewing in the library in the county seat of each county and in the following Ohio EPA offices:

Division of Environmental and Financial Assistance, Lazarus Government Center, 122 South Front Street, Columbus, Ohio 43215;

Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087;

Northwest District Office, 347 North Dunbridge road, Bowling Green, Ohio 43402;

Southeast District Office, 2195 Front Street, Logan, Ohio 43138; and,

Southwest District Office, 401 E. Fifth Street, Dayton, Ohio 45402.

The documents are also available through the internet at <http://www.epa.state.oh.us/defa/>.

Written comments will be accepted through the date of the public meeting. Comments should be sent to: Robert McDonald, Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, P.O. Box 1049, Lazarus Government Center, Columbus, Ohio 43215-1049, or may be sent via E-Mail to <http://www.bob.mcdonald@epa.state.oh.us>. For further information regarding this meeting you may contact the Division of Environmental and Financial Assistance at (614)644-2798.

PUBLIC NOTICE
OAC Rule 3745-27-10(D)(7)(c) Approval

Notice is hereby given that on December 2, 2004, pursuant to OAC 3745-27-10(D)(7)(c), Ohio EPA grants approval to Ashland County Commissioners, Ashland County Courthouse, 110 Cottage Street, Ashland, OH 44805, to continue ground water detection monitoring for monitoring wells BW-6 and BW-10, at the Ashland County Landfill (Facility). The facility is located at County Road 1754, Ashland, Ohio 44805. OAC 3745-27-10(E). This approval is subject to all rules, regulations, and specified conditions. This action of the director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Belmont/Jefferson Counties

**PUBLIC NOTICE
DIRECTOR'S FINAL FINDINGS & ORDERS**

Notice is hereby given that on November 29, 2004, the director of Ohio EPA issued Final Findings and Orders to Apex Environmental, LLC ("Respondent"), 625 Liberty Avenue, Pittsburgh, PA 15222. Respondent is the prospective owner of property located in Springfield Township, Jefferson County, Ohio and associated Permits To Install (PTI), including a Permit To Install a solid waste landfill facility (PTI No. 17-1194); and a solid waste transfer facility located in Belmont County, Ohio ("Facilities"). Respondent is hereby exempted from the requirement to file a disclosure statement at least 180 days prior to the date of the proposed change in ownership, as required in ORC Section 3734.42(F)(1) and OAC 109:6-1-02(A)(3), as a result of the transfer of ownership of the Facilities described herein. The Director may revoke these Orders for any reason, including but not limited to failure to comply with any of these Orders or a determination that Respondent's activities at the facilities adversely affect public health or safety or the environment. These Final Findings & Orders are subject to all rules, regulations, and specified conditions. This action may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

Date of Public Notice: December 3, 2004

Cuyahoga County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to dredge 350,000 cubic yards from Cleveland Harbor to maintain navigation. The application was submitted by the Buffalo Corps of Engineers, 1776 Niagara Street, Buffalo, NY 14207. The dredging is proposed for the Cuyahoga River and outer harbor channels. The Buffalo Corps of Engineers' Public Notice Number for this application is 05-01.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Cuyahoga River and Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning December 3, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 122 South Front Street, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA Northeast District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on January 20th, 2005 at 5:30 p.m. at the Carnegie West Branch of the Cleveland Public Library, 1900 Fulton Rd, Cleveland, Ohio 44113. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on January 27, 2005. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on January 27, 2005.

PUBLIC NOTICE
OAC 3745-27-10(D)(7)(c)(ii) Approval

Notice is hereby given that on December 2, 2004, pursuant to OAC 3745-27-10(D)(7)(c)(ii), Ohio EPA grants approval to Norton Environmental, 6200 Rockside Woods Blvd., Independence, OH 44131, to continue ground water detection monitoring for selenium at monitoring well MW-7, at the Royalton Road Landfill (Facility). The facility is located at 3401 East Royalton Road, Broadview Heights, OH 44147. This approval is subject to all rules, regulations, and specified conditions. This action of the director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Sections 3745.01 and 6109.04 of the Ohio Revised Code, has issued Final Findings and Orders to Ken Wobbecke d.b.a. Mohican Wilderness Camp to ensure that Mohican Wilderness Camp is operated in compliance with the State's safe drinking water laws. This final action was effective on November 29, 2004, and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of the Ohio Environmental Protection Agency within three (3) days of filing at the ERAC. The ERAC's address is:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

**PUBLIC NOTICE
ISSUANCE OF OAC 3745-27-13 AUTHORIZATION**

Notice is hereby given that on November 29, 2004, pursuant to OAC 3745-27-13, the director of Ohio EPA authorized the City of Akron, Department of Public Service, 166 South High Street, Room 201, Akron, Ohio 44308, to engage in filling, grading, excavating, and building activities at the closed Cuyahoga Street Landfill (Facility). The facility is located at 880 Cuyahoga Street, Akron, OH 44313. This authorization is subject to all rules, regulations, and specified conditions. This action of the Director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Washington County

PUBLIC NOTICE
Re-Survey
Solid & Infectious Waste Program
C&DD Program

Notice is hereby given on November 29, 2004, in accordance with ORC Sections 3734.08(B) and 3714.09, the director of Ohio EPA have determined that the Washington County Health Department (WCHD), 342 Muskingum Drive, Marietta, Ohio 45750, is not eligible to continue to remain on the approved list of health districts authorized to administer and enforce the Solid and Infectious Waste and Construction and Demolition Debris laws and rules in accordance with Sections 3734.08 and 3714.09 of the Ohio Revised Code (ORC). This action is subject to all rules, regulations, and specified conditions. This action of the Director of Environmental Protection is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE
OHIO EPA APPROVES CLOSURE PERIOD EXTENSION REQUEST
FROM ASTROCOSMOS METALLURGICAL**

On November 23, 2004, Ohio EPA approved a closure period extension request from the AstroCosmos Metallurgical Company, located at 3225 West Old Lincoln Way, Wooster, Ohio. The EPA I.D. number for this facility is OHD990659435.

The facility's November 3, 2004 extension request, pursuant to Ohio Administrative Code rule 3745-66-13(B), is for additional time to develop an amended closure plan to address the four remaining units and to allow sufficient time for Ohio EPA's review of the plan. This extension expires on January 21, 2005. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.