

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on December 6, 2004, the director of Ohio EPA issued an amended infectious waste generator certificate to Quest Diagnostics Inc, 875 Greentree Rd, Pittsburgh PA 15220, ID No.: 00-G-00951. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**Date of Public Notice: December 15, 2004**

**OHIO ENVIRONMENTAL PROTECTION AGENCY  
PUBLIC NOTICE**

**BIG WALNUT CREEK WATERSHED TOTAL MAXIMUM DAILY LOAD REPORT**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is providing for public review and comment the Big Walnut Creek Watershed Total Maximum Daily Load Report (TMDL) Document. Ohio EPA developed the Document in fulfillment of Section 303(d) of the Clean Water Act which requires the identification of impaired waterbodies for which technology based effluent limitations are not stringent enough to achieve applicable water quality standards and to develop Total Maximum Daily Loads for such waters. The Document addresses impairments in four subwatersheds within the Big Walnut Creek watershed that appear on the Ohio 2004 303(d) list. The impaired waters are located in the counties of Franklin, Delaware, Morrow, Knox, Licking and Fairfield.

All interested persons wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA, Central District Office, 3232 Alum Creek Drive, Columbus, OH 43207, Attn: Mike Gallaway, or by email to [mike.gallaway@epa.state.oh.us](mailto:mike.gallaway@epa.state.oh.us) by the close of business, January 21, 2005. Comments received after this date may be considered as time and circumstances permit. After consideration of comments, Ohio EPA will submit the Document to the United States Environmental Protection Agency (USEPA) for approval.

To obtain a copy of the Document or other information, or to arrange to inspect Agency files or records pertaining to the Document, or to request notice of when Ohio EPA submits the Document to USEPA, please contact Mike Gallaway at the address above or by calling (614) 728-3843. The Document will be posted (on or before December 15, 2004) to the Ohio EPA Division of Surface Water Web site <http://www.epa.state.oh.us/dsw/index.html>.

**PUBLIC NOTICE**

Notice is hereby given that on December 6, 2004, the Director of Ohio EPA issued Final Findings and Orders ("Orders") to Clow Water Systems Company, a Division of McWane, Inc. ("Respondent"), 2266 South Sixth Street, Coshocton, OH 43812. Under the Orders, Respondent is exempted from the requirement to comply with the ground water and annual reporting requirements in OAC Chapters 3745-54, 3745-55, and 3745-65 for the surface impoundment and Cell 2 at the Facility. In lieu of compliance with these Chapters, Respondent is required to comply with the Orders and the requirements of OAC Rule 3745-27-10 for the North Landfill, Cell 2, and the surface impoundment until the Director approves the certification of completion of the corrective measure, selected by the Director under the Orders, in accordance with OAC Rule 3745-27-10(F)(16). The Orders issued on December 6, 2004 also supercede the 1993 Orders issued to Respondent on December 28, 1993. Further, Respondent's amended closure/post-closure plans for the surface impoundment and cell 2, submitted to the Director on November 30, 2004, are approved under the Orders, and Respondent is required to complete closure of Cell 2 by December 3, 2008, in the manner and pursuant to the time frames set forth in the approved closure plan and OAC Rule 3745-66-13. These Final Findings and Orders are subject to all rules, regulations, and specified conditions. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE**

**ISSUANCE OF OAC 3745-27-13 AUTHORIZATION**

Notice is hereby given that on December 3, 2004, pursuant to OAC 3745-27-13, the director of Ohio EPA authorized the City of Parma Service Department, 6611 Ridge Rd., Parma, OH 44129, to engage in filling, grading, excavating, and building activities at the closed Parma Sanitary Landfill (Facility). The facility is located at 2221 West Ridgewood Drive, Parma, OH 44134. This authorization is subject to all rules, regulations, and specified conditions. This action of the Director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE**

**ISSUANCE OF OAC 3745-27-13 AUTHORIZATION**

Notice is hereby given that on December 3, 2004, pursuant to OAC 3745-27-13, the director of Ohio EPA authorized the City of Xenia, 101 North Detroit Street, Xenia, OH 45385, to engage in filling, grading, excavating, and building activities at the closed City of Xenia Landfill (Facility). The closed facility is located at 966 Towler Rd., Xenia, OH, Greene County. This authorization is subject to all rules, regulations, and specified conditions. This action of the Director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**Ohio Environmental Protection Agency Draft Permit to Install, National Pollutant Discharge Elimination System Permit, and Air Pollution Control Permit**

**PUBLIC NOTICE**

Draft Permit to Install and National Pollutant Discharge Elimination System Permits for wastewater treatment and/or disposal facilities.

Ohio Environmental Protection Agency  
Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Name and Address of Applicant: Farmer's Ethanol, LLC, 9665 Young America Road, Adamsville, Ohio 43802

Name and Address of Facility Where Discharge Occurs: Farmer's Ethanol, LLC, 275 Dickerson Church Road, Cadiz, Cadiz Township, Harrison County, Ohio

Receiving Water: Existing constructed reservoir and an unnamed tributary to Sally Buffalo Creek and subsequently Middle Fork.

Public notice is hereby given that on 12/09/2004, the Director of the Ohio Environmental Protection Agency (Ohio EPA) issued a draft permit-to-install (PTI) (06-7594) for the construction of wastewater treatment/disposal facility serving ethanol operations, a draft National Discharge Elimination System (NPDES) Permit (0IN00253) for discharges from the proposed wastewater treatment/disposal facilities, and a draft NPDES permit (0IK00011) for the discharges from and/operations of the combined animal feeding operation (CAFO) located at the facility. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of an existing constructed reservoir and an unnamed tributary to Sally Buffalo Creek and subsequently Middle Fork. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permits are issued as final. Any person may submit written comments on the draft permits and administrative record.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the following address no later than thirty (30) days from the date this notice is published. Comments should be delivered or mailed to the Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install/National Pollutant Discharge Elimination System Permits and technical support information may be reviewed and/or copies made at Ohio EPA Central Office, 122 South Front Street, Columbus, Ohio, by first calling (614)644-2001, to make an appointment.

**PUBLIC NOTICE**

Annual Survey  
Solid & Infectious Waste Program  
C&DD Program

Notice is hereby given on December 7, 2004, in accordance with OAC Rule 3745-37-08, the director of Ohio EPA have determined that the Wayne County Health Department, 208 South Walnut Street, Wooster, Ohio 44691, is in substantial compliance and hereby place the Wayne County Health Department on Ohio EPA's Approved List(s) of health districts authorized to administer and enforce the Solid and Infectious Waste and Construction and Demolition Debris laws and rules in accordance with Sections 3734.08 and 3714.09 of the Ohio Revised Code (ORC). This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.