

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued fourteen certificates of registration as transporter of scrap tires to Entech Inc., 69676 M-103, White Pigeon, MI 49099. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued two certificates of registration as transporter of scrap tires to Tri-County Industries Inc., Solid Waste Collection & Disposal, Grove City, PA 16127. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued thirty certificates of registration as transporter of scrap tires to Casings, Inc., Rte 9W & Maple Ave., Catskill, NY 12414. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued twenty certificates of registration as transporter of scrap tires to Elk Distributing Inc., 57858 Charlotte Ave., Elkhart, IN 46517. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued ten certificates of registration as transporter of scrap tires to Porter Tire Center Inc., 18361 W US Hwy 60, Olive Hill, KY 41164. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued six certificates of registration as transporter of scrap tires to First Class Tire, 7302 W Vienna Rd., Clio, MI 48420. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued twenty-six certificates of registration as transporter of scrap tires to Rumpke of Kentucky Inc., 1374 Bryan Griffin Rd., Butler, KY 41006. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued two certificates of registration as transporter of scrap tires to Friendly Tire, 812 Providence Blvd., Clarksville, TN 37042. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued thirteen certificates of registration as transporter of scrap tires to Recovery Technologies PA Inc., 100 Talbot Ave., Braddock, PA 15104. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued fifty-four certificates of registration as transporter of scrap tires to Lakin Environmental Industries LLC, 2044 N Dominick St., Chicago, IL 60614. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued three certificates of registration as transporter of scrap tires to Metro Tire Disposal, 17373 Lahser, Detroit, MI 48219. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

## **PUBLIC NOTICE**

### **ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION**

Notice is hereby given that on April 19, 2005, the director of Ohio EPA issued eight certificates of registration as transporter of scrap tires to BFI Waste Systems of North America, 6749 Dixie Hwy, Erie, MI 48133. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth St, Ste 222, Columbus, OH 43215.

**PUBLIC NOTICE**  
**DENIAL OF A REQUEST FOR A COVENANT NOT TO SUE/FINAL**  
**FINDINGS AND ORDERS**  
***American Architectural Products Corp., American Weather Seal***

Notice is hereby given that on April 12, 2005, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Chapter 3746 of the Ohio Revised Code ("ORC") and Chapter 3745-300 of the Ohio Administrative Code ("OAC"), issued a Denial of a Request for a Covenant Not To Sue/Final Findings and Orders to American Architectural Products Corp. for the property identified as the American Weather Seal property (the "Property").

American Architectural Products Corp. conducted a voluntary action of the approximately 14.625 acre-Property located at 4409 South Cleveland Massillon Road, Norton, Summit County, Ohio. A No Further Action letter was submitted on December 5, 2002 to the Voluntary Action Program of Ohio EPA, Division of Emergency and Remedial Response, on behalf of American Architectural Products Corp. by Mr. Lance S. Traves, a Certified Professional, No. CP 204, as defined in ORC 3746.01(E) and OAC 3745-300-05.

The Denial of a Request for a Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Denial of a Request for a Covenant Not to Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**  
**OHIO ENVIRONMENTAL PROTECTION AGENCY**  
**REINSTATEMENT OF LABORATORY CERTIFICATION UNDER OHIO'S**  
**VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on April 12, 2005, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a modified laboratory certificate to Kemron Environmental Services ("Kemron") of 156 Starlite Drive, Marietta, Ohio, granting the laboratory's request to reinstate certification under Ohio's Voluntary Action Program for Aluminum by method 6010B that had been suspended. The modified certificate reflects changes to the previous certificate issued to Kemron under the Voluntary Action Program, and reinstates certification for Aluminum by method 6010B. The certification number assigned to Kemron remains CL0012.

The issuance of this certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE PUBLIC HEARING  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
ISSUANCE OF DRAFT PERMIT TO INSTALL #03-16220 TO  
SHELLEY MATERIALS**

Public notice is hereby given that the Ohio EPA - Division of Air Pollution Control (DAPC) has issued, on February 22, 2005, a draft Permit to Install (PTI) #03-16220 to Shelley Materials for the proposed modification of an existing asphalt plant to use alternative fuels, including natural gas, fuel oils, and used oils in the plant's rotary drum dryer.

The proposed modification is for an existing asphalt plant located in Ottawa County at 3997 Genoa-Clay Center Road, Clay Center, Ohio.

Copies of the draft PTI are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio, (419) 352-8461. An Ohio EPA information session and public hearing concerning the draft PTI will be held on May 26, 2005 at Village of Clay Center Council Chambers, 420 Main St., Clay Center, Ohio 43408. The information session will begin at 7:00 PM. The public hearing will follow immediately and continue until all persons have had the opportunity to provide testimony related to the proposed permit.

All interested persons are entitled to attend or be represented and give written or oral comments on the draft permit at the hearing. Written comments must be received by Ohio EPA at the close of the business day on May 31, 2005. Comments received after this date will not be considered to be a part of the official record. Written comments may be submitted at the hearing or sent to: Jan Tredway of Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402.

**Date of Public Notice: April 22, 2005**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to prevent shoreline erosion due to Lake Erie wave action. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would place 105 feet of precast vertical concrete "Z" wall modules along the Lake Erie shoreline. The applicant's proposed minimal degradation alternative, if approved, would place 105 feet of armorstone or quarystone revetment along the Lake Erie shoreline. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on Lake Erie. The application was submitted by Verdayne Naylor, 1632 Oak Valley Court, Fairfield, Ohio 45014. The project is located at 1492 Lake Road, Conneaut, Ashtabula County, Ohio. The Buffalo District Corps of Engineers ID Number for this project is 2004-00322(0). The Ohio EPA ID Number for this project is 042021.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands in Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning April 22, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on June 8, 2005 at 5:30 PM at the Conneaut Public Library, 304 Buffalo Street, Conneaut, Ohio 44030. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral

comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on June 15<sup>th</sup>, 2005. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on June 15<sup>th</sup>, 2005.

**Date of Public Notice: April 22, 2005**

**PUBLIC NOTICE**

**NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to fill 1.07 acres of wetlands in conjunction with construction of commercial building and parking lot in Easton Oval. As mitigation for the proposed impacts, the applicant proposes to purchase 2.6 acres of wetland credit at the Little Scioto Mitigation Bank (Marion). The application was submitted by Morso Holding, 3 Limited Parkway, Columbus, Ohio 43215 and National City Bank, 7 Easton Oval, Columbus, Ohio 43219. The project is located west of Interstate 270 and south of Easton Way, Columbus, Franklin County, Ohio. The Corps of Engineer's Public Notice Number for this application is 200400313. The Ohio EPA public notice number is 042180.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands in Big Walnut Creek. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning April 22, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on June 8, 2005 at 6:30 PM at the Gahanna Middle School West (Cafeteria), 350 Stygler, Gahanna, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the

presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on June 15<sup>th</sup>, 2005. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on June 15<sup>th</sup>, 2005.

**Date of Public Notice: April 22, 2005**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to for phase 2 of a residential subdivision. The application was submitted by Beazer Homes, 929 Eastwind Avenue, Suite 223, Westerville, Ohio 43081. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would fill 1.58 acres of wetlands. The applicant's proposed minimal degradation alternative, if approved, would fill 0.63 acres of wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands. The project is located near Maple Twig Road, off Abbie Trails Drive, Columbus, Ohio. The U.S. Army Corps of Engineers Number for this project is (H)200200955. The Ohio EPA ID Number for this project is 042154.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of George Creek of the Little Walnut Creek watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting April 22, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE PUBLIC HEARING**  
**OHIO ENVIRONMENTAL PROTECTION AGENCY**  
**ISSUANCE OF DRAFT PERMIT TO INSTALL #03-16220 TO**  
**SHELLEY MATERIALS**

Public notice is hereby given that the Ohio EPA - Division of Air Pollution Control (DAPC) has issued, on February 22, 2005, a draft Permit to Install (PTI) #03-16220 to Shelley Materials for the proposed modification of an existing asphalt plant to use alternative fuels, including natural gas, fuel oils, and used oils in the plant's rotary drum dryer.

The proposed modification is for an existing asphalt plant located in Ottawa County at 3997 Genoa-Clay Center Road, Clay Center, Ohio.

Copies of the draft PTI are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio, (419) 352-8461. An Ohio EPA information session and public hearing concerning the draft PTI will be held on May 26, 2005 at Village of Clay Center Council Chambers, 420 Main St., Clay Center, Ohio 43408. The information session will begin at 7:00 PM. The public hearing will follow immediately and continue until all persons have had the opportunity to provide testimony related to the proposed permit.

All interested persons are entitled to attend or be represented and give written or oral comments on the draft permit at the hearing. Written comments must be received by Ohio EPA at the close of the business day on May 31, 2005. Comments received after this date will not be considered to be a part of the official record. Written comments may be submitted at the hearing or sent to: Jan Tredway of Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402.

**PUBLIC NOTICE**  
**OHIO EPA RECEIVES HAZARDOUS WASTE AMENDED CLOSURE PLAN**

On April 14, 2005, Ohio EPA received a hazardous waste amended closure plan from Lordstown Metal Fabricating Division, GM Motors Corporation, for its former container storage area at 2369 Ellsworth-Bailey Road, Lordstown, Ohio 44481. The EPA Identification Number for this facility is OHD083321091.

**Why is Lordstown Metal Fabricating submitting this Amended Closure Plan?**

At the request of Ohio EPA, Lordstown Metal Fabricating submitted this amended closure plan. The purpose of this closure plan is to address Ohio EPA's concern that groundwater in the former hazardous waste container storage area remains above the maximum concentration levels. The plan's amendments include: a schedule for ten quarters of groundwater monitoring from five wells and a subsequent demonstration that the soil concentrations do not exceed site-specific soil leaching to groundwater criteria.

**When and how do I submit written comments about this Closure Plan?**

You can submit written comments anytime between April 21, 2005 and May 20, 2005. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Closure Plan?**

You can review the Closure Plan at the following locations:

**Ohio EPA, Northeast District Office**, 2110 Aurora Road, Twinsburg, Ohio 44087, tel: (330) 963-1200,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.