

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on June 7, 2005 the director of Ohio EPA issued an amended infectious waste transporter certificate to Commodore Medical Services of Ohio LP, 1941 Cement Plant Rd, Nashville, TN 37208, Reg. No. 00-G-00259. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Notice is hereby given that on June 9, 2005, the director of Ohio EPA issued Final Findings and Orders to Mr. Jose A. Collazo ("Respondent"), 4028 Lake Avenue, Ashtabula, OH 44004. Respondent is the owner of approximately 1.5 acres of land located on State Road, Plymouth Township, Ashtabula County, Ohio (the "Property"). Upon the effective date of these Orders the Respondent shall implement mosquito control measures at the Property in accordance with the provisions of OAC Rule 3745-27-60(B)(8) and (B)(9). Respondent shall establish storage piles and fire lanes at the Property, not later than thirty (30) days after the effective date of these Orders. Not later than one hundred twenty (120) days after the effective date of these Orders, Respondent shall remove or cause removal of all scrap tires from the Property . These Final Findings and Orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

PUBLIC NOTICE

Notice is hereby given that on June 13, 2005, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to Willow Grove, 14300 Ridge Road, North Royalton, Ohio 44133. The permit was issued for a project to construct a residential development located south of Bagley Road in Olmsted Township, Cuyahoga County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

Date of Notice: June 15, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the existing Sugarcreek Water Resource Reclamation Facility upgrade and expansion. The proposed expansion is designed to treat 9,900,000 gallons per day of sanitary wastewaters associated with domestic use. The disposal system is located at 2365 State Route 725, Spring Valley Township, Greene County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to the Little Miami River. Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Little Miami River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES application are available for review at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio, (937) 285-6357. An Ohio EPA public hearing on the proposed project has been scheduled for 7:00 P.M. on August 2, 2005, at the Greene County Social Services Center, 5411 Ledbetter Road, Xenia, Ohio 45385. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application(s).

Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on August 9, 2005. Comments received after this date may not be considered as part of the official record.

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Notice is hereby given that on June 9, 2005, the director of Ohio EPA issued Final Findings and Orders to Mr. Daniel Graber ("Respondent"), P.O. Box 94, Hartville, OH 44632. Respondent is the owner of a 43.285 acre parcel of land (parcel number 08-02355) located on Endley Road, Guernsey County, Ohio (the "Property"). Upon the effective date of these Orders the Respondent shall implement mosquito control measures at the Property in accordance with the provisions of OAC Rule 3745-27-60(B)(8) and (B)(10). Respondent shall establish storage piles and fire lanes at the Property, not later than thirty (30) days after the effective date of these Orders. Not later than one hundred twenty (120) days after the effective date of these Orders, Respondent shall remove or cause removal of all scrap tires from the Property . These Final Findings and Orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Ohio EPA PTI No. 02-20330

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. OEPA 05-060-042 PTI
Date of Issue of Public Notice: June 16, 2005

Name and Address of Applicant: Alpine Cheese Company, P.O. Box 181, Winesburg, Ohio 44690

Name and Address of Facility Where Discharge Occurs: Alpine Cheese Company, 1658 Township Road 660, Dundee, Ohio 44624

Receiving Water: Unnamed tributary to Middle Fork Sugar Creek to Main Stem Sugar Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of an unnamed tributary to Middle Fork Sugar creek and subsequently Main Stem Sugar Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft

permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to: Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at Ohio EPA Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, by first calling 330-963-1200, to make an appointment.

PUBLIC NOTICE

**OHIO EPA ISSUES DETERMINATION OF QUALIFICATION FOR PERMIT BY RULE
FOR The Dow Chemical Company, Ironton, OHIO**

Notice is hereby given of Ohio EPA's determination that The Dow Chemical Company (Dow) has qualified for permit by rule (PBR) status for its facility in Ironton, Ohio. The EPA Identification Number for this facility is OHD039128913.

What is a Permit By Rule (PBR)?

As the Ohio Environmental Protection Agency promulgates new rules deemed necessary to protect human health and the environment, a facility that becomes subject to newly promulgated hazardous waste requirements is allowed to continue operations if it qualifies for a Permit By Rule. A PBR is available to an owner or operator of a facility without a hazardous waste permit who becomes subject to permitting due to a regulatory change for activities previously not requiring a permit.

To qualify for a PBR an owner or operator of a facility must submit a notification of hazardous waste activity and a Part A permit application within 30 days of the effective date of the new regulatory requirement. During the duration of the PBR, the owner or operator must conduct the newly regulated activity in accordance with the applicable Ohio Interim Standards for hazardous waste facilities (OAC Chapters 3745-65 to 3745-69). The owner or operator is required to submit a Part B application based on the Final Facility Standards (OAC 3745-50-44) at the direction of Ohio EPA. Failure to submit a Part B application is cause for termination of the PBR.

How did Dow qualify for Permit By Rule status?

The Dow facility in Ironton, Ohio operates two boilers that burn hazardous waste under the new boiler and industrial furnace (BIF) rules. On February 21, 1991, the management of the hazardous waste in BIFs became regulated under federal hazardous waste regulations. At that time, Dow went through the process to become a federally permitted treatment, storage and disposal facility. Ohio EPA adopted equivalent rules on December 7, 2004. On November 26, 2004, Ohio EPA received a Part A application from Dow submitted pursuant to OAC rule 3745-50-40; also received was a certification of compliance with the emissions standards pursuant to OAC rule 3745-266-103. After reviewing the application and certification of compliance for completeness, Ohio EPA is hereby giving notice that Dow has qualified for a permit by rule.

Where is Dow located?

Dow is located at 925 County Road 1A, Lawrence County, Ironton, Ohio 45638-8687.

What is a general description of Dow?

The Dow Plant produces polystyrene pellets, Acrylonitrile-Butadiene-Styrene (ABS) copolymer pellets and foamed plastic products. These are intermediate polymeric products

used or combined with other materials off site by other companies to manufacture finished products. Characteristic hazardous wastes (D001 and D018) generated at the facility are burned in the two hazardous waste boilers. The capacity of each boiler is 9 million BTU per hour.

This Permit By Rule allows Dow to process approximately 1,321,500 pounds per year of hazardous wastes in their hazardous waste boilers.

Where can I inspect a copy of the Part A permit application?

You can review the application at one of the following locations:

Ohio EPA Southeast District Office, 2195 Front Street, Logan, Ohio 43188 Phone: (740) 385-8501.

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 Phone: (614) 644-2917.

Who can I contact for additional information?

You can contact Rich Stewart at Ohio EPA's Southeast District Office at (740) 385-8501.

Date of Public Notice: June 9, 2005

**PUBLIC NOTICE
ISSUANCE OF DRAFT NPDES PERMIT RENEWAL AND PERMIT TO INSTALL
AND PUBLIC HEARING**

Notice is hereby given that on June 9, 2005, the Director of the Environmental Protection Agency will issue a draft National Pollutant Discharge Elimination System (NPDES) permit renewal (1PC00004) and a draft Permit to Install (PTI) (05-12657) to the City of Mason, 3920 U.S. 42 North, Mason, Ohio 45040 for the discharge from the City of Mason Water Reclamation Plant located at 3920 U.S. 42 North, and the discharge from the proposed City of Mason Water Reclamation Plant to be located at 3200 Mason-Morrow-Millgrove Road, Union Township, Warren County, Ohio. "Draft Actions" are written statements of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments regarding draft actions.

The discharges from the existing and proposed facilities, if approved, would result in degradation to, or lowering of, the water quality of Muddy Creek and subsequently the Little Miami River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the draft actions are issued as final. A public hearing has been scheduled for 7:00 P.M. on July 28, 2005 at the Mason Municipal Center, 6000 Mason-Montgomery Road, Mason, Ohio 45040. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permits. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43126-1049 by the close of business on August 4, 2005. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES and PTI applications, draft permits and technical support information may be reviewed and/or copies made at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio, by first calling (937) 285-6357 to make an appointment.

PUBLIC NOTICE

OHIO EPA ISSUES DETERMINATION OF QUALIFICATION FOR PERMIT BY RULE FOR ENVIRONMENTAL RECYCLING, INC., BOWLING GREEN, OHIO

Notice is hereby given of Ohio EPA's determination that Environmental Recycling, Inc. (Environmental Recycling) has qualified for permit by rule (PBR) status for its facility in Bowling Green, Ohio. The EPA Identification Number for this facility is OHR000034025.

What is a Permit By Rule (PBR)?

As the Ohio Environmental Protection Agency promulgates new rules deemed necessary to protect human health and the environment, a facility that becomes subject to newly promulgated hazardous waste requirements is allowed to continue operations if it qualifies for a Permit By Rule. A PBR is available to an owner or operator of a facility without a hazardous waste permit who becomes subject to permitting due to a regulatory change for activities previously not requiring a permit.

To qualify for a PBR an owner or operator of a facility must submit a notification of hazardous waste activity and a Part A permit application within 30 days of the effective date of the new regulatory requirement. During the duration of the PBR, the owner or operator must conduct the newly regulated activity in accordance with the applicable Ohio Interim Standards for hazardous waste facilities (OAC Chapters 3745-65 to 3745-69). The owner or operator is required to submit a Part B application based on the Final Facility Standards (OAC rule 3745-50-44) at the direction of Ohio EPA. Failure to submit a Part B application is cause for termination of the PBR.

How did Environmental Recycling qualify for Permit By Rule status?

The Environmental Recycling facility in Bowling Green, Ohio operates a recycling process, storing hazardous materials pursuant to Ohio's new Universal Waste Rule (UWR) for lamps. This rule includes any lamps which exhibit a characteristic of a hazardous waste. The UWR requires that facilities physically recycling lamps (i.e., crushing, retorting, etc.) obtain a Hazardous Waste Installation and Operation Permit for the on-site storage of the lamps prior to recycling. The UWR became effective in Ohio on December 7, 2004. On January 5, 2005, Ohio EPA received a Part A application from Environmental Recycling submitted pursuant to OAC rule 3745-50-40. After reviewing the application for completeness, Ohio EPA is hereby giving notice that Environmental Recycling has qualified for a permit by rule.

Where is Environmental Recycling located?

Environmental Recycling is located at 527 East Woodland Circle, Wood County, Bowling Green, Ohio 43402. The coordinates for the facility are 41°22'48"N latitude and 83°36'11"W longitude.

What is a general description of Environmental Recycling?

Environmental Recycling handles and recycles universal waste at their Bowling Green facility. Environmental Recycling also operates as a PCB commercial storage facility under a USEPA Region V permit. Some of the materials received at Environmental Recycling include fluorescent lamps, mercury containing devices, PCB transformers, capacitors and other electrical equipment, batteries, air bags, computer/electronic equipment, consumer products, waste material recovery, universal waste pesticides, and herbicides. A retorting system is used to recover mercury from fluorescent lamps. The storage of these lamps prior to recycling is now a regulated activity under the recently promulgated regulations.

This Permit By Rule allows Environmental Recycling to continue to receive and process approximately 2,031,250 pounds per year of hazardous wastes.

Where can I inspect a copy of the Part A permit application?

You can review the application at one of the following locations:

Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 Phone: (419) 352-8461.

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 Phone: (614) 644-2917.

Who can I contact for additional information?

You can contact Gary Deutschman at Ohio EPA's Northwest District Office at (419) 373-3056.